

D1- NEW DRAFT LABEL
CLEAN COPY

Each 5ml contains:
Dextromethorphan HBr 15mg
Triprolidine HCl 1.25mg
Phenylephrine HCl 5mg
Sodium Benzoate 0.10% w/v as preservative.
Ethanol 90% 0.14ml/5ml

Store below 30°C.

Refer to accompanying package insert for further information.

MAL 07061426A

CODE C00901

CONTROLLED MEDICINE

KEEP OUT OF REACH OF CHILDREN

JAUHI DARI KANAK-KANAK

儲存于兒童的活動範圍以外。

FOR ORAL USE ONLY



Manufactured by

Xepa-Soul Pattinson (Malaysia) Sdn Bhd

1-5, Cheng Industrial Estate, 75250 Melaka, Malaysia

Cough-en® Rx Linctus

**Antitussive, Antihistamine,
Nasal Decongestant**

Relieves

- Dry Irritating Cough
- Runny Nose
- Sneezing
- Stuffy Nose
- Itchy & Watery Eyes

◆ Blackcurrant flavour

90ml

Dosage:

- Adults & children above 12 years
10ml 3 times a day
- Children 6 to 12 years
5ml 3 times a day
- Children 2 to 5 years
2.5ml 3 times a day

*Sip and swallow slowly,
preferably taken
without dilution.*

*Caution: This medicine may
cause drowsiness. If affected,
do not drive or operate machinery.
Avoid alcoholic drinks.*

*Warnings: Not to be used in children
below 2 years old. To be used with
cautions, and as advised by the
physician/pharmacist for children
age 2 to 6 years.*

BATCH MFG EXP

Each 5ml contains:
Dextromethorphan HBr 15mg
Triprolidine HCl 1.25mg
Phenylephrine HCl 5mg
Sodium Benzoate 0.10% w/v as preservative.
Ethanol 90% 0.14ml/5ml

Store below 30°C.

Refer to accompanying package insert for further information.

MAL 07061426A

CODE C00900

CONTROLLED MEDICINE

KEEP OUT OF REACH OF CHILDREN

JAUHI DARI KANAK-KANAK

儲存于兒童的活動範圍以外。

FOR ORAL USE ONLY



Xepa[®]

Manufactured by

Xepa-Soul Pattinson (Malaysia) Sdn Bhd

1-5, Cheng Industrial Estate, 75250 Melaka, Malaysia

Cough-en[®] Rx Linctus



Antitussive, Antihistamine, Nasal Decongestant

Relieves

- Dry Irritating Cough
- Runny Nose
- Sneezing
- Stuffy Nose
- Itchy & Watery Eyes

◆ Blackcurrant Flavour 120ml

Dosage:

- Adults & children above 12 years
10ml 3 times a day
- Children 6 to 12 years
5ml 3 times a day
- Children 2 to 5 years
2.5ml 3 times a day

*Sip and swallow slowly,
preferably taken
without dilution.*

Caution: This medicine may
cause drowsiness. If affected,
do not drive or operate machinery.
Avoid alcoholic drinks.

Warnings: Not to be used in children
below 2 years old. To be used with
cautions, and as advised by the
physician/pharmacist for children
age 2 to 6 years.

BATCH MFG EXP