FOR OFFICIAL USE ONLY

Package Insert

Important Information. Please read carefully.

Myopine™

Atropine Sulphate 0.01% w/v
Eye Drops

Composition
Active ingredient: Atropine Sulphate 0.01% w/v
Preservative: Benzalkonium Chloride 0.01% w/v

Indications
Control progression of myopia.

Dosage And Administration
One drop topically in eye(s) once at night.

Contraindications
Persons with glaucoma or a tendency toward glaucoma, and with hypersensitivity to belladonna alkaloids.

Warning And Precautions
For external use only. Excessive use may produce symptoms of systemic atropine poisoning.

Side Effects
May be associated with stinging sensation on instillation.
May cause allergy (itch, irritation, and redness), blurring of near vision and glare in some children.

Symptoms And Treatment For Overdosage
Excessive use or hyper-susceptibility to belladonna alkaloids may produce symptoms of atropine poisoning (palpitation, hot dry skin, dizziness, tremor, unsteady gait and change in level of consciousness). You should consult a physician if your child demonstrates these symptoms.

Storage Condition
Store below 30°C.

Shelf-life
The expiry date is indicated on the packaging.

Product Description
Clear, colourless sterile solution.
Available in 5ml plastic dropper bottle.

KEEP OUT OF REACH OF CHILDREN
For further information, please consult your pharmacist or physician.

Manufactured By:
Xepa-Soul Pattinson (Malaysia) Sdn Bhd
1-5 Cheng Industrial Estate,75250 Melaka, Malaysia.

For:
Singapore National Eye Centre
11 Third Hospital Avenue,Singapore 168751

MY0100-001 08.14