

EZEDE` ORAL SOLUTION

Loratadine (1mg/ml). Sodium Benzoate 0.1%w/v as preservative.

What is in this leaflet

1. What is Ezedek` Oral Solution used for
2. How Ezedek` Oral Solution works
3. Before you use Ezedek` Oral Solution
4. How to use Ezedek` Oral Solution
5. While you are using Ezedek` Oral Solution
6. Side effects
7. Storage and Disposal of Ezedek` Oral Solution
8. Product Description
9. Manufacturer and Product Registration Holder
10. Date of Revision
11. Serial number

What is Ezedek` Oral Solution used for

Relieves allergic conditions, such as:

- nose allergy (sneezing, itchy, runny and blocked nose, watery eyes)
- skin allergy (swelling, red, scaly, flaky and itchy skin)

How Ezedek` Oral Solution works

Loratadine is the antihistamine which prevents the release of histamine due to allergic reaction. Histamine is a chemical substance that released in the body as part of an allergic reaction.

Before you use Ezedek` Oral Solution

When you must not use it

- Do not use Ezedek` Oral Solution if you are allergic to any ingredients in this medicine.
- Do not use it for children below 2 years old. Safety and efficacy of Loratadine has not been established in children younger than 2 years of age.

Before you start to use it

Tell your doctor or pharmacist before using Ezedek` Oral Solution if you:

- are pregnant or plan to pregnant.
- are breast-feeding or plan to start breast-feeding.
- have liver or kidney problems.
- have difficulty in digesting sugar.

Using other medicines

Tell your doctor or pharmacist if you are taking or having recently taken any other medicines. This includes any medicines which you have bought without a prescription.

How to use Ezedek` Oral Solution

How much to use

- *Adults and children above 12 years old* 10ml (2 teaspoons) once daily.

- *Children 6 to 12 years old*
Body weight >30kg: 10ml (2 teaspoons) once daily.
Body weight <30kg: 5ml (1 teaspoon) once daily.

- *Children 2 to 6 years old*
Body weight >30kg: 10ml (2 teaspoons) once daily.
Body weight <30kg: 5ml (1 teaspoon) once daily.

When to use it

Follows the dose prescribed by doctor or pharmacist.

How long to use it

Follow the prescription from your doctor or pharmacist. Ask your doctor or pharmacist before prolonged use of this medicine.

If you forget to use it

Use it as soon as you remember, unless it is nearly time for your next dose, skip the missed dose. Then go on as before. Never double up on the next dose to make up for the one missed.

If you use too much (overdose)

Overdose may result in sleepiness, rapid heartbeat and headache.

Seek immediate medical attention if you have used too much or are worried with your condition.

While you are using Ezedek` Oral Solution

Things you must do

- Take the medicine at the same time each day.
- Take the medicine with water.
- You may take this medication with or without food.

Things you must not do

- Do not use this medicine by yourself without prescription from your doctor or pharmacist.
- Do not take this medicine for at least 48 hours if you going to do skin test.
- Avoid alcoholic drink.

Things to be careful of

Be careful driving or operating machinery until you know how Ezedek` affects you.

Side Effects

- Sleepiness
- Headache
- Increased appetite
- Sleeplessness

Seek immediate medical attention if you experience any side effects or allergic reactions.

You may report any side effects or adverse drug reactions directly to the National Centre for Adverse Drug Reaction Monitoring by visiting the website npra.gov.my [Consumers→ Reporting Side Effects to Medicines (ConSERF) or Vaccines (AEFI)].

Storage and Disposal of Ezedek` Oral Solution

Storage

Store below 30°C.

Keep out of the reach of the children.

Do not use this medicine after expiry date.

Disposal

Medicines should not be disposed of via wastewater or household waste. Ask your pharmacist how to dispose of medicines no longer required.

Product Description

How it looks like

Clear, pink colour oral solution with vanilla blackcurrant flavour.

Available in pack size of 60ml, 90ml and 120ml.

Ingredients

Active Ingredients

Loratadine

Inactive ingredients

Sorbitol Solution 70%, Glycerin, Propylene Glycol, Citric Acid Anhydrous, Disodium Edetate, Sodium Benzoate, Saccharin Sodium, Colour Powder Ponceau 4R, Vanilla and Blackcurrant Flavour, Purified Water.

MAL Number

MAL

Manufacturer and Product Registration Holder

Xepa-Soul Pattinson (Malaysia) Sdn Bhd
1-5 Cheng Industrial Estate,
75250 Melaka, Malaysia.

Date of Revision

14/04/2022

Serial Number

NPRA (R2) 21/173