

MYCODERM – C POWDER

Clotrimazole (1% w/w)

What is in this leaflet

1. What Mycoderm C is used for
2. How Mycoderm C works
3. Before you use Mycoderm C
4. How to use Mycoderm C
5. While you are using Mycoderm C
6. Side effects
7. Storage and Disposal of Mycoderm C
8. Product Description
9. Manufacturer and Product Registration Holder
10. Date of revision

What Mycoderm C is used for?

Mycoderm C is used to treat fungal and yeast infection of the skin.

How Mycoderm C works

Mycoderm C contains active ingredient of clotrimazole, which is an antifungal, which fights skin infection caused by fungus and yeast.

Before you use Mycoderm C

- When you must not use it

Do not use Mycoderm C if:

- you are allergic to clotrimazole, or any other ingredients of this medicine (listed in Product Description)

- Before you start use it.

Pregnancy and lactation

Please consult your doctor or pharmacist if you are pregnant, planning for pregnancy or breast-feeding before using any medicine.

Mycoderm C must only be used during pregnancy under the supervision of healthcare providers.

- Taking other medicines

Tell your doctor if you are taking any other medicines, including any that you buy without a prescription from a pharmacy, supermarket, or health food shop.

How to use Mycoderm C

- How much to use

If Mycoderm C has been prescribed for you by your doctor, follow any instructions he/she may have given you.

If you purchased this product without a prescription, follow these directions closely:

The powder should be sprinkled on the affected areas. The powder may also be dusted on the inside of the clothes and footwear which are in contact with the infected area.

- When to use it

Use 2 to 3 times daily. Regular application is essential for effective treatment.

- How long to use it

The treatment should be continued till the disappearance of all signs of infection to prevent re-infection.

The symptoms of your infection, such as itching or soreness, should improve within a few days of treatment although signs such as redness and scaling may take longer to disappear. Consult doctor if no improvement (for athlete's foot) or (for jock itch).

- If you forget to use it

Apply the missed dose as soon as you remember. If it is almost time for your next dose, wait until then to apply the medicine and skip the missed dose. Do not apply a double dose to make up for the missed dose.

- If you use too much (overdose)

Contact your doctor immediately or go to the Emergency Department of your nearest hospital, if you or anyone else may have used too much of this medicine or accidentally ingested this medication. Do this even if there are no signs of discomfort or poisoning. You may need urgent medical attention.

While you are using it

- Things you must do

Use your medicine exactly as your doctor or pharmacist has told you.

Tell all the doctors, dentists, and pharmacists treating you that you are using Mycoderm C.

Tell your doctor immediately if you become pregnant while using this medication.

You can help the treatment to work if you follow simple self-help tips:

- Keep the affected skin areas clean
- Pay particular attention to drying the skin, but avoid excessive rubbing.

- The hygiene of the skin also is important in the management of fungal diseases, particularly of the folds and feet.
- Always wash your hands after treating the infection to prevent it from spreading

- Things you must not do

Do not share towels, bath mats, etc. with other people as you could spread the infection to them.

Do not stop using the medicine unless advised by your doctor.

Do not use any new medicines without consulting your doctor or pharmacist.

Do not give Mycoderm C to anyone else, even if they have the same symptoms or condition as you.

- Things to be careful of

Mycoderm C Powder is for external use only. Do not put the powder in your mouth or swallow it.

Always wash your hands immediately after use so that you do not transfer it to sensitive areas such as your lips or eyes. If this occurs, wash away with plenty of clean water.

Although the infection area will itch, try not to scratch. Scratching will damage the surface of the skin and cause the infection to spread further.

Side effects

Mycoderm C Powder can cause side effects, although not everybody gets them.

Some people may experience rare side effects such as mild burning sensation or skin irritation.

Tell your doctor immediately if you experience any of the above effects or react badly to the powder in any other way not listed in this leaflet, tell your doctor or pharmacist immediately.

You may report any side effects or adverse drug reactions directly to the National Centre for Adverse Drug Reaction Monitoring by visiting the website npra.gov.my [Consumers → Reporting Side Effects to Medicines (ConSERF) or Vaccines (AEFI)]

Storage and Disposal of Mycoderm C

- Storage

MYCODERM – C POWDER

Clotrimazole (1% w/w)

Store in a cool dry place below 30°C,
protected from light.

Keep container well closed.

Keep out of reach of children.

- Disposal

Medicines should not be disposed of via
wastewater or household waste. Ask
your pharmacist how to dispose of
medicines no longer required. These
measures will help to protect the
environment.

Product Description

- What it looks like

White to off-white powder with pleasant
odor.

- Ingredients

- Active ingredient

Clotrimazole 1% w/w

- Inactive ingredients

Colloidal Silicon Dioxide (Aerosil),
Sandal P-4114-A, Starch and Purified
Talc

- MAL number(s):

MAL07090895XZ

Manufacturer

FDC LIMITED
B-8, MIDC Industrial Area, Waluj,
Aurangabad, Maharashtra, India.

Product Registration Holder

UNIMED SDN BHD
53, Jalan Tembaga SD 5/2B,
Bandar Sri Damansara,
52200, Kuala Lumpur, Malaysia.

Date of revision

10/10/2023

Serial number:

NPRA(R4/1)101023/00082