

(H) 65 mm

(L) 78 mm

(W) 18 mm

CA16.BZA.MAL.E.U-01

GTIN : XXXXXXXXXXXXXXXX
B. No. : XXXXXX
Mfg. : MAR-00
Exp. : FEB-00
S.N. : XXXXXXXXXXXXXXXX



1 amp. = 5 mg midazolam

BENZOSSED

Midazolam BP 5 mg/mL solution for Injection or Infusion

Each mL contains:
Midazolam Ph. Eur. 5 mg.
Water for Injections Ph. Eur. q.s.
Other Excipients: See package insert.
Dosage and administration: See package insert.
Do not store above 30°C, keep the ampoule
in the outer carton in order to protect from light.
Diluted solutions of Benzosed injection in compatible
intravenous infusion fluids can be store for 24 hours
at room temperature or 3 days at 2-8°C.

For IV, IM and rectal use only.

Caution: This preparation may be habit forming on prolonged use.

Medicine: Keep out of reach of children.
Jauhkan ubat dari kanak-kanak.



Troika

Manufactured by:
Troika Pharmaceuticals Ltd.
C-1, Sara Industrial Estate, Selaqui,
Dehradun-248197, India

Mfg. Lic. No.: 37/UA/SC/P-2006
Malaysia: MAL24016017AZ

OPZ WITHOUT VARNISH

SECURITY LABEL

18 x 8 mm

1 amp. = 5 mg midazolam

BENZOSSED

Midazolam BP 5 mg/mL solution for Injection or Infusion

5 ampoules of 1 ml

For IV / IM and Rectal Use Only

Controlled Medicines / Ubat Terkawal



Troika

Product Registration Holder:
Unimed Sdn. Bhd.
No. 53, Jalan Tembaga SD 5/2B,
Bandar Sri Damansara, 52200 Kuala Lumpur, Malaysia

(L) 148 mm

(W) 17 mm

mm 66 (H)

CA11.BZA.MAL.E-01



Diluted solutions of Benzosed injection in compatible intravenous infusion fluids can be store for 24 hours at room temperature or 3 days at 2-8°C.
Caution: This preparation may be habit forming on prolonged use.
Medicine: Keep out of reach of children.
Jauhkan ubat dari kanak-kanak.

BENZOSSED

1 amp. = 5 mg midazolam

Each mL contains:
Midazolam Ph. Eur. 5 mg.
Water for Injections Ph. Eur. q.s.
Other Excipients: See package insert.
Dosage and administration: See package insert.
Do not store above 30°C. Keep the ampoule in the outer carton in order to protect from light.



Mfg. Lic. No.: 37/UA/SC/P-2006
Malaysia: MAL24016017AZ

Manufactured by:
Troika Pharmaceuticals Ltd.
C-1, Sara Industrial Estate, Selatqu,
Dehradun-248197, India

1 amp. = 5 mg midazolam

BENZOSSED

Midazolam BP 5 mg/mL solution for Injection or Infusion

10 ampoules of 1 ml

For IV / IM and Rectal Use Only

Controlled Medicines / Ubat Terkawal



SECURITY LABEL
18 x 8 mm

Product Registration Holder:
Unimed Sdn. Bhd.
No. 53, Jalan Tembaga SD 5/2B,
Bandar Sri Damansara, 52200 Kuala Lumpur, Malaysia

OPZ WITHOUT
VARNISH



GTIN : XXXXXXXXXXXXXXXX
B. No. : XXXXXX
Mfg. : MAR-00
Exp. : FEB-00
S.N. XXXXXXXXXXXXXXXX

(H) 78 mm

(L) 102 mm

(W) 21 mm

CA3K.BZA3.MAL.E.U-01

GTIN : XXXXXXXXXXXXXXXX
B. No. : XXXXXX
Mfg. : MAR-00
Exp. : FEB-00
S. N. XXXXXXXXXXXXXXXX



1 amp. = 15 mg midazolam

BENZOSSED

Midazolam BP 5 mg/mL solution for Injection or Infusion

Each mL contains:
Midazolam Ph. Eur. 5 mg.
Water for Injections Ph. Eur. q.s.

Other Excipients: See package insert.
Dosage and administration: See package insert.
Do not store above 30°C, keep the ampoule
in the outer carton in order to protect from light.

Diluted solutions of Benzosed injection in compatible
intravenous infusion fluids can be store for 24 hours
at room temperature or 3 days at 2-8°C.

For IV, IM and rectal use only.

Caution: This preparation may be habit forming on prolonged use.

Medicine: Keep out of reach of children.

Jauhkan ubat dari kanak-kanak.



Troika

Mfg. Lic. No.: 37/UA/SCP-2006
Malaysia: MAL

Manufactured by:
Troika Pharmaceuticals Ltd.
C-1, Sara Industrial Estate, Selaku,
Dehradun-248197, India

OPZ WITHOUT
VARNISH

1 amp. = 15 mg midazolam

BENZOSSED

Midazolam BP 5 mg/mL solution for Injection or Infusion

5 ampoules of 3 ml

For IV / IM and Rectal Use Only

Controlled Medicines / Ubat Terkawal



Troika

Product Registration Holder:
Unimed Sdn. Bhd.
No. 53, Jalan Tembaga SD 5/2B,
Bandar Sri Damansara, 52200 Kuala Lumpur, Malaysia

(L) 116.5 mm

(W) 22.5 mm

CA10c.BZV2.MAL.E.U-01

GTIN : XXXXXXXXXXXXXXXX
B. No. : XXXXXX
Mfg. : MAR-00
Exp. : FEB-00
S.N. : XXXXXXXXXXXXXXXX



OPZ WITHOUT
VARNISH

1 amp. = 50 mg midazolam

BENZOSSED

Midazolam BP 5 mg/mL solution for Injection or Infusion

Each mL contains:
Midazolam Ph. Eur. 5 mg.
Water for Injections Ph. Eur. q.s.
Other Excipients: See package insert.
Dosage and administration: See package insert.
Do not store above 30°C, keep the ampoule
in the outer carton in order to protect from light.

Diluted solutions of Benzosed injection in compatible
intravenous infusion fluids can be store for 24 hours
at room temperature or 3 days at 2-8°C.

For IV, IM and rectal use only.

Caution: This preparation may be habit forming on prolonged use.

Medicine: Keep out of reach of children.

Jauhkan ubat dari kanak-kanak.

Troika

Mfg. Lic. No.: 37/UA/SC/P-2006
Malaysia: MAL

Manufactured by:
Troika Pharmaceuticals Ltd.
C-1, Sara Industrial Estate, Selaqui,
Dehradun-248197, India

1 amp. = 50 mg midazolam

BENZOSSED

Midazolam BP 5 mg/mL solution for Injection or Infusion

5 ampoules of 10 ml

For IV / IM and Rectal Use Only

Controlled Medicines / Ubat Terkawal

Troika

Product Registration Holder:
Unimed Sdn. Bhd.
No. 53, Jalan Tembaga SD 5/2B,
Bandar Sri Damansara, 52200 Kuala Lumpur, Malaysia

(H) 104.5 mm