

(L) 74 mm

(H) 30 mm

CONTROLLED MEDICINE

Each ml (of emulsion) contains :
Propofol BP 10 mg.
Store below 30°C. Do not freeze.
Keep out of reach of children.
Jauhkan daripada kanak-kanak.
Shake well before use.

After dilution : Troypofol Injection has
been found to be stable upto 6 hours
after dilution in the sterile intravenous
infusion of Sodium Chloride 0.9% and
dextrose 5% at storage condition
below 25°C.

Read package insert before use.
Mfg. Lic. No. : 37/UA/SC/P-2006



D.TPF.MAL.E-04

Troypofol

**Propofol Emulsion for IV Injection
or Infusion 1% w/v**

20 ml Vial

For IV Bolus / IV Infusion
Sterile, Non-Pyrogenic, single dose container.

FOR HOSPITAL USE ONLY

Caution : Not to be used if container is
found leaking or there is evidence of
separation of phases of the emulsion.

Each vial is for use in a single patient only.
Discard any unused portion of the contents.

MAL No. : MAL15025036AZ

B. No. : XXXXXX

Mfg. : XXX-XX

Exp. : XXX-XX

Manufactured by :
Troikaa Pharmaceuticals Ltd.
C-1, Sara Industrial Estate, Selaqui,
Dehradun-248197, Uttarakhand, India

Product Registration Holder and Imported by :
UNIMED SDN. BHD.,
No. 53, Jalan Tembaga SD 5/2B,
Bandar Sri Damansara, 52200 Kuala Lumpur, Malaysia

OPZ WITHOUT VARNISH