

C/201.TPF.MAL.E.U-02

OPZ WITHOUT
VARNISH

B.No. : XXXXXX
M.D. : XXX-XX
E.D. : XXX-XX

SECURITY LABEL
15 x 7 MM

Each ml (of emulsion) contains :
Propofol BP 10 mg.

Store below 30°C.
Do not freeze.

After dilution : Troypofol Injection
has been found to be stable upto
6 hours after dilution In the sterile
intravenous infusion of Sodium
Chloride 0.9% and dextrose 5% at
storage condition below 25°C.

Read package insert before use.

Keep out of reach of children.
Jauhkan daripada kanak-kanak.

Each vial is for use in a single
patient only.
Discard any unused portion of
the contents.

SHAKE WELL BEFORE USE.

Caution : Not to be used if container
is found leaking or there is evidence
of separation of phases of the emulsion.

Troypofol

Propofol Emulsion for IV Injection
or Infusion 1% w/v

20 ml Vial



For IV Bolus /
IV Infusion

Pack : 1 Vial

Troikaa

FOR HOSPITAL USE ONLY

CONTROLLED MEDICINE

Mfg. Lic. No. : 37/UA/SC/P-2006

MAL No. : MAL15025036AZ

Sterile, Non-Pyrogenic,
single dose container.

Product Registration Holder
and Imported by :
UNIMED SDN. BHD.,
No. 53, Jalan Tembaga SD 5/2B,
Bandar Sri Damansara,
52200 Kuala Lumpur, Malaysia

Manufactured by :
Troikaa
Pharmaceuticals Ltd.
C-1, Sara Industrial Estate, Selaqui,
Dehradun-248197, Uttarakhand, India

Troypofol

Propofol Emulsion for IV Injection
or Infusion 1% w/v

20 ml Vial



For IV Bolus /
IV Infusion

Pack : 1 Vial

Troikaa

Troypofol

Propofol Emulsion for IV Injection
or Infusion 1% w/v

(H) 72 mm

38 mm (W)

38 mm (L)