



Contains: 1 vial (powder), 1 prefilled syringe (sterile water), 1 vial adaptor, 1 dosing syringe, 1 needle, 4 alcohol wipes, 1 package insert, 1 instruction for use.

Reconstitute prior to administration. Refer to the Instructions for Use for detailed instructions on the proper preparation and administration of WINREVAIR.
For Dosage and Administration, Contraindications, Precautions/Warnings, see accompanying circular.



For subcutaneous injection
For single use only



WINREVAIR[®]
45 mg
Powder and Solvent for Solution for Injection
sotatercept

CONTROLLED MEDICINE
Each vial contains 45 mg of sotatercept. The concentration of the reconstituted solution is 50 mg/mL and 0.9 mL can be withdrawn.
Keep out of the sight and reach of children.
Jauhii ubat daripada kanak-kanak.
Store refrigerated at 2°C to 8°C in the original carton to protect from light. Do not freeze. Use this medicine immediately or no longer than 4 hours after reconstitution.
Copyright © 2025 Merck & Co., Inc., Rahway, NJ, USA and its affiliates. All rights reserved.
EXP
LOT
MFG

WINREVAIR[®]
45 mg
sotatercept
Powder and Solvent for Solution for Injection
For subcutaneous injection
For single use only
MSD
MAL26026002ACZ

WINREVAIR[®]
45 mg
sotatercept
Powder and Solvent for Solution for Injection
For subcutaneous injection
For single use only
MSD
Contains: 1 vial (powder), 1 prefilled syringe (sterile water), 1 vial adaptor, 1 dosing syringe, 1 needle, 4 alcohol wipes, 1 package insert, 1 instruction for use.

Product Registration Holder:
MERCK SHARP & DOHME (MALAYSIA) SDN. BHD.
Lot No. B-22-1 & B-22-2, Level 22
The Ascent, Paradigm No. 1
Jalan SS 7/26A, Kelana Jaya
47301 Petaling Jaya
Selangor, Malaysia
Manufactured by:
Patheon Italia S.p.A
Viale G.B. Stucchi, 110-20900 Monza (MB), Italy
Packed and Released by:
MERCK SHARP & DOHME B.V.
Waarderweg 39, Haarlem, 2031 BN, Netherlands

