833IU/mL
Pack of 300IU/0.36mL

1 cartridge containing 0.480 ml
2 packs with 3 pen needles

Puregon® Solution for Injection in Cartridges 833 IU/mL Pack of 300IU/0.36 mL follitropin beta

For use only with the Puregon Pen®

CONTROLLED MEDICINE

MAL13055072ACRSZ

Manufactured by : Vetter Pharma-Fertigung, GmbH & Co. KG, Mooswiesen 2, 88214 Ravensburg, Germany.
Batch released by: N.V. Organon, Kloosterstraat 6, 5349 AB Oss, The Netherlands
Product Registration Holder: Organon Malaysia Sdn. Bhd.
3A-08-02, Level 8, Corporate Tower 3A, Pavilion Damansara Heights, No. 3, Jalan Damanlela 50490 Kuala Lumpur, Malaysia.

1 cartridge containing 0.480 ml
2 packs with 3 pen needles
Puregon® Solution for Injection in Cartridges 833 IU/mL Pack of 300IU/0.36 mL follitropin beta

1 cartridge containing 0.480 ml
2 packs with 3 pen needles
Puregon® Solution for Injection in Cartridges 833 IU/mL Pack of 300IU/0.36 mL follitropin beta

For subcutaneous use
400 IU FSH activity/0.480 ml
Net content 300 IU

0 840164 518146

Exp. Date:
Batch No.:
Mfg. Date:

1 cartridge containing 0.480 ml
2 packs with 3 pen needles
Puregon® Solution for Injection in Cartridges 833 IU/mL Pack of 300IU/0.36 mL follitropin beta
For use only with the Puregon Pen®

ORGANON

Other ingredients: sucrose, sodium citrate, L-methionine, polysorbate 20 and benzyl alcohol 1% in water for injections
pH adjustment: sodium hydroxide and/or hydrochloric acid

As this preparation contains benzyl alcohol, its use should be avoided in children under two years of age. Not to be used in neonates

Storage by the pharmacist
Store at 2°C - 8°C. Do not freeze
Storage by the patient
There are two options:

1. Store at 2°C - 8°C. Do not freeze
2. Store below 25°C for a maximum of 3 months
Keep the cartridge in the outer carton
Once the rubber inlay of a cartridge is pierced by a needle, the product may be stored for a maximum of 28 days

Please refer to leaflet for dosage, administration, precautions, warning and contraindication
Keep medicines out of reach of children.
Jauhi ubat daripada kanak-kanak.
Prescription only medicine
Discard used cartridges after the treatment cycle

833IU/mL
Pack of 600IU/0.72mL

1 cartridge containing 0.840 ml
2 packs with 3 pen needles

Puregon® Solution for Injection in Cartridges 833 IU/mL
Pack of 600 IU/0.72 mL
follitropin beta

For use only with the Puregon Pen®

CONTROLLED MEDICINE MAL13055072ACRSZ

Manufactured by : Vetter Pharma-Fertigung, GmbH & Co. KG, Mooswiesen 2, 88214 Ravensburg, Germany.
Batch released by: N.V. Organon, Kloosterstraat 6, 5349 AB Oss, The Netherlands Product Registration Holder:
Organon Malaysia Sdn. Bhd.
3A-08-02, Level 8, Corporate Tower 3A, Pavilion Damansara Heights,
No. 3, Jalan Damanlela 50490 Kuala Lumpur, Malaysia.

1 cartridge containing 0.840 ml
2 packs with 3 pen needles
Puregon® Solution for Injection in Cartridges 833 IU/mL
Pack of 600 IU/0.72 mL
follitropin beta

1 cartridge containing 0.840 ml
2 packs with 3 pen needles
Puregon® Solution for Injection in Cartridges 833 IU/mL
Pack of 600 IU/0.72 mL
follitropin beta

For subcutaneous use
700 IU FSH activity/0.840 ml
Net content 600 IU

0 840164 518153

Exp. Date:
Batch No.:
Mfg. Date:

1 cartridge containing 0.840 ml
2 packs with 3 pen needles
Puregon® Solution for Injection in Cartridges 833 IU/mL
Pack of 600 IU/0.72 mL
follitropin beta
For use only with the Puregon Pen®

ORGANON

Other ingredients: sucrose, sodium citrate, L-methionine, polysorbate 20 and benzyl alcohol 1% in water for injections
pH adjustment: sodium hydroxide and/or hydrochloric acid

As this preparation contains benzyl alcohol, its use should be avoided in children under two years of age. Not to be used in neonates

Storage by the pharmacist
Store at 2°C – 8°C. Do not freeze
Storage by the patient
There are two options:

1. Store at 2°C – 8°C. Do not freeze
2. Store below 25°C for a maximum of 3 months
Keep the cartridge in the outer carton
Once the rubber inlay of a cartridge is pierced by a needle, the product may be stored for a maximum of 28 days

Please refer to leaflet for dosage, administration, precautions, warning and contraindication
Keep medicines out of reach of children.
Jauhi ubat daripada kanak-kanak.
Prescription only medicine
Discard used cartridges after the treatment cycle

833IU/mL
Pack of 900IU/1.08mL

1 cartridge containing 1.230 ml
3 packs with 3 pen needles

Puregon® Solution for Injection

in Cartridges 833 IU/mL
Pack of 900 IU/1.08 mL
follitropin beta

For use only with the Puregon Pen®

MAL13055072ACRSZ
CONTROLLED MEDICINE

Manufactured by : Vetter Pharma-Fertigung, GmbH & Co. KG,
Mooswiesen 2, 88214 Ravensburg, Germany.
Batch released by: N.V. Organon, Kloosterstraat 6, 5349 AB Oss,
The Netherlands
Product Registration Holder: Organon Malaysia Sdn. Bhd.
3A-08-02 , Level 8, Corporate Tower 3A, Pavilion Damansara Heights, No. 3, Jalan Damanlela 50490 Kuala Lumpur, Malaysia.

1 cartridge containing 1.230 ml
3 packs with 3 pen needles
Puregon® Solution for Injection
in Cartridges 833 IU/mL
Pack of 900 IU/1.08 mL
follitropin beta

1 cartridge containing 1.230 ml
3 packs with 3 pen needles
Puregon® Solution for Injection in Cartridges 833 IU/mL
Pack of 900 IU/1.08 mL
follitropin beta

For subcutaneous use.
1025 IU FSH activity/ 1.230 ml
Net content 900 IU

XXXXXX-XX-X

Exp. Date.:
Batch No.:
Mfg. Date:

1 cartridge containing 1.230 ml
3 packs with 3 pen needles
Puregon® Solution for Injection
in Cartridges 833 IU/mL
Pack of 900 IU/1.08 mL
follitropin beta
For use only with the Puregon Pen®

ORGANON

Other ingredients: sucrose, sodium citrate, L-methionine, polysorbate 20 and benzyl alcohol 1% in water for injections
pH adjustment: sodium hydroxide and/or hydrochloric acid

As this preparation contains benzyl alcohol, its use should be avoided in children under two years of age. Not to be used in neonates

Storage by the pharmacist
Store at 2°C - 8°C. Do not freeze
Storage by the patient:
There are two options:

1. Store at 2°C - 8°C. Do not freeze
2. Store below 25°C for a maximum of 3 months
Keep the cartridge in the outer carton
Once the rubber inlay of a cartridge is pierced by a needle, the product may be stored for a maximum of 28 days

Please refer to leaflet for dosage, administration, precautions, warning and contraindication
Keep medicines out of reach of children
Jauhi ubat daripada kanak-kanak
Prescription only medicine
Discard used cartridges after the treatment cycle.