

NEOBUN CLASSIC PLASTER

Consumer Medication Information Leaflet (RiMUP)

Menthol 0.90mg, Methy Salicylate 0.70mg, Camphor 0.32mg, Thymol 0.14mg

What is in this leaflet

1. What NEOBUN CLASSIC PLASTER is used for
2. How NEOBUN CLASSIC PLASTER works
3. Before you use NEOBUN CLASSIC PLASTER
4. How to use NEOBUN CLASSIC PLASTER
5. While you are using NEOBUN CLASSIC PLASTER
6. Side effects
7. Storage and Disposal of NEOBUN CLASSIC PLASTER
8. Product Description
9. Manufacturer
10. Product Registration Holder
11. Date of revision

What NEOBUN CLASSIC PLASTER is used for

NEOBUN CLASSIC PLASTER provides temporary relief of muscle and joint pain, stiff neck and shoulders, sprain, backache and arthritic pain.

How NEOBUN CLASSIC PLASTER works

NEOBUN CLASSIC PLASTER contains active ingredients Methyl Salicylate and Menthol. Methyl Salicylate is used to relieve pain and reduces inflammation. Menthol when applied to skin, dilates the blood vessels causing a sensation of coldness followed by analgesic effect.

Before you use NEOBUN CLASSIC PLASTER

When you must not use it

Do not use NEOBUN CLASSIC PLASTER if :

1. You are taking warfarin, excessive application onto the skin for muscle or joint pains may increase the chances of bleeding.
2. You have skin sensitization or contact dermatitis.
3. The application area is directly into the nostrils.

How to use NEOBUN CLASSIC PLASTER

How much to use it

1. Clean and dry the area of application.
2. Peel Off the protective packing, apply and press the plaster directly at the desired area.
3. May apply patch several times a day (maximum 4 times a day).

When to use it

Use to provides temporary relief of muscle and joint pain, stiff neck and shoulders, sprain, backache and arthritic pain.

How long to use it

Usage should continue when there are signs of muscle and joint pain, stiff neck and shoulders, sprain, backache and arthritic pain.

Consult a doctor or pharmacist if the pain does not improve after 5 to 6 days of use

If you forget to use it

Use the product as soon as possible and continue to use as normal usage.

If you use too much (Overdose)

For user taking warfarin, excessive application on the skin for muscle and joint pains may increase chances of bleeding.

If you use too much of this product, consult your doctor or pharmacist.

While you are using NEOBUN CLASSIC PLASTER

Things you must do

Keep the applied area from getting wet.

Storage and Disposal of NEOBUN CLASSIC PLASTER

Storage

Store in areas below 30°C
Protect from heat and moisture

Disposal

Dispose the product after the expired date.

Product Description

What it looks like

NEOBUN CLASSIC PLASTER is a white fabric rectangular plaster coated with a thin layer of medicated colloid.

Ingredients

Active ingredients
Menthol, Methy Salicylate, Camphor, Thymol

Manufacturer

PT Indo Abadi Sarimakmur
Dsn Ngablak, Ds. Gempolkurung,
No 168 M. Kec. Menganti-Gresik,
61174 Indonesia.

Product Registration Holder

JWP MEDICAL SDN BHD.
4740-4741, Jalan Telaga Air, 12200
Butterworth, Pulau Pinang, Malaysia.

Date of revision

25/04/2018

Before you start to use it

Check with your doctor or or pharmacist

1. If you are allergic to Methyl Salicylate, Menthol or to any other ingredients in this product.

Taking other medicines

Tell your doctor if you are currently taking *warfarin* .

Things you must not do

This product should not be used on infants below 2 years of age and is contraindicated in those with sensitivity to any of the plaster's ingredients.

Avoid direct application into nostrils, eyes, wounds and damaged skin.

Things to be careful of

For external use only

Keep out of reach of children

Side Effects

Discontinue of rash, itching, redness or eruption occurs.

You may report any side effects or adverse drug reactions directly to the National Centre for Adverse Drug Reaction Monitoring by calling Tel: 03-78835550, or update to latest NPRA website. npa.moh.gov.my (Public --> Reporting Side Effects to Medicines or Vaccines)