



Outer Carton

Below pack design is applicable to pack size of 20g & 30g






KOTRA PHARMA (M) SDN BHD (90082-V)
AXCEL LIGNOCAINE 2% GEL STERILE

Outer carton – 6g x 10's


Barcode Number

KOTRA PHARMA (M) SDN BHD
 75200 Kuala Lumpur, Malaysia
 No. 1, 2 & 3, JALAN TTC 12, (60000 KL)
 KOTRA PHARMA (M) SDN BHD
 Product Registration Holder & Manufacturer
 MAJLIS PERUBATAN MALAYSIA / JAWHIR DARI KANAK-KANAK
 MAL19973702AZ

Batch No.:
Mfg Date:
Exp Date:



6 Gm x 10



L

IGNOCAINE 2%

STERILE GEL

Lignocaine HCl equivalent to
Anhydrous Lignocaine HCl 2%w/w

INDICATION & DIRECTION FOR USE: Please refer to enclosed package insert.


PRECAUTION: It should be used with caution in patients with congestive heart failure, bradycardia or respiratory depression. Lignocaine is metabolised in the liver and must be given with caution to patients with hepatic insufficiency. Use with caution in patients with severely traumatised mucosa and / or sepsis in the region of proposed application.

Contains Benzalkonium Chloride 0.012% w/w as preservative. For topical use.

Please refer to enclosed package insert for more information. Keep container well closed. Store below 30°C. Protect from light.

Controlled
Medicine

Regn - 090125





KOTRA PHARMA (M) SDN BHD (90082-V)
AXCEL LIGNOCAINE 2% GEL STERILE


Outer carton – 11g x 10's

Barcode Number


Product Registration Holder & Manufacturer :
Kotra Pharma (M) Sdn. Bhd.
No. 1, B. 8, JALAN TIC 2, (80000) Klang, Selangor Darul Ehsan, Malaysia 71250

Product Registration No. : **MA119973702AZ**

Batch No.:
Mfg Date:
Exp Date:



11 Gm x 10



LIGNOCAINE 2%
STERILE GEL

Lignocaine HCl equivalent to
Anhydrous Lignocaine HCl **2%w/w**

INDICATION & DIRECTION FOR USE: Please refer to enclosed package insert.

PRECAUTION: It should be used with caution in patients with congestive heart failure, bradycardia or respiratory depression. Lignocaine is metabolised in the liver and must be given with caution to patients with hepatic insufficiency. Use with caution in patients with severely traumatised mucosa and / or sepsis in the region of proposed application.

Contains Benzalkonium Chloride 0.012% w/w as preservative. For topical use.

Please refer to enclosed package insert for more information. Keep container well closed. Store below 30°C. Protect from light.

Controlled
Medicine

Regn - 090125



Outer carton – 20g x 10's

