


Please refer enclosed leaflet for more information.
Contains Chlorocresol 0.1% w/w as preservative.
Keep container well closed.
Store below 30°C. Protect from light.
Kotra Pharma (M) Sdn. Bhd.
No. 1, 2 & 3, Jalan TTC 12, (90082-V)
Cheng Industrial Estate,
KOTRA
Kluang 75250 Melaka, Malaysia.

FOR EXTERNAL USE ONLY
UNTUK KEGUNAAN LUAR SAHAJA
KEEP OUT OF REACH OF CHILDREN
JAUHI DARI KANAK-KANAK
Controlled
Medicine



9 556586 201115

Batch no.:
Mfg. Date:
Exp. Date:

INDICATIONS :

Skin infection caused by *Staphylococci* and other susceptible
or fusidic - sensitive organisms.

DIRECTION FOR USE :

Apply a thin layer of the cream to the affected area 2 to 3 times a day.

MAL19992397AZ

REGN - 260918



FUSIDIC ACID
CREAM

5 Gm

Fusidic Acid (micronised)

2% w/w

5 Gm

Axcel®
FUSIDIC ACID
CREAM



FUSIDIC ACID
CREAM

5 Gm

Fusidic Acid (micronised)

2% w/w



Please refer enclosed leaflet for more information.
Contains Chlorocresol 0.1% w/w as preservative.
Keep container well closed.
Store below 30°C. Protect from light.


Kotra Pharma (M) Sdn. Bhd.
No. 1, 2 & 3, Jalan TTC 12, (90082-V)
Cheng Industrial Estate,
KOTRA
Pharma 75250 Melaka, Malaysia.

FOR EXTERNAL USE ONLY
UNTUK KEGUNAAN LUAR SAHAJA
KEEP OUT OF REACH OF CHILDREN
JAUHI DARI KANAK-KANAK

Controlled
Medicine



Batch no.
Mfg. Date:
Exp. Date:

Axcel[®]
FUSIDIC ACID
CREAM

15 Gm

Fusidic Acid (micronised) 2% w/w

MAL19892397AZ

INDICATIONS:
Skin infection caused by *Staphylococci* and other susceptible or
fusidic - sensitive organisms.

DIRECTION FOR USE:
Apply a thin layer of the cream to the affected area 2 to 3 times a day.

REGN - 260918

Axcel[®]
FUSIDIC ACID
CREAM

15 Gm

Fusidic Acid (micronised) 2% w/w

15 Gm

Axcel[®]
FUSIDIC ACID
CREAM

