

Axccl®

A CYCLOVIR
CREAM

5 Gm

Acyclovir / Aciclovir (micronised) 5% w/w

BATCH NO.:

INDICATION:

Treatment of herpes simplex virus infection of the skin including genital herpes and herpes labialis.

DIRECTION FOR USE:

For adults, children and geriatric: apply cream to the affected area 5 or 6 times daily for 5 to 10 days. Acyclovir cream should be applied to the lesions as early as possible after the start of an infection and particularly important to start treatment of recurrent episodes during the prodromal period or when the lesions first appear.



**KOTRA
PHARMA**

Product Registration Holder and Manufacturer

Kotra Pharma (M) Sdn. Bhd.

No. 1, 2 & 3, Jalan TTC 12,^(90082-V)

Cheng Industrial Estate,
75250 Melaka, Malaysia.

**FOR EXTERNAL USE ONLY
UNTUK KEGUNAAN LUAR SAHAJA
KEEP OUT OF REACH OF CHILDREN
JAUHI DARI KANAK-KANAK**

Keep container well closed.
Store below 30°C. Protect from light.
Please refer enclosed leaflet for more information.

Chlorocresol 0.1% w/w as preservative.
MAL19992587AZ CAM 419-09 HK-60340
BRU08110153P MYN 1501AA2326

Controlled Medicine/
Ubat Terkawal

EXP. DATE:

MFG. DATE:

REGN-110221