



FUSIDIC ACID OINTMENT

5 Gm

Sodium Fusidate (micronised) 2% w/w

BATCH NO.

INDICATIONS:

Skin infection caused by *Staphylococci*, *Streptococci* and other susceptible or sodium fusidate sensitive organisms.

DIRECTION FOR USE:

Apply a thin layer of the ointment to the affected area 2-3 times a day, generally for a period of seven days.

FOR EXTERNAL USE ONLY
UNTUK KEGUNAAN LUAR SAHAJA
KEEP OUT OF REACH OF CHILDREN
JAUHI DARI KANAK-KANAK

Keep container well closed. Store below 30°C. Protect from light. Please refer enclosed package insert for more information.
MAL20021410AZ CAM R₁0299IP-09
BRU08090127P VN-12967-11 HK-60868
MYN R2001AA2327 11 I 3963/13

EXPIRY DATE



Kotra Pharma (M) Sdn. Bhd.
No.1, 2 & 3, Jalan TTC 12, (90082-V)
Cheng Industrial Estate,
75250 Melaka, Malaysia.

Controlled
Medicine

REGN - 220817



FUSIDIC ACID OINTMENT

15 Gm

Sodium Fusidate (micronised) 2% w/w

BATCH NO.

INDICATIONS:

Skin infection caused by *Staphylococci*, *Streptococci* and other susceptible or sodium fusidate sensitive organisms.

DIRECTION FOR USE:

Apply a thin layer of the ointment to the affected area 2-3 times a day, generally for a period of seven days.

FOR EXTERNAL USE ONLY
UNTUK KEGUNAAN LUAR SAHAJA
KEEP OUT OF REACH OF CHILDREN
JAUHI DARI KANAK-KANAK

Keep container well closed. Store below 30°C. Protect from light. Please refer enclosed package insert for more information.

MAL20021410AZ BRU08090127P
HK-60868 MYN R2001AA2327
VN-12967-11 CAM R10298IP-09
11 I 3963/13

Controlled
Medicine

EXPIRY DATE



Kotra Pharma (M) Sdn. Bhd.
No. 1, 2 & 3, Jalan TTC 12, (90082-V)
Cheng Industrial Estate,
75250 Melaka, Malaysia.

KOTRA
PHARMA

REGN - 220817