



1,000 tablets
Merislon[®]
 TABLETS
 Rip to open ←

1,000 tablets
Merislon[®]
 TABLETS

SG34367-7 KUL

1,000 tablets
Merislon[®]
 TABLETS

6

Each white plain tablet contains
 6 mg of betahistine mesilate.

Product registration holder:
DKSH Malaysia Sdn Bhd
 B-11-01, The Ascent, Paradigm No.1, Jalan SS7/26A,
 Kelana Jaya, 47301 Petaling Jaya, Selangor, Malaysia

6
Merislon[®]
 TABLETS

Lot
 Mfg.
 Exp.

Precautions: See package insert.
Storage: MERISLON should be stored below 25°C.
Reg. No.: Malaysia : MAL19861236AZ

Manufactured by :
Eisai Co., Ltd, Kawashima Plant
 1, Kawashimatakehaya-machi, Kakamigahara-shi,
 Gifu-ken, Japan

1,000 tablets
Merislon[®]
 TABLETS

6

Each white plain tablet contains
 6 mg of betahistine mesilate.
 Controlled medicine / Ubat Terkawal



Merislon[®]
 TABLETS

6

6
Merislon[®]
 TABLETS

Indications
 Vertigo and dizziness associated with the following diseases:
 • Meniere's disease
 • Meniere's syndrome
 • Peripheral vertigo

Dosage and administration
 The usual adult dosage for oral use is 1-2 tablets (6-12 mg of
 betahistine mesilate), three times daily after meals. The dosage
 may be adjusted depending on the patient's age and symptoms.

Route of administration
 For oral use

Keep medicine out of reach of children.
Jauhi ubat daripada kanak-kanak.