



ATTACHMENT 1

Item Code	: 207009 - 21
PM Code	: Tube - AVO 10g
Measurement(mm) ± 1mm	: 109 (L) x 49.5 (W)
Colour of Artwork	: P. Blue 072 C K White Background
Source of Artwork	: MAC 3 / CC



ATTACHMENT 1

Item Code	: 207012 - 13 draft 12 Aug 25
PM Code	: Tube - AVO 20g
Measurement(mm) ± 1mm	: 120 (L) x 58.6 (W)
Colour of Artwork	: P. Blue 072 C K White Background
Source of Artwork	: WIN 1 / CC



Item Code	: 203027 - 05 draft 15 Aug 2025
PM Code	: L.P.- AVO 500g
Measurement(mm) ± 2mm	: 225(L) x 50(W)
Colour of Artwork	: P. Blue 072 C K
Source of Artwork	: WIN 1 / CC

適應症： 兼具殺菌性與殺細菌性作用，舉凡：足癬(香港腳)，手癬，白癬，汗斑，腹股溝癬，均有效。 用法、用量： 每日兩次，塗於患部及其周圍。		YSP Antifungal Cream 20mg 500G Each g contains/ Setiap g mengandungi / 每公克中含: Miconazole Nitrate 20mg	Symptoms and Treatment for Overdosage, and Antidote(s): Overdosage in human has not been reported to date. Shelf-Life: 3 years from the date of manufacture. Indikasi: Untuk rawatan kurap dan panau. Dos: Sapu di bahagian yang terlibat 2 kali sehari. Please consult your physician / pharmacist before using this product if you are on the anticoagulant medicine warfarin, because bleeding from nose/gums or bruising may occur spontaneously.
KEEP IN A TIGHT CONTAINER, STORE AT TEMPERATURE BELOW 30°C, PROTECT FROM LIGHT AND MOISTURE, KEEP MEDICINE OUT OF REACH OF CHILDREN. JAUHKAN DARIPADA KANAK-KANAK. MAL19930608AZ SIN 7963P FOR EXTERNAL USE ONLY		Antifungal Cream is a water-miscible white cream containing 2% Miconazole Nitrate, 1 · [2, 4 - dichloro - β · (2, 4 - dichlorobenzyloxy) Phenethyl] imidazole Nitrate as the active ingredient. Action(s): Miconazole Nitrate is a synthetic antifungal agent that is chemically unrelated to other fungicidal compounds. Although its pharmacologic mode of action has not been established, <i>in vitro</i> studies show that it possesses fungicidal action against Candida albicans and other species of this genus. It has also been found to inhibit the growth of the common dermatophytes, <i>Trichophyton rubrum</i>, <i>Trichophyton mentagrophytes</i>, and <i>Epidermophyton floccosum</i>, and the organism responsible for Tinea versicolor. Its therapeutic value appears to be due to its action primarily on the yeast cell membrane resulting in selective inhibition of the uptake of those components necessary for cell reproduction and growth. Clinical trials have shown it to be well tolerated and effective in both pregnant and non-pregnant women as well as those taking oral contraceptives.	Precaution(s) / Warning(s): - Do not use in children under 2 years of age except under the advice and supervision of a doctor. - If irritation occurs or if there is no improvement within 4 weeks, discontinue use and consult a doctor or pharmacist. Side Effect(s) / Adverse Reaction(s): Most complaints are vulvovaginal burning, itching or irritation. Other complaints such as vaginal burning, pelvic cramps, hives, skin rashes and headache occurred rarely. Irritation, burning, maceration and allergic contact dermatitis associated with application of Miconazole.
(W) 50mm (±2mm)  Batch No.: Mfg. Date: Exp. Date:			Manufacturer and Product Registration Holder: Y.S.P. INDUSTRIES (M) SDN. BHD. (199001001034) Lot 3, 5, 7, 12 & 14, Jalan P17, Section 13, Kawasan Perindustrian Bandar Baru Bangi, 43000 Kajang, Selangor, Malaysia. Ordering line: 1 800 68 3027 Product Info: 1 800 68 3679 Product Registrant and Importer: YUNG SHIN PHARMACEUTICAL (S) PTE. LTD. 10, Ubi Crescent, # 06-57/58 Ubi Techpark, Singapore 408564 Subsidiaries of YSPSAH®  Scan QR code to access package insert