



This design is applicable to all packing size 5g & 20g

Item Code	: 207008 - 17
PM Code	: Tube ECO 20G
Measurement(mm) $\pm$ 1mm	: 120(L) x 58.6(W)
Colour of Artwork	: P. 354 C White Background K
Source of Artwork	: MAC 2 / CC



Item Code	: 207237 - 02
PM Code	: Tube ECO 10G V1
Measurement(mm) ± 1mm	: 109(L) x 49.5(W)
Colour of Artwork	: P. 354 C White Background
Source of Artwork	: MAC 3 / CC



Item Code	: Draft 17 May 2023
PM Code	: L.P. - ECO 500G
Measurement(mm) ± 2mm	: 225 (L) x 50(W)
Colour of Artwork	: K P. 354 C
Source of Artwork	: MAC 2 / CC

KEEP IN A TIGHT CONTAINER.
STORE AT TEMPERATURE BELOW 30°C.
PROTECT FROM LIGHT AND MOISTURE.
KEEP MEDICINE OUT OF REACH OF CHILDREN.
JAUHKAN DARIPADA KANAK-KANAK.
CONTROLLED MEDICINE / UBAT TERKAWAL

BATCH NO.:
MFG DATE:
EXP DATE:

BARCODE

MAL 19930599AZ SIN 6601P MYN R2504A1008



ECONAZINE® CREAM
Each gram contains:
Econazole Nitrate10mg(1%)
Triamcinolone Acetonide 1mg (0.1%)

Econazine is a water-miscible, white cream which contains the antifungal and anti-inflammatory agent.

Action(s):
1. Econazole Nitrate has high fungicidal and bactericidal activity.
2. Triamcinolone Acetonide has excellent anti-inflammatory antipruritic, antiallergic properties.

Indications:
Indicated for the topical treatment of inflammatory dermatoses where infected by susceptible organisms co-exist eg. inflammatory fungal infections and infective eczema.

Dosage and Administration:
Apply lightly over the affected area several times daily, for 14 days.

Precautions/Warnings:
1. It should not be used on tubercular or leucic skin infection or

500G

Preservatives:
Methyl Paraben 1mg
Propyl Paraben 1mg

on viral diseases (e.g. herpes, vaccinia, varicella).
2. It should not be administered to patients who have previously exhibited hypersensitivity to Imidazole or Corticosteroid,
3. Long-term continuous steroid therapy should be avoided since adrenal suppression can occur, particularly when infants or children are treated or when occlusive dressing is applied. Long-term therapy with corticosteroid can cause skin lesions such as atrophy, telangiectasia and striae.

Side Effects:
Transient local mild irritation at the applicant site and hypersensitivity.

Symptoms and Treatment for Overdosage:
Overdosage in humans has not been reported to date.

Shelf-life:
3 years from the date of manufacture.

Manufacturer and Product Registration Holder: **Y.S.P. INDUSTRIES (M) SDN. BHD.** (199001001034)
Lot 3, 5 & 7, Jalan P/7, Section 13, Kawasan Perindustrian Bandar Baru Bangi, 43000 Kajang, Selangor Darul Ehsan, Malaysia.
Ordering Line: 1 800 88 3027 Product Info: 1 800 88 3679

A Subsidiary of **Y.S.P. SAH®**

ECONAZINE® KRIM

Bahan Aktif:
Setiap gram mengandungi:
Econazole Nitrate 10mg(1%)
Triamcinolone Acetonide 1mg (0.1%)

Pengawet:
Methyl Paraben 1mg
Propyl Paraben 1mg

Indikasi:
Untuk rawatan topikal dalam radang kulit yang dijangkiti kulat.

Dos:
Sapu sedikit krim di kawasan terlibat beberapa kali sehari, untuk 14 hari.

FOR EXTERNAL USE ONLY.

xxxxx printing code xxxxx