

DOMIDIN LOZENGES

Domiphen Bromide (0.5mg)

What is in this leaflet

1. What Domidin Lozenges is used for
2. How Domidin Lozenges works
3. Before you use Domidin Lozenges
4. How to use Domidin Lozenges
5. While you are using it
6. Side effects
7. Storage and disposal of Domidin Lozenges
8. Product description
9. Manufacturer and Product Registration Holder
10. Date of revision

What Domidin Lozenges is used for

Domidin Lozenges is used to relief sore throat caused by too much mucus/phlegm, as well as inflammation or irritation in the mouth and throat.

How Domidin Lozenges works

Domiphen bromide is a type of antiseptic that kills or reduces germs such as bacteria in the mouth and throat.

Before you use Domidin Lozenges

- When you must not use it

You must not take Domidin Lozenges if you are allergic to domiphen bromide or any other ingredients of this medicine (listed in Product Description).

- Before you start to use it

Tell your doctor or pharmacist if you are allergic to any medicines or you have any other health related problems.

Pregnancy and lactation

Please consult your doctor or pharmacist if you are pregnant, planning for pregnancy or breast-feeding before using any medicine.

- Taking other medicines

Tell your doctor if you are taking any other medicines, including any that you buy without a prescription from a pharmacy, supermarket or health food shop.

How to use Domidin Lozenges

- How much to use

1 lozenge, every 1 to 2 hours.
Maximum 8 lozenges a day.

- When to use it

Domidin Lozenges should be taken according to the time advised by your doctor or pharmacist. It can be taken with or without food.

- How long to use it

Domidin Lozenges should be taken regularly and as long as your doctor advised you to do so.

- If you forget to use it

Take the missed dose as soon as you remember. If it is almost time for your next dose, wait until then to take Domidin Lozenges and skip the missed dose. Do not take a double dose to make up for the missed dose.

- If you use too much (overdose)

Contact your doctor immediately or go to the Emergency Department of your nearest hospital, if you or anyone else may have use too much of this medicine. Do this even if there are no signs of discomfort or poisoning. You may need urgent medical attention.

While you are using Domidin Lozenges

- Things you must do

Use Domidin Lozenges exactly as your doctor has told you.

Tell all the doctors, dentists and pharmacists treating you that you are using Domidin Lozenges.

Tell your doctor immediately if you become pregnant while using Domidin Lozenges.

- Things you must not do

Do not stop using Domidin Lozenges unless advised by your doctor.

Do not use any new medicines without consulting your doctor or pharmacist.

Do not give Domidin Lozenges to anyone else, even if they have the same symptoms or condition as you.

- Things to be careful of

If symptoms persist after 5 days of treatment, discontinue the product immediately and consult a doctor or pharmacist.

Avoid concurrent use of this medicine with soap or toothpaste.

Do not use this medicine if there are blood or pus in your mouth or throat.

Side effects

Like all medicines, Domidin Lozenges can cause side effects, although not everybody gets them.

Possible side effects are:

- Side effects are rare and may include irritation or redness in the mouth or throat, nausea, and vomiting.
- In very rare cases, serious breathing problems may occur due to weakness of the breathing muscles.

Visit your doctor or pharmacist immediately if you experience any side effects after using this medicine.

You may report any side effects or adverse drug reactions directly to the National Centre for Adverse Drug Reaction Monitoring by visiting the website npra.gov.my [Consumers→ Reporting Side Effects to Medicines (ConSERF) or Vaccines (AEFI)].

Storage and Disposal of Domidin Lozenges

- Storage

Store below 30°C, protect from light & moisture.

- Disposal

Domidin Lozenges should not be disposed of via wastewater or household waste. Ask your pharmacist how to dispose of medicines no longer required. These measures will help to protect the environment.

Product description

- What it looks like

A white to slight yellowish round tablet,

each side with a mark of “”.

- Ingredients

- Active Ingredients
Domiphen Bromide

- Inactive ingredients
Peppermint Oil, Menthol, Talc,
Sugar, Magnesium Stearate,
Carboxymethylcellulose Sodium,
Lactose Monohydrate, Povidone,
Mannitol, Aspartame

- MAL number

MAL20020819AZ

Manufacturer

Y.S.P. INDUSTRIES (M) SDN. BHD.
Lot 3, 5, 7, 12 & 14, Jalan P/7, Section 13,
Kawasan Perindustrian Bandar Baru
Bangi, 43000 Kajang, Selangor, Malaysia.

Product Registration Holder

Y.S.P. INDUSTRIES (M) SDN. BHD.
Lot 3, 5, 7, 12 & 14, Jalan P/7, Section 13,
Kawasan Perindustrian Bandar Baru
Bangi, 43000 Kajang, Selangor, Malaysia.

Date of Revision

16/06/2026

Serial Number

NPRA(R4/1)110526/00025