

ELAN –FORTE CREAM

Tolnaftate/Chlorhexidine Hydrochloride (10mg/2mg per gram)

What is in this leaflet

1. What Elan-Forte Cream is used for
2. How Elan-Forte Cream works
3. Before you use Elan-Forte Cream
4. How to use Elan-Forte Cream
5. While you are using it
6. Side effects
7. Storage and Disposal of Elan-Forte Cream
8. Product description
9. Manufacturer and Product Registration Holder
10. Date of revision

What Elan-Forte Cream is used for

It is used for Ringworm infection of the skin such as athlete's foot, ringworm of the body, groin, scalp and white spot.

How Elan-Forte Cream works

Elan-Forte Cream contains Tolnaftate as its main ingredient. It has antifungal and antibacterial activities. It does not irritate the skin and mucous membrane, does not stain and has low toxicity.

Before you use Elan-Forte Cream

- When you must not use it
If you are allergic towards Tolnaftate and Chlorhexidine Hydrochloride or other ingredients.
- Before you start to use it
Tell your doctor or pharmacist if you are allergic to any other medicines or you have any other health related problems.
- Taking other medicines
Seek for your doctor or pharmacist advice if you intended to use Elan-Forte Cream together with other medication. Besides, you must also inform them about all the medicines you are taking, including those without a prescription.

How to use Elan-Forte Cream

- How much to use
Apply topically to the site of the lesion twice daily for 2 to 3 weeks.

- When to use it
To enhance the effect it should be applied after washing the affected area with luke-warm water.
- How long to use it
Apply for 2 to 3 weeks. If it shows no improvement after 4 weeks of treatment, or if the condition becomes more severe, contact your doctor.
- If you forget to use it
If you forget to use the cream, apply the cream as soon as possible and then continue the rest of the treatment as usual.
- If you use too much (overdose)
No significantly toxic reaction in man by topical application.

While you are using it

- Things you must do
Follow your doctor's instruction when you are taking Elan-Forte Cream.
- Things you must not do
Avoid contact it against your eyes or keep it at the place that can be reached by children.
- Things to be careful of
Not recommended in children up to 2 years of age except under doctor supervision.

ELAN-FORTE CREAM CONTAINS CHLORHEXIDINE

Inform your healthcare provider if you have known allergy to chlorhexidine. Stop using this product and seek immediate medical assistance if you experience rash, itching, swelling, breathing difficulties, light-headedness or rapid heartbeat.

Side effects

Skin reactions including irritation and itchiness may occur. Allergic reactions including anaphylactic shock is very rare but may occur.

You may report any side effects or adverse drug reactions directly to the National Centre for Adverse Drug Reaction Monitoring visiting the website npra.gov.my [Consumers → Reporting Side Effects to Medicines (ConSERF) or Vaccines (AEFI)]

Storage and Disposal of Elan-Forte Cream

- Storage
Keep in a tight container. Store below 30°C, protect from light & moisture.
- Disposal
Talk to your doctor or pharmacist about the proper disposal.

Product Description

- What it looks like
White colour cream
- Ingredients
 - Active ingredient(s)
Tolnaftate
Chlorhexidine Hydrochloride
 - Inactive ingredients
Methyl Paraben
Propyl Paraben
White Petrolatum
Cetyl Alcohol
Coconut Oil
Dimethicone
Propylene Glycol
Polysorbate
Sorbitan Ester
Rose Fragrance
Purified Water
- MAL number(s):
MAL19940562X

Manufacturer and Product Registration Holder

Y.S.P. Industries (M) Sdn. Bhd.
Lot 3, 5, 7, 12 & 14, Jalan P/7, Section 13, Kawasan Perindustrian Bandar Baru Bangi, 43000 Kajang, Selangor, Malaysia.

ELAN –FORTE CREAM

Tolnaftate/Chlorhexidine Hydrochloride (10mg/2mg per gram)

Date of revision

01/10/2025

Serial Number

NPRA(R4/1)130218/00045