

ANUCARE SUPPOSITORY

Zinc Oxide (300mg), Balsam Peru (50mg), Benzyl Benzoate (33mg)

What is in this leaflet

This leaflet contains information below:

1. What ANUCARE SUPPOSITORY is used for
2. How ANUCARE SUPPOSITORY works
3. Before you use ANUCARE SUPPOSITORY
4. How to use ANUCARE SUPPOSITORY
5. While you are using ANUCARE SUPPOSITORY
6. Side effects
7. Storage and disposal ANUCARE SUPPOSITORY
8. Product description
9. Manufacturer and Product Registration Holder
10. Date of revision

What ANUCARE SUPPOSITORY is used for

ANUCARE SUPPOSITORY is used for uncomplicated haemorrhoids, simple anorectal inflammatory and irritations caused by or associated with inflammation of the rectum (proctitis) or inflammation of a crypt (cryptitis). It may be used pre- and post-operation in haemorrhoidectomy and repair of anal fistula as well as after incision of thrombosed or sclerosed anorectal veins.

How ANUCARE SUPPOSITORY works

Balsam Peru has the antiseptic action by virtue of its content of cinnamic and benzoic acid, it can be used for treatment of eczema, pruritus and symptomatic relief of haemorrhoids.

Zinc oxide is a mild astringent providing soothing and protective application in haemorrhoids.

Benzyl benzoate is used in conjunction with zinc oxide and Balsam Peru to treat uncomplicated haemorrhoids, simple anorectal inflammatory and irritations caused by proctitis or cryptitis.

Before you use ANUCARE SUPPOSITORY

When you must not use it

If you are allergic towards Zinc Oxide, Balsam Peru, Benzyl Benzoate.

Before you start to use it

Tell your doctor or pharmacist if you are allergic to any other medicines or you have any other health related problems.

Taking other medicines

Tell your doctor or pharmacist if you are taking any other medicines, including any that you buy without a prescription from a pharmacy, supermarket or health food shop.

How to use ANUCARE SUPPOSITORY

How much to use

Insert 1 suppository morning and night, and after bowel movement.

When to use it

Use as directed by your doctor or pharmacist.

How long to take it

Consult your doctor or pharmacist on the length and duration of using this medicine.

If you forget to use it

Consult your doctor or pharmacist on what you should do if you forget to use it.

Take the missed dose as soon as you remember. If it is almost time for your next dose, wait until then to take the medicine and skip the missed dose. Do not double dose to make up for the missed dose.

If you use too much (overdose)

Contact your doctor immediately or go to the Emergency Department of your nearest hospital, if you think you or anyone else taken too much of this medicine. Do this even if there are no signs of discomfort or poisoning. You may need urgent medical attention.

While you are using ANUCARE SUPPOSITORY

Things you must do

Take ANUCARE SUPPOSITORY according to doctor or pharmacist instruction. Wash your hands before and after inserting the suppository.

Things you must not do

Do not take ANUCARE SUPPOSITORY by mouth.

Things to be careful of

Benzyl benzoate irritates the eyes and mucous membranes and it may be an irritant to the skin. It is unsafe to take by mouth because it can damage the kidneys. Avoid using during pregnancy or lactating.

Side effects

Sensitivity reactions are rare. Discontinue the usage of this medication if side effect is suspected. Visit your doctor or pharmacist immediately if you experience any side effects after taking this medicine.

You may report any side effects or adverse drug reactions directly to the National Centre for Adverse Drug Reaction Monitoring by calling Tel: 03-78835550, or visiting the website <http://npra.moh.gov.my/> (Public→ Reporting Side Effects to Medicines (ConSERF))

Storage and Disposal of ANUCARE SUPPOSITORY

Storage

Store at temperature below 30°C. Protect from light and moisture.

Disposal

ANUCARE SUPPOSITORY should be disposed when your doctor or pharmacist tells you to stop taking this suppository or it has passed the expiry date. Ask your pharmacist how to dispose medicines that are no longer required.

Product description

What it looks like

A white to beige spindle suppository

Ingredients

Active ingredients-

Zinc Oxide

Balsam Peru

Benzyl Benzoate

Inactive ingredients-

Hardfat

Calcium Phosphate Dibasic

MAL number (s):

MAL20020702X

Manufacturer

Y.S.P. Industries (M) Sdn. Bhd.

Lot 3,5 & 7, Jalan P/7, Section 13, Kawasan Perindustrian Bandar Baru Bangi, 43000 Kajang, Selangor Darul Ehsan, Malaysia.

Product Registration Holder

Y.S.P Industries (M) Sdn. Bhd.
Lot 3,5 & 7, Jalan P/7, Section 13,
Kawasan Perindustrian Bandar Baru Bangi,
43000 Kajang, Selangor Darul Ehsan,
Malaysia.

Date of revision :

26 April 2017