

HOME CARE GUAFENSIN SYRUP

Guaifenesin (20mg/ml)

What is in this leaflet

1. What GUAFENSIN SYRUP is used for
2. How GUAFENSIN SYRUP works
3. Before you use GUAFENSIN SYRUP
4. How to use GUAFENSIN SYRUP
5. While you are using it
6. Side effects
7. Storage and Disposal of GUAFENSIN SYRUP
8. Product Description
9. Manufacturer and Product Registration Holder
10. Date of revision

What GUAFENSIN SYRUP is used for
GUAFENSIN SYRUP is used for treatment of cough with phlegm.

How GUAFENSIN SYRUP works

GUAFENSIN SYRUP contains Guaifenesin. It helps loosen phlegm and ease the removal.

Before you use GUAFENSIN SYRUP

- When you must not use it

Do not take this medicine if you or your child are allergic to Guaifenesin or any other ingredients of this medicine (listed in Product Description)

- Before you start to use it

Tell your doctor if you are:

- pregnant, planning for pregnancy or breastfeeding.
- phenylketonuric (a rare metabolic genetic disorder)

- Taking other medicines

Tell your doctor if you are taking any other medicines, including any that you buy without a prescription from a pharmacy, supermarket or health food shop.

How to use GUAFENSIN SYRUP

- How much to use

Adults, and children over 12 years: 10 ml

Children

6-12 years: 5ml

1-6 years: 2.5ml

Under 1 year: Not recommended

- When to use it

Use four times daily or as directed by your doctor or pharmacist.

- How long to use it

Use GUAFENSIN SYRUP for the duration that the doctor recommends.

- If you forget to use it

Take the missed dose as soon as you remember. If it is almost time for your next dose, wait until then to take the medicine and skip the missed dose. Do not take a double dose to make up for the missed dose.

- If you use too much (overdose)

Contact your doctor immediately or go to the Emergency Department of your nearest hospital, if you or anyone else may have used too much of this medicine. Do this even if there are no signs of discomfort or poisoning. You may need urgent medical attention.

Taking too much of medication may cause stomach discomfort, nausea and vomiting.

While you are using it

- Things you must do

Tell all the doctors, dentists and pharmacists treating you that you are using GUAFENSIN SYRUP.

- Things you must not do

Do not use any new medicines without consulting your doctor or pharmacist.

Do not give GUAFENSIN SYRUP to anyone else, even if they have the same symptoms or condition as you.

- Things to be careful of

Consult with doctor if cough persist after medication for 7 days or if fever, skin rash, continuing headache or sore throat is present with cough.

Side effects

Like all medicines, GUAFENSIN SYRUP can cause side effects, although not everybody gets them.

GUAFENSIN SYRUP may cause stomach discomfort, nausea and vomiting.

Visit your doctor or pharmacist immediately if you experience any side effects after using this medicine.

You may report any side effects or adverse drug reactions directly to the National Centre for Adverse Drug Reaction Monitoring visiting the website npra.gov.my [Consumers→ Reporting Side Effects to Medicines (ConSERF) or Vaccines (AEFI)]

Storage and Disposal of GUAFENSIN SYRUP

- Storage

Keep out of the reach and sight of children.

Store below 30°C, protect from light & moisture.

- Disposal

Medicines should not be disposed of via wastewater or household waste. Ask your pharmacist how to dispose of medicines no longer required. These measures will help to protect the environment.

Product Description

- What it looks like

A clear, reddish solution with peach flavor.

- Ingredients

- Active ingredient(s)
Guaifenesin

- Inactive ingredients
Ponceur 4R
Menthol
Spearmint oil
Sodium benzoate
Sodium Citrate
Citric acid
Sorbitol
Aspartame
Propylene glycol
Sucrose
Peach Essence
Povidone
Purified water

- MAL number(s):

MAL07122841X

**Manufacturer and Product
Registration Holder**

Y.S.P Industries (M) Sdn Bhd
Lot 3, 5, 7, 12 & 14, Jalan P/7, Section
13, Kawasan Perindustrian Bandar Baru
Bangi, 43000 Kajang, Selangor Malaysia

Date of revision

30/05/2025

Serial Number

NPRA(R4/1)120724/00090