

PST (For export only)

Label

Packing : 1500's

245(L) x 91(H)mm

Draft 4 : 03 Oct 2019



Pantone 7410 C

Indication(s):

Indicated as an adjunct to other measures, such as rest and physical therapy, for relief of pain and muscle spasm associated with acute painful musculoskeletal conditions.

Dosage and Administration:

Usual adult dose is 1 tablet 2 - 4 times daily.
The dosage should be adjusted according to symptoms and age.
To be dispensed on physician's prescription.

Indikasi:

Digunakan sebagai tambahan kepada terapi fizikal dan rehat, untuk melegakan sakit dan kejang akibat dari musculoskeletal spasm.

Dos:

Dos dewasa: 1 tablet, 2 - 4 kali sehari. Dos perlu diubahsuai mengikut umur dan simptom. Digunakan mengikut arahan doktor.

Route of Administration: Oral

Allergy alert:

Paracetamol may cause severe skin reactions. Symptoms may include skin reddening, blisters or rash.
These could be signs of a serious condition. If these reactions occur, stop use and seek medical assistance right away.

Keep in a tight container. Store at temperature below 30°C. Protect from light and moisture. Keep medicine out of reach of children. Jauhkan daripada kanak-kanak.



This preparation contains PARACETAMOL. Do not take any other paracetamol - containing medicines at the same time.

Batch No.
Mfg. Date
Exp Date

Orphenadol[®]

Tablet

Each tablet contains:

Orphenadrine Citrate 50mg

Paracetamol 325mg

POISON 毒藥 RACUN 毒藥

MAL XXXXXXXXXXXX
SIN 7951P

Manufacturer and Product Registration Holder:
Y.S.P. INDUSTRIES (M) SDN. BHD. (192593 U)
Lot 3, 5 & 7, Jalan P/7, Section 13,
Kawasan Perindustrian Bandar Baru Bangi,
43000 Kajang, Selangor Darul Ehsan, Malaysia.
Ordering Line: 1800 88 3027 Product Info: 1800 88 3679

Imported By:
YUNG SHIN PHARMACEUTICAL (S) PTE. LTD.
10, Ubi Crescent, # 06-57 / 58 Ubi Techpark, Singapore 408564

Subsidiaries of **Y.S.P. SAH[®]**

xxxxxx printing code xxxxxxxx

