

FUCON[®] SYRUP 1MG/ML

Hyoscine-N-Butylbromide (5mg/5ml)

What is in this leaflet

1. What Fucon Syrup is used for
2. How Fucon Syrup works
3. Before you use Fucon Syrup
4. How to use Fucon Syrup
5. While you are using it
6. Side effects
7. Storage and Disposal of Fucon Syrup
8. Product Description
9. Manufacturer and Product Registration Holder
10. Date of revision
11. Serial Number

What Fucon Syrup is used for

Fucon Syrup is used for treating pain and discomfort caused by abdominal cramps and menstrual cramps. It is also used for bladder spasm.

How Fucon Syrup works

It provides spasmolytic effect to smooth muscle of the gastrointestinal, biliary and genitourinary tracts.

Before you use Fucon Syrup

- When you must not use it

You should not take this product if you have glaucoma, gastric or duodenal ulcer, urinary retention, prostate enlargement, paralytic ileus or pyloric stenosis.

- Before you start use it

Tell your doctor if you are taking any other medicine or if you have any health complications.

- Taking other medicines

Fucon Syrup may cause unwanted effects if used together with other medications. Tell your doctor or pharmacist if you are taking any other medicines.

How to use Fucon Syrup

- How much to use

Adult and children > 6 years:
10ml three times daily.

- When to use it

Fucon Syrup is to be taken with or without food.

- How long to use it

Fucon Syrup should be taken according to doctor's prescription.

- If you forget to use it

If you miss a dose of FUCON Syrup and you are taking it regularly, take it as soon as possible. If several hours have passed or if it is nearing time for the next dose, do not double the dose to catch up, unless advised by your health care provider. Do not take 2 doses at once.

- If you use too much (overdose)

In the case of overdosage symptoms like dizziness, vomiting may occur, quickly seek for medical attention.

While you are using it

- Things you must do

Take this medicine according to doctor's prescription.

- Things you must not do

Caution should be exercised when driving a car or operating a machinery.

- Things to be careful of

For pregnant women, this product should be given only if the potential benefit justified the potential risk to the foetus. It should be administered with caution in breastfeeding women and people with cardiac insufficiency.

Side effects:

Side effects of Fucon Syrup is usually mild. Sometimes it might cause hypersensitivity on the skin, tachycardia, dry mouth, urinary retention and others.

Reporting of side effects

You may report any side effects or adverse drug reactions directly to the National Centre for Adverse Drug Reaction Monitoring by visiting the website npra.gov.my [Consumers → Reporting Side Effects to Medicines (ConSERF) or Vaccines (AEFI)].

Storage and Disposal of Fucon Syrup

- Storage

Store below 30°C. Protect from moisture.

- Disposal

Tell your doctor or pharmacist if you stop taking the medicines or the medicines have passed the expiry date. Ask your doctor or pharmacists what to do with any medicines that are left over.

Product Description

- What it looks like

Yellow clear solution with pineapple flavor.

- Ingredients

- Active ingredient
Hyoscine-N-Butylbromide
- Inactive ingredients
Sorbitol Solution
Glycerin
Propylene Glycol
Aspartame
Sodium Saccharin
Metyl Paraben
Propyl Paraben
Citric Acid

Sodium Citrate
Quinoline Yellow
Pineapple Flavour
Menthol
Ammonium
Monoglycyrrhizinate

- MAL number(s):
MAL12015003AZ

Manufacturer and Product

Registration Holder

Y.S.P. Industries (M) Sdn. Bhd.
Lot 3, 5, 7, 12 & 14, Jalan P/7,
Section 13, Kawasan
Perindustrian Bandar Baru
Bangi, 43000 Kajang, Selangor,
Malaysia.

Date of revision

09/09/2025

Serial Number

NPRA(R2/1)240312/1221