45 x 45 x 90 mm

Black

PMS 3105 C

PMS REFLEX BLUE C

558

Verapime 1 g
Powder for injection

Cefepime

For intravenous or intramuscular use

1 vial x 1 g + 1 amp 3 mL solvent

1 vial x 1 g + 1 amp 3 mL solvent

Verapime 1 g
Powder for injection

Cefepime

For intravenous or intramuscular use

Composition: Each vial contains cefepime hydrochloride monohydrate equivalent to 1 g of cefepime.
Excipients: L-arginine.
Each ampoule contains 3 mL of water for injections.
Storage: Store below 30ºC, protected from light.
The reconstituted solution is stable for 24 hours if refrigerated (2-8°C) or 12 hours at room temperature (≤25°C).
Dosage/ Administration: Read the package leaflet before use.
Keep out of the sight and reach of children.
Jauhi dari kanak-kanak.
For hospital use only.

Reg. No.: MAL10120018AZ

Controlled Medicine/Ubat Terkawal

1 vial x 1 g + 1 amp 3 mL solvent

Verapime 1 g
Powder for injection

Cefepime

For intravenous or intramuscular use

Product Registration Holder:
Pharmaforte (M) Sdn Bhd,
2 Jalan PJU 3/49, Sunway Damansara
47810 Petaling Jaya, Selangor Malaysia.

Manufactured by:
DEMO S.A.
PHARMACEUTICAL INDUSTRY

21st km National Road Athens - Lamia,
145 68 Krioneri, Attiki, Greece,
T: +30 210 8161802, **F:** +30 210 8161587

LOT:
MFG:
EXP:

558

189 x 84 x 65 mm

BLACK

PMS 3105 C

PMS REFLEX BLUE C

10 vials x 1 g Cefepime + 10 amp 3 mL solvent

Verapime 1 g Powder for injection

Cefepime

For intravenous or intramuscular use

DEMO S.A.
PHARMACEUTICAL INDUSTRY

Composition: Each vial contains cefepime hydrochloride monohydrate equivalent to 1 g of cefepime.
Excipients: L-arginine.
Each ampoule contains 3 mL of water for injections.
Storage: Store below 30°C, protected from light.
The reconstituted solution is stable for 24 hours if refrigerated (2-8°C) or 12 hours at room temperature (≤25°C).
Dosage/ Administration: Read the package leaflet before use.
Keep out of the sight and reach of children.
Jauhi dari kanak-kanak.
For hospital use only.

Reg. No.: MAL10120018AZ

Controlled Medicine/Ubat Terkawal

10 vials x 1 g Cefepime + 10 amp 3 mL solvent

Verapime 1 g Powder for injection

Cefepime

For intravenous or intramuscular use

DEMO S.A.
PHARMACEUTICAL INDUSTRY

LOT:
MFG:
EXP:

Product Registration Holder:
Pharmaforte (M) Sdn Bhd,
2 Jalan PJU 3/49, Sunway Damansara 47810 Petaling Jaya,
Selangor Malaysia.

Manufacturer:
DEMO S.A.
PHARMACEUTICAL INDUSTRY
21st km National Road Athens - Lamia,
145 68 Krioneri, Attiki, Greece,
T: +30 210 8161802, **F:** +30 210 8161587.

374 x 210 x 65 mm

BLACK

PMS 3105 C

PMS REFLEX BLUE C

50 vials x 1 g Cefepime + 50 amp 3 mL solvent

Verapime 1 g Powder for injection

Cefepime

For intravenous or intramuscular use

DEMO S.A. PHARMACEUTICAL INDUSTRY

Composition: Each vial contains cefepime hydrochloride monohydrate equivalent to 1 g of cefepime.
Excipients: L-arginine.
Each ampoule contains 3 mL of water for injections.
Storage: Store below 30ºC, protected from light.
The reconstituted solution is stable for 24 hours if refrigerated (2-8°C) or 12 hours at room temperature (<25°C).
Dosage/ Administration: Read the package leaflet before use.
Keep out of the sight and reach of children.
Jauhi dari kanak-kanak.
For hospital use only.

Reg. No.: MAL19120818AZ

Controlled Medicine/Ubat Terkawal

50 vials x 1 g Cefepime + 50 amp 3 mL solvent

Verapime 1 g Powder for injection

Cefepime

For intravenous or intramuscular use

DEMO S.A. PHARMACEUTICAL INDUSTRY

Product Registration Holder:
Pharmahyde (M) Sdn Bhd,
2 Jalan PJU 3/48, Sunway Damansara 47810 Petaling Jaya,
Selangor Malaysia.

Manufacturer:
DEMO S.A. PHARMACEUTICAL INDUSTRY
241 km National Road Athens - Lamia,
145 68 Kroneri, Attiki, Greece.
T: +30 210 8161802, F: +30 210 8161587

LOT:
MFG:
EXP:

DEMO S.A. PHARMACEUTICAL INDUSTRY

50 vials x 1 g Cefepime + 50 amp 3 mL solvent

Verapime 1 g Powder for injection

Cefepime

For intravenous or intramuscular use