Größe	129 x 66 mm
Pharmacode	8379
Smallest Font Size	6 Pt.

1. Entwurf 27.02.2014 / 09:30 Uhr
Christian Nagy 03452/72266-22

Colour
- Black
- PANTONE 294 C
- PANTONE 152 C
- PANTONE 300 C
- DIE CUT

Batch no.
Manufact. date:
Expiry date:

Glamin
Solution for infusion

250 ml

MAL20000309ARZ
Jauhi daripada kanak-kanak
Keep out of reach of children

1000 ml of the infusion solution contains:
Alanine 16.00 g, Arginine 11.30 g, Aspartic acid 3.40 g, Glutamic acid 5.60 g, Glycyl-Glutamine H_2O 30.27 g, (=Glycine 10.27 g,=Glutamine 20.0 g), Glycyl-Tyrosine $2H_2O$ 3.45 g, (=Glycine 0,94 g,=Tyrosine 2.28 g), Histidine 6.80 g, Isoleucine 5.60 g, Leucine 7.90 g, Lysine-Acetate 12.70 g, (=Lysine 9.0 g), Methionine 5.60 g, Phenylalanine 5.85 g, Proline 6.80 g, Serine 4.50 g, Threonine 5.60 g, Tryptophan 1.90 g, Valine 7.30 g, citric acid to pH 5.8, in Water for injections.
Amino acids/Dipeptides 134 g/l, Total nitrogen 22.4 g/l, Energy content 2300 kJ (540 kcal)/l, Theoretical osmolarity 1040 mosm/l, Titration acidity to pH 7.4 approx. 60 mmol/l, pH approx. 5.8

For intravenous infusion.
Glamin should be administered by the central venous route due to its osmolarity.
Use only clear solutions in intact containers.
Do not store above 25°C

M096570/01 EXP

Manufactured by: Fresenius Kabi Austria GmbH, Graz, Austria for Fresenius Kabi AB, Uppsala, Sweden

FRESENIUS KABI

Product Registration Holder/Importer:
Fresenius Kabi Malaysia Sdn Bhd ((535495-W)
3-1&3-2, Axis Technology Centre
Lot 13, Jalan 51A/225, 46100 Petaling Jaya
Selangor,Malaysia.

Batch no.
Manufact. date:
Expiry date:

APPROVED
BPM/PR-Planung, Graz
A. Jocham I B. Zweidik I S. Gratzl I T. Thomasser I C. Povoden

Datum: _____ Unterschrift: _____

M096570/01 EXP
500ml Label

Größe	129 x 66 mm
Pharmacode	8379
Smallest Font Size	6 Pt.

1. Entwurf 27.02.2014 / 09:30 Uhr
Christian Nagy 03452/72266-22

Colour
- Black
- PANTONE 294 C
- PANTONE 152 C
- PANTONE 300 C
- DIE CUT

Batch no.
Manufact. date:
Expiry date:

Glamin
Solution for infusion

1000 ml of the infusion solution contains:
Alanine 16.00 g, Arginine 11.30 g, Aspartic acid 3.40 g, Glutamic acid 5.60 g, Glycyl-Glutamine H_2O 30.27 g, (=Glycine 10.27 g,=Glutamine 20.0 g), Glycyl-Tyrosine $2H_2O$ 3.45 g, (=Glycine 0,94 g,=Tyrosine 2.28 g), Histidine 6.80 g, Isoleucine 5.60 g, Leucine 7.90 g, Lysine-Acetate 12.70 g, (=Lysine 9.0 g), Methionine 5.60 g, Phenylalanine 5.85 g, Proline 6.80 g, Serine 4.50 g, Threonine 5.60 g, Tryptophan 1.90 g, Valine 7.30 g, citric acid to pH 5.8, in Water for injections. Amino acids/Dipeptides 134 g/l, Total nitrogen 22.4 g/l, Energy content 2300 kJ (540 kcal)/l, Theoretical osmolarity 1040 mosm/l, Titration acidity to pH 7.4 approx. 60 mmol/l, pH approx. 5.8

FRESENIUS KABI

Product Registration Holder/Importer:
Fresenius Kabi Malaysia Sdn Bhd ((535495-W)
3-1&3-2, Axis Technology Centre
Lot 13, Jalan 51A/225, 46100 Petaling Jaya
Selangor,Malaysia.

500 ml

MAL20000309ACZ
Jauhi daripada kanak-kanak
Keep out of reach of children

For intravenous infusion.
Glamin should be administered by the central venous route due to its osmolarity.
Use only clear solutions in intact containers.
Do not store above 25°C

M096570/01 EXP

Manufactured by: Fresenius Kabi Austria GmbH, Graz, Austria for Fresenius Kabi AB, Uppsala, Sweden

Batch no.
Manufact. date:
Expiry date:

APPROVED
BPM/PR-Planung, Graz
A. Jocham I B. Zweidik I S. Gratzl I T. Thomasser I C. Povoden

Datum: _____ Unterschrift: _____

Größe	129 x 66 mm
Pharmacode	8379
Smallest Font Size	6 Pt.

1. Entwurf 27.02.2014 / 09:30 Uhr
Christian Nagy 03452/72266-22

Colour
- Black
- PANTONE 294 C
- PANTONE 152 C
- PANTONE 300 C
- DIE CUT

Batch no.
Manufact. date:
Expiry date:

Glamin
Solution for infusion

1000 ml

MAL20000309ACZ
Jauhi daripada kanak-kanak
Keep out of reach of children

1000 ml of the infusion solution contains:
Alanine 16.00 g, Arginine 11.30 g, Aspartic acid 3.40 g, Glutamic acid 5.60 g, Glycyl-Glutamine H_2O 30.27 g, (=Glycine 10.27 g,=Glutamine 20.0 g), Glycyl-Tyrosine $2H_2O$ 3.45 g, (=Glycine 0,94 g,=Tyrosine 2.28 g), Histidine 6.80 g, Isoleucine 5.60 g, Leucine 7.90 g, Lysine-Acetate 12.70 g, (=Lysine 9.0 g), Methionine 5.60 g, Phenylalanine 5.85 g, Proline 6.80 g, Serine 4.50 g, Threonine 5.60 g, Tryptophan 1.90 g, Valine 7.30 g, citric acid to pH 5.8, in Water for injections. Amino acids/Dipeptides 134 g/l, Total nitrogen 22.4 g/l, Energy content 2300 kJ (540 kcal)/l, Theoretical osmolarity 1040 mosm/l, Titration acidity to pH 7.4 approx. 60 mmol/l, pH approx. 5.8

For intravenous infusion.
Glamin should be administered by the central venous route due to its osmolarity.
Use only clear solutions in intact containers.
Do not store above 25°C

M096570/01 EXP

Manufactured by: Fresenius Kabi Austria GmbH, Graz, Austria for Fresenius Kabi AB, Uppsala, Sweden

FRESENIUS KABI

Product Registration Holder/Importer:
Fresenius Kabi Malaysia Sdn Bhd ((535495-W)
3-1&3-2, Axis Technology Centre
Lot 13, Jalan 51A/225, 46100 Petaling Jaya
Selangor,Malaysia.

Batch no.
Manufact. date:
Expiry date:

APPROVED
BPM/PR-Planung, Graz
A. Jocham I B. Zweidik I S. Gratzl I T. Thomasser I C. Povoden

Datum: _____ Unterschrift: _____