

Kabiven 900 kcal

Emulsion for infusion, 1026 ml x 4

Sterile non-pyrogenic

For central infusion

1. Glucose 19% 526 ml contain:

Glucose (anhydrous) 100 g, Water for Injections to 526 ml.

2. Vamin® 18 Novum 300 ml contain:

Alanine 4.8 g, Arginine 3.4 g, Aspartic acid 1.0 g, Glutamic acid 1.7 g, Glycine 2.4 g, Histidine 2.0 g, Isoleucine 1.7 g, Leucine 2.4 g, Lysine 2.7 g, Methionine 1.7 g, Phenylalanine 2.4 g, Proline 2.0 g, Serine 1.4 g, Threonine 1.7 g, Tryptophan 0.57 g, Tyrosine 0.07 g, Valine 2.2 g. Calcium chloride 0.22 g, Sodium glycerophosphate (anhydrous) 1.5 g, Magnesium sulphate 0.48 g, Potassium chloride 1.8 g, Sodium acetate 1.5 g. Water for Injections to 300 ml. Glacial acetic acid q.s. to pH approx. 5.6.

3. Intralipid® 20% 200 ml contain:

Purified soybean oil 40 g, Purified egg phospholipids 2.4 g, Glycerol (anhydrous) 4.4 g, Water for Injections to 200 ml. Sodium hydroxide q.s. to pH approx. 8.

Electrolytes in total: Sodium 32 mmol, Potassium 24 mmol, Magnesium 4 mmol, Calcium 2 mmol, Phosphate 10 mmol, Sulphate 4 mmol, Chloride 46 mmol, Acetate 39 mmol.

Contents per bag

Amino acids:	34 g
Nitrogen:	5,4 g
Glucose (dextrous):	100 g
Fat:	40 g

Do not store above 25°C. Store in overpouch. Do not freeze.

Read the package insert before use.

Use only when Glucose 19% solution and Vamin 18 Novum solution are clear and practically free from particles, fat emulsion is homogeneous, and container is undamaged.

Open the seals and mix well according to instructions for use.

For single infusion only, discard any unused mixture.

Keep out of the reach and sight of children

Manufactured by:

Fresenius Kabi AB, Råpösgatan 7, Uppsala 751 74, Sweden

MAL20034472ARZ

Jauhi daripada kanak kanak.

Controlled medicine/Ubat Terkawal

Product Registration Holder/Importer:

Fresenius Kabi Malaysia Sdn Bhd

3-1 & 3-2, Axis Technology Centre,

Lot 13, Jalan 51A/225, 46100 Petaling Jaya,

Selangor, Malaysia.

Kabiven 900 kcal

Emulsion for infusion, 1026 ml x 4


Batch no: 10XX1234

Manuf. date: 02/2010

Use before: 01/2012

X1234567L

450031 / 03



31000000

83 12 20-420

2017-05-19
Johanna Eriksson

Kabiven 1400 kcal

Emulsion for infusion, 1540 ml x 4

Sterile non-pyrogenic

For central infusion

1. Glucose 19% 790 ml contain:

Glucose (anhydrous) 150 g, Water for Injections to 790 ml

2. Vamin® 18 Novum 450 ml contain:

Alanine 7.2 g, Arginine 5.1 g, Aspartic acid 1.5 g, Glutamic acid 2.5 g, Glycine 3.6 g, Histidine 3.1 g, Isoleucine 2.5 g, Leucine 3.6 g, Lysine 4.1 g, Methionine 2.5 g, Phenylalanine 3.6 g, Proline 3.1 g, Serine 2.0 g, Threonine 2.5 g, Tryptophan 0.86 g, Tyrosine 0.10 g, Valine 3.3 g. Calcium chloride 0.33 g, Sodium glycerophosphate (anhydrous) 2.3 g, Magnesium sulphate 0.72 g, Potassium chloride 2.7 g, Sodium acetate 2.2 g. Water for Injections to 450 ml. Glacial acetic acid q.s. to pH approx. 5.6.

3. Intralipid® 20% 300 ml contain:

Purified soybean oil 60 g, Purified egg phospholipids 3.6 g, Glycerol (anhydrous) 6.6 g, Water for Injections to 300 ml. Sodium hydroxide q.s. to pH approx. 8.

Electrolytes in total: Sodium 48 mmol, Potassium 36 mmol, Magnesium 6 mmol, Calcium 3 mmol, Phosphate 15 mmol, Sulphate 6 mmol, Chloride 70 mmol, Acetate 58 mmol.

Contents per bag

Amino acids: 51 g

Nitrogen: 8,1 g

Glucose (dextrous): 150 g

Fat: 60 g

Do not store above 25°C. Store in overpouch. Do not freeze.

Read the package insert before use.

Use only when Glucose 19% solution and Vamin 18 Novum solution are clear and practically free from particles, fat emulsion is homogeneous, and container is undamaged.

Open the seals and mix well according to instructions for use.

For single infusion only, discard any unused mixture.

Keep out of the reach and sight of children.

Manufactured by:

Fresenius Kabi AB, Rapskatan 7, Uppsala 751 74, Sweden

MAL20034472ARZ

Jauhi daripada kanak kanak.

Controlled medicine/Ubat Terkawal

Product Registration Holder/Importer:

Fresenius Kabi Malaysia Sdn Bhd

3-1 & 3-2, Axis Technology Centre,

Lot 13, Jalan 51A/225, 46100 Petaling Jaya,

Selangor, Malaysia.

Kabiven 1400 kcal

Emulsion for infusion, 1540 ml x 4


Batch no: 10XX1234

Manuf. date: 02/2010

Use before: 01/2012

X1234567L

450032 / 03



31000000

83 12 21-420

2017-05-19

Johanna Eriksson

Kabiven

1900 kcal

Emulsion for infusion, 2053 ml x 4

Sterile non-pyrogenic

For central infusion

1. Glucose 19% 1053 ml contain:
Glucose (anhydrous) 200 g. Water for Injections to 1053 ml.

2. Vamin® 18 Novum 600 ml
contain: Alanine 9.6 g, Arginine 6.8 g, Aspartic acid 2.0 g, Glutamic acid 3.4 g, Glycine 4.7 g, Histidine 4.1 g, Isoleucine 3.4 g, Leucine 4.7 g, Lysine 5.4 g, Methionine 3.4 g, Phenylalanine 4.7 g, Proline 4.1 g, Serine 2.7 g, Threonine 3.4 g, Tryptophan 1.1 g, Tyrosine 0.14 g, Valine 4.4 g. Calcium chloride 0.44 g, Sodium glycerophosphate (anhydrous) 3.0 g, Magnesium sulphate 0.96 g, Potassium chloride 3.6 g, Sodium acetate 2.9 g, Water for Injections to 600 ml. Glacial acetic acid q.s. to pH approx. 5.6.

3. Intralipid® 20% 400 ml Contain: Purified soybean oil 80 g, Purified egg phospholipids 4.8 g, Glycerol (anhydrous) 8.8 g, Water for Injections to 400 ml. Sodium hydroxide q.s. to pH approx. 8.

Electrolytes in total: Sodium 64 mmol, Potassium 48 mmol, Magnesium 8 mmol, Calcium 4 mmol, Phosphate 20 mmol, Sulphate 8 mmol, Chloride 93 mmol, Acetate 78 mmol.

Contents per bag	
Amino acids:	68 g
Nitrogen:	10,8 g
Glucose (dextrous):	200 g
Fat:	80 g

Do not store above 25°C. Store in overpouch. Do not freeze

Read the package insert before use.

Use only when Glucose 19% solution and Vamin 18 Novum solution are clear and practically free from particles, fat emulsion is homogeneous, and container is undamaged.

Open the seals and mix well according to instructions for use.

For single infusion only, discard any unused mixture.

Keep out of the reach and sight of children.

Manufactured by:
Fresenius Kabi AB, Rapskatan 7, Uppsala 751 74, Sweden


MAL20034472ARZ
Jauhi daripada kanak kanak.
Controlled medicine/Ubat Terkawal
Product Registration Holder/Importer:
Fresenius Kabi Malaysia Sdn Bhd
3-1 & 3-2, Axis Technology Centre,
Lot 13, Jalan 51A/225, 46100 Petaling Jaya,
Selangor, Malaysia.

Kabiven

1900 kcal

Emulsion for infusion, 2053 ml x 4

Batch no: 10XX1234
Manuf. date: 02/2010
Use before: 01/2012
X1234567L



Kabiven

2300 kcal

Emulsion for infusion, 2566 ml x 3

Sterile and non-pyrogenic

For central infusion

1. Glucose 19% 1316 ml contain:
Glucose (anhydrous) 250 g. Water for Injections to 1316 ml.

2. Vamin® 18 Novum 750 ml contain:
Alanine 12.0 g, Arginine 8.5 g, Aspartic acid 2.6 g, Glutamic acid 4.2 g, Glycine 5.9 g, Histidine 5.1 g, Isoleucine 4.2 g, Leucine 5.9 g, Lysine 6.8 g, Methionine 4.2 g, Phenylalanine 5.9 g, Proline 5.1 g, Serine 3.4 g, Threonine 4.2 g, Tryptophan 1.4 g, Tyrosine 0.17 g, Valine 5.5 g. Calcium chloride 0.56 g, Sodium glycerophosphate (anhydrous) 3.8 g, Magnesium sulphate 1.2 g, Potassium chloride 4.5 g, Sodium acetate 3.7 g, Water for Injections to 750 ml. Glacial acetic acid q.s. to pH approx. 5.6.

3. Intralipid® 20% 500 ml contain:
Purified soybean oil 100 g, Purified egg phospholipids 6.0 g, Glycerol (anhydrous) 11.0 g, Water for Injections to 500 ml. Sodium hydroxide q.s. to pH approx. 8.

Electrolytes in total: Sodium 80 mmol, Potassium 60 mmol, Magnesium 10 mmol, Calcium 5 mmol, Phosphate 25 mmol, Sulphate 10 mmol, Chloride 116 mmol, Acetate 97 mmol.

Contents per bag	
Amino acids:	85 g
Nitrogen:	13,5 g
Glucose (dextrous):	250 g
Fat:	100 g

Do not store above 25°C. Store in overpouch. Do not freeze.

Read the package insert before use.

Use only when Glucose 19% solution and Vamin 18 Novum solution are clear and practically free from particles, fat emulsion is homogeneous, and container is undamaged.

Open seals and mix well according to instructions for use.

For single infusion only, discard any unused mixture.

Keep out of the reach and sight of children.

Manufactured by:
Fresenius Kabi AB, Rapskatan 7, Uppsala 751 74, Sweden

MAL20034472ARZ
Jauhi daripada kanak kanak.
Controlled medicine/Ubat Terkawal
Product Registration Holder/Importer:
Fresenius Kabi Malaysia Sdn Bhd
3-1 & 3-2, Axis Technology Centre,
Lot 13, Jalan 51A/225, 46100 Petaling Jaya,
Selangor, Malaysia.


Kabiven

2300 kcal

Emulsion for infusion, 2566 ml x 3

Batch no: 10XX1234
Manuf. date: 02/2010
Use before: 01/2012

X1234567L



83 12 23-420

2017-05-19
Johanna Eriksson