

Kabiven Peripheral 1000 kcal

Emulsion for infusion, 1440 ml x 4

Sterile and non-pyrogenic

For central and peripheral infusion

1. **Glucose 11%** 885 ml contain:
Glucose (anhydrous) 97 g, Water for Injections to 885 ml
2. **Vamin® 18 Novum** 300 ml contain:
Alanine 4.8 g, Arginine 3.4 g, Aspartic acid 1.0 g, Glutamic acid 1.7 g, Glycine 2.4 g, Histidine 2.0 g, Isoleucine 1.7 g, Leucine 2.4 g, Lysine 2.7 g, Methionine 1.7 g, Phenylalanine 2.4 g, Proline 2.0 g, Serine 1.4 g, Threonine 1.7 g, Tryptophan 0.57 g, Tyrosine 0.07 g, Valine 2.2 g, Calcium chloride 0.22 g, Sodium glycerophosphate (anhydrous) 1.5 g, Magnesium sulphate 0.48 g, Potassium chloride 1.8 g, Sodium acetate 1.5 g, Water for Injections to 300 ml. Glacial acetic acid q.s. to pH approx. 5.6.

3. **Intralipid® 20%** 255 ml contain:
Purified soybean oil 51 g, Purified egg phospholipids 3.1 g, Glycerol 5.6 g, Water for Injections to 255 ml. Sodium hydroxide q.s. to pH approx. 8.

Electrolytes in total: Sodium 32 mmol, Potassium 24 mmol, Magnesium 4.0 mmol, Calcium 2.0 mmol, Phosphate 11 mmol, Sulphate 4.0 mmol, Chloride 47 mmol, Acetate 39 mmol

Contents per bag	
Amino acids:	34 g
Nitrogen:	5,4 g
Glucose (anhydrous):	97 g
Fat:	51 g

Do not store above 25°C. Store in overpouch. Do not freeze.

Read the package insert before use.

Use only when Glucose 11% and Vamin 18 Novum solutions are clear and practically free from particles, fat emulsion is homogeneous, and container is undamaged.

Open the seals and mix well according to instructions for use.

For single infusion only. Discard any unused mixture.

Keep out of the reach and sight of children.

Manufactured by:
Fresenius Kabi AB, Rapskatan 7, Uppsala, 751 74,
Sweden


Fresenius Kabi

MAL20033362ARZ
CONTROLLED MEDICINE / UBAT TERKAWAL
Keep out of reach of children. Jauhi daripada kanak-kanak.
Product Registration Holder/Importer:
Fresenius Kabi Malaysia Sdn Bhd
3-1 & 3-2, Axis Technology Centre,
Lot 13 Jalan 51A/225,
46100 Petaling Jaya, Selangor,
Malaysia.

Kabiven Peripheral 1000 kcal

Emulsion for infusion, 1440 ml x 4

Batch no: 10XX1234
Manuf. date: 02/2010
Use before: 01/2012
X1234567L



Kabiven Peripheral 1400 kcal

Emulsion for infusion, 1920 ml x 4

Sterile and non-pyrogenic

For central and peripheral infusion

1. Glucose 11% 1180 ml contain:

Glucose (anhydrous) 130 g. Water for Injections to 1180 ml.

2. Vamin® 18 Novum 400 ml contain:

Alanine 6.4 g, Arginine 4.5 g, Aspartic acid 1.4 g, Glutamic acid 2.2 g, Glycine 3.2 g, Histidine 2.7 g, Isoleucine 2.2 g, Leucine 3.2 g, Lysine 3.6 g, Methionine 2.2 g, Phenylalanine 3.2 g, Proline 2.7 g, Serine 1.8 g, Threonine 2.2 g, Tryptophan 0.76 g, Tyrosine 0.09 g, Valine 2.9 g, Calcium chloride 0.30 g, Sodium glycerophosphate (anhydrous) 2.0 g, Magnesium sulphate 0.64 g, Potassium chloride 2.4 g, Sodium acetate 2.0 g, Water for injections to 400 ml. Glacial acetic acid q.s. to pH approx. 5.6.

3. Intralipid® 20% 340 ml contain:

Purified soybean oil 68 g, Purified egg phospholipids 4.1 g, Glycerol 7.5 g, Water for Injections to 340 ml. Sodium hydroxide q.s. to pH approx. 8.

Electrolytes in total: Sodium 43 mmol, Potassium 32 mmol, Magnesium 5.3 mmol, Calcium 2.7 mmol, Phosphate 14 mmol, Sulphate 5.3 mmol, Chloride 62 mmol, Acetate 52 mmol

Contents per bag

Amino acids:	45 g
Nitrogen:	7,2 g
Glucose (anhydrous):	130 g
Fat:	68 g

Do not store above 25°C. Store in overpouch. Do not freeze.

Read the package insert before use.

Use only when Glucose 11% and Vamin 18 Novum solutions are clear and practically free from particles, fat emulsion is homogeneous, and container is undamaged.

Open the seals and mix well according to instructions for use.

For single infusion only. Discard any unused mixture.

Keep out of the reach and sight of children.

Manufactured by:

Fresenius Kabi AB, Rapskatan 7, Uppsala, 751 74,
Sweden

Fresenius Kabi

MAL20033362ARZ

CONTROLLED MEDICINE / UBAT TERKAWAL

Keep out of reach of children. Jauhi daripada kanak-kanak.

Product Registration Holder/Importer:

Fresenius Kabi Malaysia Sdn Bhd

3-1 & 3-2, Axis Technology Centre,

Lot 13 Jalan 51A/225,

46100 Petaling Jaya, Selangor,

Malaysia.


Kabiven Peripheral 1400 kcal

Emulsion for infusion, 1920 ml x 4

Batch no:	10XX1234
Manuf. date:	02/2010
Use before:	01/2012

X1234567L

450036 / 02



31000000

83 12 32-420

2017-05-19
Johanna Eriksson

Kabiven Peripheral 1700 kcal

Emulsion for infusion, 2400 ml x 3

Sterile and non-pyrogenic

For central and peripheral infusion

1. Glucose 11% 1475 ml contain:

Glucose (anhydrous) 162 g, Water for Injections to 1475 ml.

2. Vamin® 18 Novum 500 ml contain:

Alanine 8.0 g, Arginine 5.6 g, Aspartic acid 1.7 g, Glutamic acid 2.8 g, Glycine 4.0 g, Histidine 3.4 g, Isoleucine 2.8 g, Leucine 4.0 g, Lysine 4.5 g, Methionine 2.8 g, Phenylalanine 4.0 g, Proline 3.4 g, Serine 2.2 g, Threonine 2.8 g, Tryptophan 0.95 g, Tyrosine 0.12 g, Valine 3.6 g, Calcium chloride 0.37 g, Sodium glycerophosphate (anhydrous) 2.5 g, Magnesium sulphate 0.80 g, Potassium chloride 3.0 g, Sodium acetate 2.4 g, Water for injection to 500 ml. Glacial acetic acid q.s. to pH approx. 5.6.

3. Intralipid® 20% 425 ml contain: Purified soybean oil 85 g, Purified egg phospholipids 5.1 g, Glycerol 9.4 g, Water for Injections to 425 ml. Sodium hydroxide q.s. to pH approx. 8.

Electrolytes in total: Sodium 53 mmol, Potassium 40 mmol, Magnesium 6.7 mmol, Calcium 3.3 mmol, Phosphate 18 mmol, Sulphate 6.7 mmol, Chloride 78 mmol, Acetate 65 mmol.

Contents per bag

Amino acids:	57 g
Nitrogen:	9,0 g
Glucose (anhydrous):	162 g
Fat:	85 g

Do not store above 25°C. Store in overpouch. Do not freeze.

Read the package insert before use.

Use only when Glucose 11% and Vamin 18 Novum solutions are clear and practically free from particles, fat emulsion is homogeneous, and container is undamaged.

Open the seals and mix well according to instructions for use.

For single infusion only. Discard any unused mixture.

Keep out of the reach and sight of children.

Manufactured by:

Fresenius Kabi AB, Rapskatan 7, Uppsala, 751 74,
Sweden

Fresenius Kabi

MAL20033362ARZ

CONTROLLED MEDICINE / UBAT TERKAWAL

Keep out of reach of children. Jauhi daripada kanak-kanak.

Product Registration Holder/Importer:

Fresenius Kabi Malaysia Sdn Bhd

3-1 & 3-2, Axis Technology Centre,

Lot 13 Jalan 51A/225,

46100 Petaling Jaya, Selangor,

Malaysia.


Kabiven Peripheral 1700 kcal

Emulsion for infusion, 2400 ml x 3

Batch no:	10XX1234
Manuf. date:	02/2010
Use before:	01/2012

X1234567L

450037 / 02



310000000

83 12 33-420

2017-05-19
Johanna Eriksson