

SmofKabiven 1100 kcal

Emulsion for infusion

4 x 986 ml

CENTRAL

83 19 01-420

Intravenous use, infusion into a central vein. For single infusion only.

A three chamber bag (986 ml) contains:

1. Amino acid solution with electrolytes: Alanine 7.0 g, arginine 6.0 g, glycine 5.5 g, histidine 1.5 g, isoleucine 2.5 g, leucine 3.7 g, lysine (as acetate) 3.3 g, methionine 2.2 g, phenylalanine 2.6 g, proline 5.6 g, serine 3.2 g, taurine 0.50 g, threonine 2.2 g, tryptophan 1.0 g, tyrosine 0.2 g, valine 3.1 g, calcium chloride (as dihydrate) 0.28 g, sodium glycerophosphate (as hydrate) 2.1 g, magnesium sulphate (as heptahydrate) 0.60 g, potassium chloride 2.2 g, sodium acetate (as trihydrate) 1.7 g, zinc sulphate (as heptahydrate) 0.0065 g.

2. Glucose 42 %: Glucose (as monohydrate) 125 g.

3. Lipid emulsion: Refined soya-bean oil 11.3 g, medium-chain triglycerides 11.3 g, refined olive oil 9.4 g, fish oil rich in omega-3 acids 5.6 g.

Corresponding to: Amino acids 50 g, nitrogen 8 g, carbohydrates (glucose anhydrous) 125 g, lipids 38 g. Electrolytes; sodium 40 mmol, potassium 30 mmol, magnesium 5.0 mmol, calcium 2.5 mmol, phosphate (contribution from lipid emulsion and amino acid solution) 12 mmol, zinc 0.04 mmol, sulphate 5.0 mmol, chloride 35 mmol, acetate 104 mmol.

Excipients: Glycerol, purified egg phospholipids, all-*rac*- α -tocopherol, sodium hydroxide (pH adjuster), sodium oleate, acetic acid glacial (pH adjuster), hydrochloric acid (pH adjuster), water for injections.

Energy content total approx. 1100 kcal

Energy content non-protein approx. 900 kcal

Osmolality: approx. 1800 mosmol/kg water

Osmolarity: approx. 1500 mosmol/l

pH: approx. 5.6

Read the package leaflet before use.

Keep out of the sight and reach of children.

The contents of the three separate chambers have to be mixed before use. Additions should be made aseptically.

After mixing the product should be used immediately.

Do not store above 25°C. Do not freeze. Store in overpouch.

Any unused solution remaining after infusion should be discarded.

Fresenius Kabi AB, 751 74 Uppsala, Sweden

MAL11090002ARZ

Jauhi daripada kanak kanak.

Controlled medicine/Ubat Terkawal

Product Registration Holder/Importer:

Fresenius Kabi Malaysia Sdn Bhd

3-1 & 3-2, Axis Technology Centre,

Lot 13, Jalan 51A/225, 46100 Petaling Jaya,

Selangor, Malaysia.



**FRESENIUS
KABI**

SmofKabiven 1100 kcal

Emulsion for infusion

4 x 986 ml


Batch no: 10XX1234

Manuf. date: 02/2010

Use before: 01/2012

X1234567L

450184 / 03



300000000

SmofKabiven 1600 kcal

Emulsion for infusion 4 x 1477 ml

CENTRAL

83 19 02-420

Intravenous use, infusion into a central vein. For single infusion only.

A three chamber bag (1477 ml) contains:

1. Amino acid solution with electrolytes: Alanine 10.5 g, arginine 9.0 g, glycine 8.2 g, histidine 2.2 g, isoleucine 3.8 g, leucine 5.6 g, lysine (as acetate) 5.0 g, methionine 3.2 g, phenylalanine 3.8 g, proline 8.4 g, serine 4.9 g, taurine 0.75 g, threonine 3.3 g, tryptophan 1.5 g, tyrosine 0.30 g, valine 4.6 g, calcium chloride (as dihydrate) 0.42 g, sodium glycerophosphate (as hydrate) 3.1 g, magnesium sulphate (as heptahydrate) 0.90 g, potassium chloride 3.4 g, sodium acetate (as trihydrate) 2.6 g, zinc sulphate (as heptahydrate) 0.0097 g.

2. Glucose 42 %: Glucose (as monohydrate) 187 g.

3. Lipid emulsion: Refined soya-bean oil 16.9 g, medium-chain triglycerides 16.9 g, refined olive oil 14.1 g, fish oil rich in omega-3 acids 8.4 g.

Corresponding to: Amino acids 75 g, nitrogen 12 g, carbohydrates (glucose anhydrous) 187 g, lipids 56 g. Electrolytes; sodium 60 mmol, potassium 45 mmol, magnesium 7.5 mmol, calcium 3.8 mmol, phosphate (contribution from lipid emulsion and amino acid solution) 19 mmol, zinc 0.06 mmol, sulphate 7.5 mmol, chloride 52 mmol, acetate 157 mmol.

Excipients: Glycerol, purified egg phospholipids, all-*rac*- α -tocopherol, sodium hydroxide (pH adjuster), sodium oleate, acetic acid glacial (pH adjuster), hydrochloric acid (pH adjuster), water for injections.

Energy content total approx. 1600 kcal
Energy content non-protein approx. 1300 kcal
Osmolality: approx. 1800 mosmol/kg water
Osmolarity: approx. 1500 mosmol/l
pH: approx. 5.6

Read the package leaflet before use.
Keep out of the sight and reach of children.

The contents of the three separate chambers have to be mixed before use. Additions should be made aseptically.

After mixing the product should be used immediately.

Do not store above 25°C. Do not freeze. Store in overpouch.

Any unused solution remaining after infusion should be discarded.

Fresenius Kabi AB, 751 74 Uppsala, Sweden

MAL11090002ARZ

Jauhi daripada kanak kanak.

Controlled medicine/Ubat Terkawal

Product Registration Holder/Importer:

Fresenius Kabi Malaysia Sdn Bhd

3-1 & 3-2, Axis Technology Centre,

Lot 13, Jalan 51A/225, 46100 Petaling Jaya,

Selangor, Malaysia.




**FRESENIUS
KABI**

SmofKabiven 1600 kcal

Emulsion for infusion 4 x 1477 ml

Batch no: 10XX1234
Manuf. date: 02/2010
Use before: 01/2012
X1234567L

450173 / 03



300000000

SmofKabiven

2200 kcal

CENTRAL

Emulsion for infusion

4 x 1970 ml

83 19 03-420

2018-10-29
M Eriksson

Intravenous use, infusion into a central vein. For single infusion only.

A three chamber bag (1970 ml) contains:

1. Amino acid solution with electrolytes: Alanine 14.0 g, arginine 12.0 g, glycine 11.0 g, histidine 3.0 g, isoleucine 5.0 g, leucine 7.4 g, lysine (as acetate) 6.6 g, methionine 4.3 g, phenylalanine 5.1 g, proline 11.2 g, serine 6.5 g, taurine 1.0 g, threonine 4.4 g, tryptophan 2.0 g, tyrosine 0.40 g, valine 6.2 g, calcium chloride (as dihydrate) 0.56 g, sodium glycerophosphate (as hydrate) 4.2 g, magnesium sulphate (as heptahydrate) 1.2 g, potassium chloride 4.5 g, sodium acetate (as trihydrate) 3.4 g, zinc sulphate (as heptahydrate) 0.013 g.

2. Glucose 42 %: Glucose (as monohydrate) 250 g.

3. Lipid emulsion: Refined soya-bean oil 22.5 g, medium-chain triglycerides 22.5 g, refined olive oil 18.8 g, fish oil rich in omega-3 acids 11.3 g.

Corresponding to: Amino acids 100 g, nitrogen 16 g, carbohydrates (glucose anhydrous) 250 g, lipids 75 g, Electrolytes; sodium 80 mmol, potassium 60 mmol, magnesium 10 mmol, calcium 5.0 mmol, phosphate (contribution from lipid emulsion and amino acid solution) 25 mmol, zinc 0.08 mmol, sulphate 10 mmol, chloride 70 mmol, acetate 209 mmol.

Excipients: Glycerol, purified egg phospholipids, all-*rac*- α -tocopherol, sodium hydroxide (pH adjuster), sodium oleate, acetic acid glacial (pH adjuster), hydrochloric acid (pH adjuster), water for injections.

Energy content total approx. 2200 kcal
Energy content non-protein approx. 1800 kcal
Osmolality: approx. 1800 mosmol/kg water
Osmolarity: approx. 1500 mosmol/l
pH: approx. 5.6

Read the package leaflet before use.
Keep out of the sight and reach of children.

The contents of the three separate chambers have to be mixed before use. Additions should be made aseptically.

After mixing the product should be used immediately.

Do not store above 25°C. Do not freeze. Store in overpouch.

Any unused solution remaining after infusion should be discarded.

Fresenius Kabi AB, 751 74 Uppsala, Sweden

MAL11090002ARZ

Jauhi daripada kanak kanak.

Controlled medicine/Ubat Terkawal

Product Registration Holder/Importer:

Fresenius Kabi Malaysia Sdn Bhd

3-1 & 3-2, Axis Technology Centre,

Lot 13, Jalan 51A/225, 46100 Petaling Jaya,

Selangor, Malaysia.



**FRESENIUS
KABI**

SmofKabiven


2200 kcal

Emulsion for infusion

4 x 1970 ml

Batch no: 10XX1234
Manuf. date: 02/2010
Use before: 01/2012
X1234567L

450174 / 03



300000000

SmofKabiven

2700 kcal

CENTRAL

Emulsion for infusion

3 x 2463 ml

83 19 04-420

Intravenous use, infusion into a central vein. For single infusion only.

A three chamber bag (2463 ml) contains:

1. Amino acid solution with electrolytes: Alanine 17.5 g, arginine 15.0 g, glycine 13.8 g, histidine 3.7 g, isoleucine 6.2 g, leucine 9.4 g, lysine (as acetate) 8.4 g, methionine 5.4 g, phenylalanine 6.4 g, proline 14.0 g, serine 8.1 g, taurine 1.2 g, threonine 5.4 g, tryptophan 2.5 g, tyrosine 0.49 g, valine 7.6 g, calcium chloride (as dihydrate) 0.69 g, sodium glycerophosphate (as hydrate) 5.2 g, magnesium sulphate (as heptahydrate) 1.5 g, potassium chloride 5.7 g, sodium acetate (as trihydrate) 4.2 g, zinc sulphate (as heptahydrate) 0.016 g.

2. Glucose 42 %: Glucose (as monohydrate) 313 g.

3. Lipid emulsion: Refined soya-bean oil 28.1 g, medium-chain triglycerides 28.1 g, refined olive oil 23.4 g, fish oil rich in omega-3 acids 14.0 g.

Corresponding to: Amino acids 125 g, nitrogen 20 g, carbohydrates (glucose anhydrous) 313 g, lipids 94 g, Electrolytes; sodium 100 mmol, potassium 74 mmol, magnesium 12 mmol, calcium 6.2 mmol, phosphate (contribution from lipid emulsion and amino acid solution) 31 mmol, zinc 0.1 mmol, sulphate 13 mmol, chloride 89 mmol, acetate 261 mmol.

Excipients: Glycerol, purified egg phospholipids, all-*rac*- α -tocopherol, sodium hydroxide (pH adjuster), sodium oleate, acetic acid glacial (pH adjuster), hydrochloric acid (pH adjuster), water for injections.

Energy content total approx. 2700 kcal
Energy content non-protein approx. 2200 kcal
Osmolality: approx. 1800 mosmol/kg water
Osmolarity: approx. 1500 mosmol/l
pH: approx. 5.6

Read the package leaflet before use.
Keep out of the sight and reach of children.

The contents of the three separate chambers have to be mixed before use. Additions should be made aseptically.

After mixing the product should be used immediately.

Do not store above 25°C. Do not freeze. Store in overpouch.

Any unused solution remaining after infusion should be discarded.

Fresenius Kabi AB, 751 74 Uppsala, Sweden

MAL11090002ARZ

Jauhi daripada kanak kanak.

Controlled medicine/Ubat Terkawal

Product Registration Holder/Importer:

Fresenius Kabi Malaysia Sdn Bhd

3-1 & 3-2, Axis Technology Centre,

Lot 13, Jalan 51A/225, 46100 Petaling Jaya,

Selangor, Malaysia.



**FRESENIUS
KABI**

SmofKabiven

2700 kcal


Emulsion for infusion

3 x 2463 ml

Batch no: 10XX1234
Manuf. date: 02/2010
Use before: 01/2012

X1234567L

450175 / 03



300000000