


Batch No.:  
Manuf. Date :  
Exp. Date:



## SmofKabiven Electrolyte Free 1100 kcal

Emulsion for infusion 986 ml

Intravenous use, infusion into a central vein. For single infusion only.

# CENTRAL



**FRESENIUS  
KABI**

### Manufacturer:

Fresenius Kabi AB,  
751 74 Uppsala, Sweden

MAL11090008ARZ  
Jauhi dari kanak kanak.  
**Controlled Medicine/Ubat Terkawal**  
**Product Registration Holder/Importer:**  
Fresenius Kabi Malaysia Sdn Bhd  
3-1 & 3-2, Axis Technology Centre,  
Lot 13, Jalan 51A/225,  
46100 Petaling Jaya, Selangor,  
Malaysia.

555 555

Approx.


750

500

250



INFUSION PORT



### A three chamber bag (986 ml) contains:

**1. Amino acid solution:** Alanine 7.0 g, arginine 6.0 g, glycine 5.5 g, histidine 1.5 g, isoleucine 2.5 g, leucine 3.7 g, lysine (as acetate) 3.3 g, methionine 2.2 g, phenylalanine 2.6 g, proline 5.6 g, serine 3.2 g, taurine 0.50 g, threonine 2.2 g, tryptophan 1.0 g, tyrosine 0.20 g, valine 3.1 g.

**2. Glucose 42 %:** Glucose (as monohydrate) 125 g.

**3. Lipid emulsion:** Refined soya-bean oil 11.3 g, medium-chain triglycerides 11.3 g, refined olive oil 9.4 g, fish oil rich in omega-3 acids 5.6 g.

**Excipients:** Glycerol, purified egg phospholipids, all-*rac*- $\alpha$ -tocopherol, sodium hydroxide (pH adjuster), sodium oleate, acetic acid glacial (pH adjuster), hydrochloric acid (pH adjuster), water for injections.

Read the package leaflet before use.  
Keep out of the sight and reach of children.

The contents of the three separate chambers have to be mixed before use. Additions should be made aseptically.

After mixing the product should be used immediately.

Do not store above 25°C. Do not freeze. Store in overpouch.

Any unused solution remaining after infusion should be discarded.



ADDITIVE PORT




|                                                 |          |
|-------------------------------------------------|----------|
| Energy content total approx. 1100 kcal          |          |
| Energy content non-protein approx. 900 kcal     |          |
| <b>Corresponding to:</b>                        |          |
| Amino acids                                     | 50 g     |
| Nitrogen                                        | 8 g      |
| Carbohydrates (glucose anhydrous)               | 125 g    |
| Lipids                                          | 38 g     |
| Acetate (contribution from amino acid solution) | 73 mmol  |
| Phosphate (contribution from lipid emulsion)    | 2.8 mmol |
| Osmolality: approx. 1600 mosmol/kg water        |          |
| Osmolarity: approx. 1300 mosmol/l               |          |
| pH: approx. 5.6                                 |          |

Batch No.:  
Manuf. Date :  
Exp. Date:

**SmofKabiven Electrolyte Free**      **1600 kcal**  
Emulsion for infusion                      **1477 ml**

Intravenous use, infusion into a central vein. For single infusion only.

**CENTRAL**




Energy content total approx. 1600 kcal  
Energy content non-protein approx. 1300 kcal

| Corresponding to:                               |          |
|-------------------------------------------------|----------|
| Amino acids                                     | 75 g     |
| Nitrogen                                        | 12 g     |
| Carbohydrates (glucose anhydrous)               | 187 g    |
| Lipids                                          | 56 g     |
| Acetate (contribution from amino acid solution) | 110 mmol |
| Phosphate (contribution from lipid emulsion)    | 4.2 mmol |

Osmolality: approx. 1600 mosmol/kg water  
Osmolarity: approx. 1300 mosmol/l  
pH: approx. 5.6

**A three chamber bag (1477 ml) contains:**

**1. Amino acid solution:** Alanine 10.5 g, arginine 9.0 g, glycine 8.2 g, histidine 2.2 g, isoleucine 3.8 g, leucine 5.6 g, lysine (as acetate) 5.0 g, methionine 3.2 g, phenylalanine 3.8 g, proline 8.4 g, serine 4.9 g, taurine 0.75 g, threonine 3.3 g, tryptophan 1.5 g, tyrosine 0.30 g, valine 4.6 g.



**2. Glucose 42 %:** Glucose (as monohydrate) 187 g.

**3. Lipid emulsion:** Refined soya-bean oil 16.9 g, medium-chain triglycerides 16.9 g, refined olive oil 14.1 g, fish oil rich in omega-3 acids 8.4 g.

**Excipients:** Glycerol, purified egg phospholipids, all-*rac*- $\alpha$ -tocopherol, sodium hydroxide (pH adjuster), sodium oleate, acetic acid glacial (pH adjuster), hydrochloric acid (pH adjuster), water for injections.

Read the package leaflet before use.  
Keep out of the sight and reach of children.

The contents of the three separate chambers have to be mixed before use. Additions should be made aseptically.

After mixing the product should be used immediately.

Do not store above 25°C. Do not freeze. Store in overpouch.

Any unused solution remaining after infusion should be discarded.



ADDITIVE PORT

Approx.

1000

750

500

250



INFUSION PORT


**Manufacturer:**

Fresenius Kabi AB,  
751 74 Uppsala, Sweden

MAL11090008ARZ  
Jauhi dari kanak kanak.  
**Controlled Medicine/Ubat Terkawal**  
**Product Registration Holder/Importer:**  
Fresenius Kabi Malaysia Sdn Bhd  
3-1 & 3-2, Axis Technology Centre,  
Lot 13, Jalan 51A/225,  
46100 Petaling Jaya, Selangor,  
Malaysia.

337 556

Batch No.:  
Manuf. Date :  
Exp. Date:



**SmofKabiven Electrolyte Free** 2200 kcal

Emulsion for infusion

1970 ml

Intravenous use, infusion into a central vein. For single infusion only.

**CENTRAL**

 **FRESENIUS KABI**

Energy content total approx. 2200 kcal

Energy content non-protein approx. 1800 kcal

Corresponding to:

|                                                 |          |
|-------------------------------------------------|----------|
| Amino acids                                     | 100 g    |
| Nitrogen                                        | 16 g     |
| Carbohydrates (glucose anhydrous)               | 250 g    |
| Lipids                                          | 75 g     |
| Acetate (contribution from amino acid solution) | 147 mmol |
| Phosphate (contribution from lipid emulsion)    | 5.6 mmol |

Osmolality: approx. 1600 mosmol/kg water

Osmolarity: approx. 1300 mosmol/l

pH: approx. 5.6

A three chamber bag (1970 ml) contains:

1. **Amino acid solution:** Alanine 14.0 g, arginine 12.0 g, glycine 11.0 g, histidine 3.0 g, isoleucine 5.0 g, leucine 7.4 g, lysine (as acetate) 6.6 g, methionine 4.3 g, phenylalanine 5.1 g, proline 11.2 g, serine 6.5 g, taurine 1.0 g, threonine 4.4 g, tryptophan 2.0 g, tyrosine 0.40 g, valine 6.2 g.

2. **Glucose 42 %:** Glucose (as monohydrate) 250 g.

3. **Lipid emulsion:** Refined soya-bean oil 22.5 g, medium-chain triglycerides 22.5 g, refined olive oil 18.8 g, fish oil rich in omega-3 acids 11.3 g.

**Excipients:** Glycerol, purified egg phospholipids, all-*rac*- $\alpha$ -tocopherol, sodium hydroxide (pH adjuster), sodium oleate, acetic acid glacial (pH adjuster), hydrochloric acid (pH adjuster), water for injections.

Read the package leaflet before use.


Keep out of the sight and reach of children.

The contents of the three separate chambers have to be mixed before use. Additions should be made aseptically.

After mixing the product should be used immediately.

Do not store above 25°C. Do not freeze. Store in overpouch.

Any unused solution remaining after infusion should be discarded.





 **ADDITIVE PORT**

 **INFUSION PORT**

Approx.

1500

1000



750

500

337 557 (ersätter 332 962) 4:e korr 18-10-29 M. Eriksson, 018 64 40 46

Format: 320x 430 mm 5/5a)

Batch No.:  
Manuf. Date :  
Exp. Date:



**SmofKabiven Electrolyte Free**    **2700 kcal**

Emulsion for infusion    **2463 ml**

Intravenous use, infusion into a central vein. For single infusion only.



 **FRESENIUS KABI**

Energy content total approx. 2700 kcal  
Energy content non-protein approx. 2200 kcal

**Corresponding to:**

|                                                 |          |
|-------------------------------------------------|----------|
| Amino acids                                     | 125 g    |
| Nitrogen                                        | 20 g     |
| Carbohydrates (glucose anhydrous)               | 313 g    |
| Lipids                                          | 94 g     |
| Acetate (contribution from amino acid solution) | 183 mmol |
| Phosphate (contribution from lipid emulsion)    | 6.9 mmol |

Osmolality: approx. 1600 mosmol/kg water  
Osmolarity: approx. 1300 mosmol/l  
pH: approx. 5.6



**A three chamber bag (2463 ml) contains:**

①

③

②

**1. Amino acid solution:** Alanine 17.5 g, arginine 15.0 g, glycine 13.8 g, histidine 3.7 g, isoleucine 6.2 g, leucine 9.4 g, lysine (as acetate) 8.4 g, methionine 5.4 g, phenylalanine 6.4 g, proline 14.0 g, serine 8.1 g, taurine 1.2 g, threonine 5.4 g, tryptophan 2.5 g, tyrosine 0.49 g, valine 7.6 g.

**2. Glucose 42 %:** Glucose (as monohydrate) 313 g.

**3. Lipid emulsion:** Refined soya-bean oil 28.1 g, medium-chain triglycerides 28.1 g, refined olive oil 23.4 g, fish oil rich in omega-3 acids 14.0 g.

**Excipients:** Glycerol, purified egg phospholipids, all-*rac*- $\alpha$ -tocopherol, sodium hydroxide (pH adjuster), sodium oleate, acetic acid glacial (pH adjuster), hydrochloric acid (pH adjuster), water for injections.

Read the package leaflet before use.  
Keep out of the sight and reach of children.

The contents of the three separate chambers have to be mixed before use. Additions should be made aseptically.

After mixing the product should be used immediately.

Do not store above 25°C. Do not freeze. Store in overpouch.

Any unused solution remaining after infusion should be discarded.

**ADDITIVE PORT**

**Manufacturer:**  
Fresenius Kabi AB,  
751 74 Uppsala, Sweden

MAL11090008ARZ  
Jauhi dari kanak kanak.  
**Controlled Medicine/Ubat Terkawal**  
**Product Registration Holder/Importer:**  
Fresenius Kabi Malaysia Sdn Bhd  
3-1 & 3-2, Axis Technology Centre,  
Lot 13, Jalan 51A/225,  
46100 Petaling Jaya, Selangor,  
Malaysia.

855 558 337

Approx.  

2500

2000

1500

1000

750

500

**INFUSION PORT**

337 558 (ersätter 332 964) 5:e korr 18-10-31 M. Eriksson 018 64 40 46

Format: 320x 430 mm **5(5a)** Print are 300x310 mm