

SmofKabiven Peripheral 800 kcal

Emulsion for infusion, 4 x 1206 ml

83 19 11-420

Intravenous use, infusion into a peripheral or central vein

A three chamber bag (1206 ml) contains:

1. Glucose 13 %: Glucose (as monohydrate) 85 g.

2. Amino acid solution with electrolytes: Alanine 5.3 g, -arginine 4.6 g, glycine 4.2 g, histidine 1.1 g, isoleucine 1.9 g, leucine 2.8 g, lysine (as acetate) 2.5 g, methionine 1.6 g, phenylalanine 1.9 g, proline 4.2 g, serine 2.5 g, taurine 0.38 g, threonine 1.7 g, tryptophan 0.76 g, tyrosine 0.15 g, valine 2.4 g, calcium chloride (as dihydrate) 0.21 g, sodium glycerophosphate (as hydrate) 1.6 g, magnesium sulphate (as heptahydrate) 0.46 g, potassium chloride 1.7 g, sodium acetate (as trihydrate) 1.3 g, zinc sulphate (as heptahydrate) 0.005 g.

3. Lipid emulsion: Refined soya-bean oil 10.2 g, medium-chain triglycerides 10.2 g, refined olive oil 8.5 g, fish oil rich in omega-3-acids 5.1 g.

Corresponding to:

Carbohydrates (glucose anhydrous) 85 g, amino acids 38 g, nitrogen 6.2 g, lipids 34 g.
Electrolytes; sodium 30 mmol, potassium 23 mmol, magnesium 3.8 mmol, calcium 1.9 mmol, phosphate (contribution from lipid emulsion and amino acid solution) 9.9 mmol, zinc 0.03 mmol, sulphate 3.8 mmol, chloride 27 mmol, acetate 79 mmol.

Excipients: Glycerol, purified egg phospholipids, all-*rac*- α -tocopherol, sodium hydroxide (pH adjuster), sodium oleate, acetic acid glacial (pH adjuster), water for injections.

Energy content total approx. 800 kcal
Energy content non-protein approx. 700 kcal
Osmolality approx. 950 mosmol/kg water
Osmolarity approx. 850 mosmol/l
pH approx. 5.6

Do not store above 25°C. Do not freeze. Store in overpouch.

The contents of the three separate chambers have to be mixed before use.
Additions should be made aseptically.

Read the package leaflet before use.

After mixing the product should be used immediately.
For single infusion only.
Any unused solution remaining after infusion should be discarded.
Keep out of the reach and sight of children.

Manufacturer:

Fresenius Kabi AB, 751 74 Uppsala, Sweden



MAL11080004ARZ

Jauhi dari kanak kanak.

Controlled Medicine/Ubat Terkawal

Product Registration Holder/Importer:


Fresenius Kabi Malaysia Sdn Bhd
3-1 & 3-2, Axis Technology Centre,
Lot 13, Jalan 51A/225, 46100 Petaling Jaya,
Selangor, Malaysia.

SmofKabiven Peripheral 800 kcal

Emulsion for infusion, 4 x 1206 ml

Batch No: 10XX1234
Manuf. date: 02/2010
Use before: 01/2012

X1234567L



SmofKabiven Peripheral 1000 kcal

Emulsion for infusion, 4 x 1448 ml

83 19 10-420

Intravenous use, infusion into a peripheral or central vein

A three chamber bag (1448 ml) contains:

1. Glucose 13 %: Glucose (as monohydrate) 103 g.

2. Amino acid solution with electrolytes: Alanine 6.4 g, arginine 5.5 g, glycine 5.1 g, histidine 1.3 g, isoleucine 2.3 g, leucine 3.3 g, lysine (as acetate) 3.0 g, methionine 1.9 g, phenylalanine 2.3 g, proline 5.1 g, serine 3.0 g, taurine 0.46 g, threonine 2.0 g, tryptophan 0.91 g, tyrosine 0.17 g, valine 2.9 g, calcium chloride (as dihydrate) 0.26 g, sodium glycerophosphate (as hydrate) 1.9 g, magnesium sulphate (as heptahydrate) 0.55 g, potassium chloride 2.0 g, sodium acetate (as trihydrate) 1.6 g, zinc sulphate (as heptahydrate) 0.006 g.

3. Lipid emulsion: Refined soya-bean oil 12.3 g, medium-chain triglycerides 12.3 g, refined olive oil 10.1 g, fish oil rich in omega-3-acids 6.1 g.

Corresponding to:

Carbohydrates (glucose anhydrous) 103 g, amino acids 46 g, nitrogen 7.4 g, lipids 41 g. Electrolytes; sodium 36 mmol, potassium 28 mmol, magnesium 4.6 mmol, calcium 2.3 mmol, phosphate (contribution from lipid emulsion and amino acid solution) 11.9 mmol, zinc 0.03 mmol, sulphate 4.6 mmol, chloride 32 mmol, acetate 96 mmol.

Excipients: Glycerol, purified egg phospholipids, all-*rac*- α -tocopherol, sodium hydroxide (pH adjuster), sodium oleate, acetic acid glacial (pH adjuster), water for injections.

Energy content total approx. 1000 kcal
Energy content non-protein approx. 800 kcal
Osmolality approx. 950 mosmol/kg water
Osmolarity approx. 850 mosmol/l
pH approx. 5.6

Do not store above 25°C. Do not freeze. Store in overpouch.

The contents of the three separate chambers have to be mixed before use.
Additions should be made aseptically.

Read the package leaflet before use.

After mixing the product should be used immediately.
For single infusion only.
Any unused solution remaining after infusion should be discarded.
Keep out of the reach and sight of children.

Manufacturer:

Fresenius Kabi AB, 751 74 Uppsala, Sweden



MAL11080004ARZ

Jauhi dari kanak kanak.

Controlled Medicine/Ubat Terkawal

Product Registration Holder/Importer:

Fresenius Kabi Malaysia Sdn Bhd
3-1 & 3-2, Axis Technology Centre,
Lot 13, Jalan 51A/225, 46100 Petaling Jaya,
Selangor, Malaysia.

SmofKabiven Peripheral 1000 kcal

Emulsion for infusion, 4 x 1448 ml

Batch No: 10XX1234
Manuf. date: 02/2010
Use before: 01/2012

X1234567L



SmofKabiven Peripheral 1300 kcal

Emulsion for infusion, 3 x 1904 ml

83 19 12-420

Intravenous use, infusion into a peripheral or central vein

A three chamber bag (1904 ml) contains:

1. Glucose 13 %: Glucose (as monohydrate) 135 g.

2. Amino acid solution with electrolytes: Alanine 8.4 g, arginine 7.2 g, glycine 6.6 g, histidine 1.8 g, isoleucine 3.0 g, leucine 4.4 g, lysine (as acetate) 4.0 g, methionine 2.6 g, phenylalanine 3.1 g, proline 6.7 g, serine 3.9 g, taurine 0.60 g, threonine 2.6 g, tryptophan 1.2 g, tyrosine 0.24 g, valine 3.7 g, calcium chloride (as dihydrate) 0.34 g, sodium glycerophosphate (as hydrate) 2.5 g, magnesium sulphate (as heptahydrate) 0.72 g, potassium chloride 2.7 g, sodium acetate (as trihydrate) 2.0 g, zinc sulphate (as heptahydrate) 0.008 g.

3. Lipid emulsion: Refined soya-bean oil 16.1 g, medium-chain triglycerides 16.1 g, refined olive oil 13.4 g, fish oil rich in omega-3-acids 8.0 g.

Corresponding to:

Carbohydrates (glucose anhydrous) 135 g, amino acids 60 g, nitrogen 9.8 g, lipids 54 g. Electrolytes; sodium 48 mmol, potassium 36 mmol, magnesium 6.0 mmol, calcium 3.0 mmol, phosphate (contribution from lipid emulsion and amino acid solution) 15.6 mmol, zinc 0.05 mmol, sulphate 6.1 mmol, chloride 42 mmol, acetate 125 mmol.

Excipients: Glycerol, purified egg phospholipids, all-*rac*- α -tocopherol, sodium hydroxide (pH adjuster), sodium oleate, acetic acid glacial (pH adjuster), water for injections.

Energy content total approx. 1300 kcal
Energy content non-protein approx. 1100 kcal
Osmolality approx. 950 mosmol/kg water
Osmolality approx. 850 mosmol/l
pH approx. 5.6

Do not store above 25°C. Do not freeze. Store in overpouch.

The contents of the three separate chambers have to be mixed before use. Additions should be made aseptically.

Read the package leaflet before use.

After mixing the product should be used immediately.

For single infusion only.

Any unused solution remaining after infusion should be discarded.

Keep out of the reach and sight of children.

Manufacturer:

Fresenius Kabi AB, 751 74 Uppsala, Sweden



MAL11080004ARZ

Jauhi dari kanak kanak.

Controlled Medicine/Ubat Terkawal

Product Registration Holder/Importer:

Fresenius Kabi Malaysia Sdn Bhd

3-1 & 3-2, Axis Technology Centre,

Lot 13, Jalan 51A/225, 46100 Petaling Jaya,

Selangor, Malaysia.

SmofKabiven Peripheral 1300 kcal

Emulsion for infusion, 3 x 1904 ml

Batch No: 10XX1234
Manuf. date: 02/2010
Use before: 01/2012

X1234567L



SmofKabiven Peripheral 1300 kcal

Emulsion for infusion, 4 x 1904 ml

83 19 12-420

Intravenous use, infusion into a peripheral or central vein

A three chamber bag (1904 ml) contains:

1. Glucose 13 %: Glucose (as monohydrate) 135 g.

2. Amino acid solution with electrolytes: Alanine 8.4 g, arginine 7.2 g, glycine 6.6 g, histidine 1.8 g, isoleucine 3.0 g, leucine 4.4 g, lysine (as acetate) 4.0 g, methionine 2.6 g, phenylalanine 3.1 g, proline 6.7 g, serine 3.9 g, taurine 0.60 g, threonine 2.6 g, tryptophan 1.2 g, tyrosine 0.24 g, valine 3.7 g, calcium chloride (as dihydrate) 0.34 g, sodium glycerophosphate (as hydrate) 2.5 g, magnesium sulphate (as heptahydrate) 0.72 g, potassium chloride 2.7 g, sodium acetate (as trihydrate) 2.0 g, zinc sulphate (as heptahydrate) 0.008 g.

3. Lipid emulsion: Refined soya-bean oil 16.1 g, medium-chain triglycerides 16.1 g, refined olive oil 13.4 g, fish oil rich in omega-3-acids 8.0 g.

Corresponding to:

Carbohydrates (glucose anhydrous) 135 g, amino acids 60 g, nitrogen 9.8 g, lipids 54 g. Electrolytes; sodium 48 mmol, potassium 36 mmol, magnesium 6.0 mmol, calcium 3.0 mmol, phosphate (contribution from lipid emulsion and amino acid solution) 15.6 mmol, zinc 0.05 mmol, sulphate 6.1 mmol, chloride 42 mmol, acetate 125 mmol.

Excipients: Glycerol, purified egg phospholipids, all-*rac*- α -tocopherol, sodium hydroxide (pH adjuster), sodium oleate, acetic acid glacial (pH adjuster), water for injections.

Energy content total approx. 1300 kcal
Energy content non-protein approx. 1100 kcal
Osmolality approx. 950 mosmol/kg water
Osmolality approx. 850 mosmol/l
pH approx. 5.6

Do not store above 25°C. Do not freeze. Store in overpouch.

The contents of the three separate chambers have to be mixed before use. Additions should be made aseptically.

Read the package leaflet before use.

After mixing the product should be used immediately.

For single infusion only.

Any unused solution remaining after infusion should be discarded.

Keep out of the reach and sight of children.

Manufacturer:

Fresenius Kabi AB, 751 74 Uppsala, Sweden



MAL11080004ARZ

Jauhi dari kanak kanak.

Controlled Medicine/Ubat Terkawal

Product Registration Holder/Importer:

Fresenius Kabi Malaysia Sdn Bhd

3-1 & 3-2, Axis Technology Centre,

Lot 13, Jalan 51A/225, 46100 Petaling Jaya,

Selangor, Malaysia.

SmofKabiven Peripheral 1300 kcal

Emulsion for infusion, 4 x 1904 ml

Batch No: 10XX1234
Manuf. date: 02/2010
Use before: 01/2012

X1234567L

