

Bendamustine Inj. 100 mg/vial Carton
Malaysia - Baddi-II

Unvarnished area
(50x50 mm)
for overcoding:
2D code with
BATCH, MFG & EXP



100 mg/vial

**Bendamustine
Hydrochloride Kabi 100 mg**
Powder for Concentrate
for Solution for Infusion

Single Use Vial

For I.V Infusion
After Dilution

 1 vial 

Each vial contains :
Bendamustine
Hydrochloride 100 mg
Reconstitute with 40ml water for
injection.
Before reconstitution: Store below
30°C. Keep the vial in the outer
carton in order to protect from light.
After reconstitution and dilution:
The final solution can be stored for
3.5 hours at 25°C/ 60 % RH and
48 hours at 2°C to 8°C in
polyethylene bags
Refer to Package Insert for details.
Keep medicine out of reach of
children/Jauhkan ubat dari
kanak-kanak
Controlled Medicine/Ubat Terkawal
Caution: It is dangerous to take this
preparation except under Medical
Supervision.

100 mg/vial

**Bendamustine
Hydrochloride Kabi 100 mg**
Powder for Concentrate
for Solution for Infusion

Single Use Vial

For I.V Infusion
After Dilution

 1 vial 

XXXXXXXXXX
50.50.85
MYS

CAUTION: CYTOTOXIC AGENT

Product Registration Holder
Fresenius Kabi Malaysia Sdn Bhd
3-1 & 3-2, Axis Technology Centre,
Lot 13, Jalan 51A/225,
46100 Petaling Jaya,
Selangor, Malaysia

Fresenius Kabi (Singapore) Pte Ltd
238A Thomson Road #23-01 Novena
Square Singapore 307684

MALxxxxxxxxxxx, SINXXXXXP

Mfg.Lic.No: MB/07/519
Manufactured by:
**Fresenius Kabi Oncology
Limited**, Village Kishanpura,
Baddi, Tehsil Nalagarh, District
Solani, IN-174101 India



TEMP

8 901038 802814

Pantone 285 C

Pantone 7614 C

Pantone 300 C

Black

Font Size: 9 Pt.
Date: 03 Nov. 2020 Version: 08
Final Packing Site: Baddi-II
Mfg. Site: Baddi-II

Form No.: SOP/PDD/0014-0002-001

\\10.233.130.19\PDD-Artworks\ROW\MYS\Bendamustine\2018 August\Bendamustine Inj Lyo - MYS - Baddi-2.ai