


200%

40 x 18 mm

<p>Each ml contains: Cytarabine BP 100 mg Unopened vial: Store at or below 25°C. Protect from light. Do not refrigerate or freeze. After dilution: Refer to package insert or outer carton for more details. Discard unused portion. CONTROLLED MEDICINE/ UBAT TERKAWAL MALXXXXXXXXXX Product Registration Holder: Fresenius Kabi Malaysia Sdn. Bhd.</p> <p>Warning: Cytotoxic agent.</p>	<p>100 mg/1 ml</p> <p>Rx</p> <p>CYTARINE KABI 100 MG/ML SOLUTION FOR INJECTION OR INFUSION</p> <p>1 ml</p> <p>FRESENIUS KABI</p>	<p>For intravenous injection or infusion or subcutaneous use. NOT FOR INTRATHECAL ADMINISTRATION. Keep medicine out of reach of children. Jauhi ubat dari kanak-kanak.</p> <p>Mfd. in India by: Fresenius Kabi Oncology Limited, Village Kishanpura, Baddi Tehsil Nalagarh, District Solan, 174101 India.</p> <p>Mfg. Lic. No.: MB/07/59</p> <p>XXXXXXXXXX</p> <p>BATCH: MFG: EXP:</p>
---	---	--


200%

60 x 18 mm

<p>Each ml contains: Cytarabine BP 100 mg Sodium Hydroxide BP q.s. to adjust pH Hydrochloric Acid BP q.s. to adjust pH Water for Injections BP q.s.</p> <p>For intravenous injection or infusion or subcutaneous use. NOT FOR INTRATHECAL ADMINISTRATION.</p> <p>CONTROLLED MEDICINE/UBAT TERKAWAL Keep medicine out of reach of children. Jauhi ubat dari kanak-kanak.</p> <p>Unopened vial: Store at or below 25°C. Protect from light. Do not refrigerate or freeze.</p> <p>After dilution: Refer to package insert or outer carton for more details. Discard unused portion.</p> <p>Product Registration Holder: Fresenius Kabi Malaysia Sdn. Bhd.</p>	<p>500 mg/5 ml</p> <p>Rx</p> <p>CYTARINE KABI 100 MG/ML SOLUTION FOR INJECTION OR INFUSION</p> <p>MALXXXXXXXXXX</p> <p>SINGLE USE VIAL</p> <p>5 ml</p> <p> FRESENIUS KABI</p>	<p>Warning: Cytotoxic agent.</p> <p>Mfg. Lic. No.: MB/07/519 Mfd. in India by: Fresenius Kabi Oncology Limited Village Kishanpura, Baddi Tehsil Nalagarh, District Solan, 174101 India. XXXXXXXXXX</p> <p>BATCH: MFG: EXP: </p>
---	--	---


200%

60 x 22 mm

<p>Each ml contains: Cytarabine BP 100 mg Sodium Hydroxide BP q.s. to adjust pH Hydrochloric Acid BP q.s. to adjust pH Water for Injections BP q.s.</p> <p>For intravenous injection or infusion or subcutaneous use. NOT FOR INTRATHECAL ADMINISTRATION. Unopened vial: Store at or below 25°C. Protect from light. Do not refrigerate or freeze. After dilution: Dilutions of cytarabine should be made in Glucose 5% or Sodium Chloride 0.9% Intravenous Infusions to concentrations as low as 0.1 mg/mL. After dilution, the chemical and physical stability has been demonstrated for 24 hours at 25°C. From a microbiological point of view, the product should be used immediately. If not used immediately, in-use storage conditions prior to the use should not be longer than 24 hours at 25°C.</p>	<p>1 g/10 ml</p> <p>Rx CYTARINE KABI 100 MG/ML SOLUTION FOR INJECTION OR INFUSION</p> <p>MALXXXXXXXXXX CONTROLLED MEDICINE / UBAT TERKAWAL SINGLE USE VIAL</p> <p>10 ml</p> <p> FRESENIUS KABI</p>	<p>Warning: Cytotoxic agent.</p> <p>Keep medicine out of reach of children. Jauhi ubat dari kanak-kanak. Mfg. Lic. No.: MB/07/519 Mfd. in India by: Fresenius Kabi Oncology Limited Village Kishanpura, Baddi Tehsil Nalagarh, District Solan, 174101 India. Product Registration Holder: Fresenius Kabi Malaysia Sdn. Bhd. 3-1 & 3-2 Axis Technology Centre, Lot 13, Jalan 51A/225, 46100 Petaling Jaya, Selangor, Malaysia.</p> <p>BATCH: MFG: EXP: </p>
--	---	---

200%

75 x 23 mm

<p>Each ml contains: Cytarabine BP 100 mg Sodium Hydroxide BP q.s. to adjust pH Hydrochloric Acid BP q.s. to adjust pH Water for Injections BP q.s.</p> <p>For intravenous injection or infusion or subcutaneous use. NOT FOR INTRATHECAL ADMINISTRATION.</p> <p>Unopened vial: Store at or below 25°C. Protect from light. Do not refrigerate or freeze. After dilution: Dilutions of cytarabine should be made in Glucose 5% or Sodium Chloride 0.9% Intravenous Infusions to concentrations as low as 0.1 mg/mL. After dilution, the chemical and physical stability has been demonstrated for 24 hours at 25°C. From a microbiological point of view, the product should be used immediately. If not used immediately, in-use storage conditions prior to the use should not be longer than 24 hours at 25°C.</p>	<p>2 g/20 ml</p> <p>Rx</p> <p>CYTARINE KABI</p> <p>100 MG/ML</p> <p>SOLUTION FOR</p> <p>INJECTION OR INFUSION</p> <p>MALXXXXXXXXXX</p> <p>SINGLE USE VIAL</p> <p>20 ml</p> <p> FRESENIUS KABI</p>	<p>CONTROLLED MEDICINE/UBAT TERKAWAL</p> <p>Keep medicine out of reach of children. Jauhi ubat dari kanak-kanak.</p> <p>Warning: Cytotoxic agent.</p> <p>Mfd. in India by: Fresenius Kabi Oncology Limited Village Kishanpura, Baddi Tehsil Nalagarh, District Solan, 174101 India. Product Registration Holder: Fresenius Kabi Malaysia Sdn. Bhd.</p> <p>3-1 & 3-2 Axis Technology Centre, Lot 13, Jalan 51A/225, 46100 Petaling Jaya Selangor, Malaysia.</p> <p>BATCH:</p> <p>MFG:</p> <p>EXP:</p> <p>Mfg. Lic. No.: MB/07/519</p>
--	--	---