




GTIN:XXXXXXXXXXXXXXXXX
 BATCH:XXXXXXXXXXXXX
 MFG: XXXXXXXX
 EXP:XXXXXXXX
 SERIAL:XXXXXXXXXXXXXXXXX

2D Matrix encoded: GTIN, BATCH, MFG, EXP, SERIAL
 Human Readable: As mentioned above

XXXXXXXXXX



Warning: Cytotoxic agent.

Product Registration Holder:
Fresenius Kabi Malaysia Sdn Bhd
 3-1 & 3-2 Axis Technology Centre,
 Lot 13, Jalan 51A/225,
 46100 Petaling Jaya
 Selangor, Malaysia

**CONTROLLED MEDICINE/
 UBAT TERKAWAL**

Keep medicine out of reach of
 children. Jauhi ubat dari
 kanak-kanak.

MALXXXXXXXXXX

Mfg. Lic. No.: MB/07/519

Mfd. in India by:
Fresenius Kabi Oncology Limited
 Village Kishanpura, Baddi, Tehsil
 Nalagarh, District Solan,
 174101 India

100 mg/1 ml

**Rx CYTARINE KABI
 100 MG/ML
 SOLUTION FOR
 INJECTION OR INFUSION**

**For Intravenous Use or
 Subcutaneous use only.
 NOT FOR INTRATHECAL
 ADMINISTRATION.**

SINGLE USE VIAL



1 ml



Each ml contains:
 Cytarabine BP 100 mg
 Sodium Hydroxide BP
 q.s. to adjust pH
 Hydrochloric Acid BP
 q.s. to adjust pH
 Water for Injections BP q.s.

Unopened vial:

Store at or below 25°C. Protect
 from light. Do not refrigerate or
 freeze.

After dilution:

Dilutions of cytarabine should be
 made in Glucose 5% or Sodium
 Chloride 0.9% Intravenous Infusions
 to concentrations as low as 0.1 mg/
 mL. After dilution, the chemical and
 physical stability has been
 demonstrated for 24 hours at 25°C.
 From a microbiological point of
 view, the product should be used
 immediately. If not used
 immediately, in-use storage
 conditions prior to the use should
 not be longer than 24 hours at 25°C.

100 mg/1 ml

**Rx CYTARINE KABI
 100 MG/ML
 SOLUTION FOR
 INJECTION OR INFUSION**

**For Intravenous Use or
 Subcutaneous use only.
 NOT FOR INTRATHECAL
 ADMINISTRATION.**

SINGLE USE VIAL



1 ml





GTIN:XXXXXXXXXXXXXXX
 BATCH:XXXXXXXXXXXX
 MFG:XXXXXXXX
 EXP:XXXXXXXX
 SERIAL:XXXXXXXXXXXXXXX

2D Matrix encoded: **GTIN, BATCH, MFG, EXP, SERIAL**
 Human Readable: *As mentioned above*

XXXXXXXXXX

Warning: Cytotoxic agent.

Product Registration Holder:
Fresenius Kabi Malaysia Sdn Bhd
 3-1 & 3-2 Axis Technology Centre,
 Lot 13, Jalan 51A/225,
 46100 Petaling Jaya
 Selangor, Malaysia

CONTROLLED MEDICINE/UBAT TERKAWAL

Keep medicine out of reach of children. Jauhi ubat dari kanak-kanak.

MALXXXXXXXXXX

Mfg. Lic. No.: MB/07/519
 Mfd. in India by:
Fresenius Kabi Oncology Limited
 Village Kishanpura, Baddi, Tehsil
 Nalagarh, District Solan,
 174101 India

500 mg/5 ml
 Rx **CYTARINE KABI**
100 MG/ML
SOLUTION FOR
INJECTION OR INFUSION

For Intravenous Use or Subcutaneous use only. NOT FOR INTRATHECAL ADMINISTRATION.

SINGLE USE VIAL



5 ml



Each ml contains:
 Cytarabine BP 100 mg
 Sodium Hydroxide BP
 q.s. to adjust pH
 Hydrochloric Acid BP
 q.s. to adjust pH
 Water for Injections BP q.s.

Unopened vial:
 Store at or below 25°C. Protect from light. Do not refrigerate or freeze.

After dilution:
 Dilutions of cytarabine should be made in Glucose 5% or Sodium Chloride 0.9% Intravenous Infusions to concentrations as low as 0.1 mg/mL. After dilution, the chemical and physical stability has been demonstrated for 24 hours at 25°C. From a microbiological point of view, the product should be used immediately. If not used immediately, in-use storage conditions prior to the use should not be longer than 24 hours at 25°C.

500 mg/5 ml
 Rx **CYTARINE KABI**
100 MG/ML
SOLUTION FOR
INJECTION OR INFUSION

For Intravenous Use or Subcutaneous use only. NOT FOR INTRATHECAL ADMINISTRATION.

SINGLE USE VIAL



5 ml



TEMP

8 901038 161119



GTIN:XXXXXXXXXXXXXXXX
 BATCH:XXXXXXXXXX
 MFG:XXXXXXXX
 EXP:XXXXXXXX
 SERIAL:XXXXXXXXXXXXXXXX

2D Matrix encoded: **GTIN, BATCH, MFG, EXP, SERIAL**
 Human Readable: *As mentioned above*

XXXXXXXXXX

Warning: Cytotoxic agent.

Product Registration Holder:
Fresenius Kabi Malaysia Sdn Bhd
 3-1 & 3-2 Axis Technology Centre,
 Lot 13, Jalan 51A/225,
 46100 Petaling Jaya
 Selangor, Malaysia

CONTROLLED MEDICINE/UBAT TERKAWAL
 Keep medicine out of reach of children. Jauhi ubat dari kanak-kanak.

MALXXXXXXXXXX

Mfg. Lic. No.: MB/07/519
 Mfd. in India by:
Fresenius Kabi Oncology Limited
 Village Kishanpura, Baddi,
 Tehsil Nalagarh, District Solan,
 174101 India

1 g/10 ml

**Rx CYTARINE KABI
 100 MG/ML
 SOLUTION FOR
 INJECTION OR INFUSION**

**For Intravenous Use or
 Subcutaneous use only.
 NOT FOR INTRATHECAL
 ADMINISTRATION.**

SINGLE USE VIAL



10 ml



Each ml contains:
 Cytarabine BP 100 mg
 Sodium Hydroxide BP
 q.s. to adjust pH
 Hydrochloric Acid BP
 q.s. to adjust pH
 Water for Injections BP q.s.

Unopened vial:
 Store at or below 25°C. Protect from light. Do not refrigerate or freeze.
After dilution:
 Dilutions of cytarabine should be made in Glucose 5% or Sodium Chloride 0.9% Intravenous Infusions to concentrations as low as 0.1 mg/mL. After dilution, the chemical and physical stability has been demonstrated for 24 hours at 25°C. From a microbiological point of view, the product should be used immediately. If not used immediately, in-use storage conditions prior to the use should not be longer than 24 hours at 25°C.

1 g/10 ml

**Rx CYTARINE KABI
 100 MG/ML
 SOLUTION FOR
 INJECTION OR INFUSION**

**For Intravenous Use or
 Subcutaneous use only.
 NOT FOR INTRATHECAL
 ADMINISTRATION.**

SINGLE USE VIAL



10 ml





GTIN:XXXXXXXXXXXXXXX
 BATCH:XXXXXXXXXXXX
 MFG: XXXXXXXX
 EXP:XXXXXXXX
 SERIAL:XXXXXXXXXXXXXXX

2D Matrix encoded: **GTIN, BATCH, MFG, EXP, SERIAL**
 Human Readable: *As mentioned above*

XXXXXXXXXX

Warning: Cytotoxic agent.

Product Registration Holder:
Fresenius Kabi Malaysia Sdn Bhd
 3-1 & 3-2 Axis Technology Centre,
 Lot 13, Jalan 51A/225,
 46100 Petaling Jaya
 Selangor, Malaysia

**CONTROLLED MEDICINE/UBAT
 TERKAWAL**
 Keep medicine out of reach of
 children. Jauhi ubat dari kanak-
 kanak.

MALXXXXXXXXXX
 Mfg. Lic. No.: MB/07/519
 Mfd. in India by:
Fresenius Kabi Oncology Limited
 Village Kishanpura,
 Baddi, Tehsil
 Nalagarh, District Solan,
 174101 India.

2 g/20 ml

**Rx CYTARINE KABI
 100 MG/ML
 SOLUTION FOR
 INJECTION OR INFUSION**

**For Intravenous Use or
 Subcutaneous use only.
 NOT FOR INTRATHECAL
 ADMINISTRATION.**

SINGLE USE VIAL



20 ml



Each ml contains:
 Cytarabine BP 100 mg
 Sodium Hydroxide BP
 q.s. to adjust pH
 Hydrochloric Acid BP
 q.s. to adjust pH
 Water for Injections BP q.s.

Unopened vial:
 Store at or below 25°C. Protect from
 light. Do not refrigerate or freeze.

After dilution:
 Dilutions of cytarabine should be
 made in Glucose 5% or Sodium
 Chloride 0.9% Intravenous Infusions
 to concentrations as low as 0.1 mg/
 mL. After dilution, the chemical and
 physical stability has been
 demonstrated for 24 hours at 25°C.
 From a microbiological point of view,
 the product should be used
 immediately. If not used immediately,
 in-use storage conditions prior to the
 use should not be longer than 24
 hours at 25°C.

2 g/20 ml

**Rx CYTARINE KABI
 100 MG/ML
 SOLUTION FOR
 INJECTION OR INFUSION**

**For Intravenous Use or
 Subcutaneous use only.
 NOT FOR INTRATHECAL
 ADMINISTRATION.**

SINGLE USE VIAL



20 ml



TEMP

8 901038 161119