

AMTUSS TABLET

Ambroxol hydrochloride (30mg)

What is in this leaflet

1. What Amtuss Tablet is used for
2. How Amtuss Tablet works
3. Before you use Amtuss Tablet
4. How to use Amtuss Tablet
5. While you are using it
6. Side effects
7. Storage and Disposal of Amtuss Tablet
8. Product Description
9. Manufacturer and Product Registration Holder
10. Date of revision

What Amtuss Tablet is used for

Amtuss Tablet is used for conditions where there are a lot of thick mucus in the airway passages.

How Amtuss Tablet works

Amtuss contains ambroxol which helps to make the mucus thinner and to get rid of mucus easier.

Before you use Amtuss Tablet

- When you must not use it

Do not take Amtuss Tablet if you or your children are allergic to Ambroxol or any other ingredients of this medicine (listed in Product Description)

- Before you start to use it

Please consult your doctor or pharmacist if you are pregnant, planning for pregnancy or breast-feeding before using any medicine. The use of Amtuss Tablet in the first three months of pregnancy should be observed.

- Taking other medicines

Tell the doctor or pharmacist if you are taking any other medicines including any medicine that you buy without prescription from a pharmacy, supermarket or health food shop.

Medications that may interfere with Amtuss Tablet such as antibiotics (Amoxicillin, Cefuroxime, Erythromycin, Doxycycline).

How to use Amtuss Tablet

- How much to use

The recommended dose for adults is 1 tablet 3 times daily. For better effect, you may take 2 tablets 2 times daily. The tablets should be taken with liquid.

AMTUSS can be taken with or without food.

- When to use it

Take 2 – 3 times daily or as directed by your doctor or pharmacist.

- How long to use it

Use Amtuss Tablet for the duration your doctor recommends.

- If you forget to use it

Take the missed dose as soon as you remember. If it is almost time for the next dose, wait until then to take the medicine and skip the missed dose. Do not take a double dose to make up for a missed dose.

- If you use too much (overdose)

Contact your doctor immediately or go to the Emergency Department of your nearest hospital, if you think you or anyone else may have used too much of this medicine. Do this even if there are no signs of discomfort or poisoning. You may need immediate medical attention.

While you are using it

- Things you must do

Tell all the doctors, dentists and pharmacists treating you that you are taking Amtuss Tablet.

Medical advice should be sought if symptoms do not improve or worsen in the course of therapy.

- Things you must not do

Do not take any new medicines without consulting your doctor or pharmacist.

Do not give Amtuss Tablet to anyone else, even if they have the same symptoms or condition as you.

- Things to be careful of

This medicine may affect your ability to drive or use machine. If Amtuss Tablet make you feel sick, do not drive or use machines and contact your doctor immediately.

Side effects

Amtuss Tablet may cause severe allergy and serious skin reactions. Stop using Amtuss Tablet and seek medical

assistance immediately if you experience any of the following symptoms:

1. severe allergy: breathing difficulties, light headedness, skin swellings or rash
2. severe skin reaction: skin reddening, blisters, rash, fever, sore throat or eye irritation

Other side effects include:

- heartburn, indigestion, nausea, vomiting

You may report any side effects or adverse drug reactions directly to the National Centre for Adverse Drug Reaction Monitoring by visiting the website npra.gov.my [Consumers → Reporting Side Effects to Medicines (ConSERF) or Vaccines (AEFI)]

Storage and Disposal of Amtuss Tablet

- Storage

Store at temperature not more than 30°C.

Keep medicine out of reach of children.

- Disposal

Medicines should not be disposed of via wastewater or household waste. Ask your pharmacist how to dispose of medicines no longer required. These measures will help to protect the environment.

Product Description

- What it looks like

White, round, flat tablet, bevelled on both sides with engraved manufacturer's logo on one side and 30 on the other.

- Ingredients

- Active ingredient
Ambroxol hydrochloride

- Inactive ingredients
Lactose monohydrate, sodium starch glycolate, magnesium stearate, corn starch, PVP K30 and purified water

- MAL number:

MAL06111323X

Manufacturer

Unison Laboratories Co. Ltd.
39 Moo 4, Klong Udomcholjorn, Muang
Chachoengsao, Chachoengsao 24000
Thailand.

Product Registration Holder

Medispec (M) Sdn Bhd
B-1-07, Jalan SS 25/22,
Taman Mayang,
47301 Petaling Jaya, Selangor, Malaysia.

Date of revision

02/08/2024

Serial number

NPRA(R4/1)020824/00100