Box

Size: 50mm x 43mm x 107mm(h)

Batch No.:

Mfg. Date:

Expiry

QILU DECITABINE LYOPHILISED POWDER FOR INFUSION 50 MG/VIAL

50MG LYOPHILISED POWDER
FOR CONCENTRATE
FOR SOLUTION
FOR INFUSION

1 Vial

CAUTION: CYTOTOXIC AGENT

50mg vial

℞ Only

Each vial contains 50 mg decitabine.

Do not store above 25°C.

Keep out of reach of children.
Jauhi daripada capaian kanak-kanak.

After reconstitution: Unless used within 15 minutes of reconstitution, the diluted solution must be prepared using cold (2°C to 8°C) infusion fluids and stored at 2°C to 8°C for up to a maximum of 4 hours until administration.

MALxxxxxxxx

CONTROLLED MEDICINE
UBAT TERKAWAL

QILU DECITABINE LYOPHILISED POWDER FOR INFUSION 50 MG/VIAL

50MG LYOPHILISED POWDER
FOR CONCENTRATE
FOR SOLUTION
FOR INFUSION

1 Vial

CAUTION: CYTOTOXIC AGENT

50mg vial

℞ Only

QILU DECITABINE LYOPHILISED POWDER FOR INFUSION 50 MG/VIAL

50MG LYOPHILISED POWDER
FOR CONCENTRATE
FOR SOLUTION
FOR INFUSION

MANUFACTURER:
Qilu Pharmaceutical (Hainan) Co., Ltd.
No.273-A, Nanhai Avenue, National High-Tech Zone, Haikou, Hainan, 570314, China.

PRODUCT REGISTRATION HOLDER:
MEDISPEC (M) SDN. BHD.
No. 55 & 57, Lorong Sempadan 2 (Off Boundary Road), 11400 Ayer Itam, Pulau Pinang, Malaysia.

9 555176 404660