

E-zyme B6 Troche

Lysozyme Hydrochloride 80 mg, Pyridoxine Hydrochloride 40 mg

What is in this leaflet

1. What E-zyme B6 is used for
2. How E-zyme B6 works
3. Before you take E-zyme B6
4. How to use E-zyme B6
5. While you are using E-zyme B6
6. Side effects of E-zyme B6
7. Storage and disposal
8. Product description
9. Manufacturer & product registration holder
10. Date of revision

1. What E-zyme B6 is used for

E-zyme B6 Troche contains active ingredients lysozyme hydrochloride and pyridoxine hydrochloride. It is used as adjunctive treatment for sore throat.

2. How E-zyme B6 Troche works

Lysozyme extracted from egg-white is used clinically for the intensification of natural defense mechanisms, restoration of damaged tissue and anti-inflammation.

Pyridoxine hydrochloride helps to improve immune response to the increase in production of antibodies and also helps in communicative interactions between cytokines and chemokines.

3. Before you use E-zyme B6 Troche

-When you must not use it

If you have had an allergic reaction to the active ingredients or excipients in the product.
If you have a history of hypersensitivity to egg-white.

-Before you start to use it

Tell your doctor if you have allergies to any other medicines, food, allergic predisposition manifested as atopic dermatitis or bronchial asthma.

-Taking another medicines

Tell your doctor or pharmacist if you are taking any other medicines, including those that you buy without a prescription from a pharmacy, supermarket or health food shop.

Pregnancy and Breastfeeding

It is best not to use this medicine during pregnancy and breastfeeding.

4. How to use E-zyme B6 Troche

-How much to use it

Recommended dosage:

Adult: 1 troche to be sucked or dissolved in the mouth once or twice daily or according to doctor's prescription.

-When to use

- Try to take your medicines at the same time every day.
- Always take this medicine exactly as your doctor or pharmacist has told you.
- Check with your doctor or pharmacist if you are not sure.

-How long to use

The duration of treatment with E-zyme B6 is determined by your doctor.

-If you forget to use

Take the missed dose as soon as you remember. If it is almost time for you next dose, wait until then to take the medicine and skip the missed dose. Do not take a double dose to make up for the missed dose.

-If you use too much (overdose)

Contact your doctor immediately or go to the Emergency Department of your nearest hospital if you or anyone else may have taken too much of this medicine. Do this even if there are no signs of discomfort or poisoning. You may need urgent medical attention.

5. While you are using E-zyme B6

-Thing you must do

Keep this leaflet. You may need to read it again. If you have any further questions, ask your doctor or pharmacist

-Things you must not do

This medicine has been prescribed for you. Do not pass it on to others. It may harm them, even if their symptoms are the same as yours.

-Things to be careful of

Do not take more than the recommended dose. If your symptoms continue, please see your doctor.

6. Side effects of E-zyme B6

May cause diarrhoea, anorexia, stomach discomfort, nausea and vomiting.

May cause hypersensitivity reactions such as skin rashes.

In rare case, shock may occur with administration of this drug.

If any of this happens to you, stop administration and seek for medical help.

You may report any side effects or adverse drug reactions directly to the National Centre For Adverse Drug Reaction Monitoring by visiting the website npra.gov.my [Consumer → Reporting Side effects to Medicines (ConSERF) or Vaccines (AEFI)]

7. Storage and disposal

-Storage

Store below 30°C.

Do not use beyond the expiry date printed on the packaging components.

-Disposal

Medicine should not be disposed of via wastewater or household waste. Ask your pharmacist how to dispose of medicines no longer required. These measures will help to protect the environment.

Keep out of reach of children.

8. Product Description

What it looks like

E-zyme B6 Troche is a white to off-white, round tablet with menthol flavour with embossed logo E6 on one and plain on the other side of the tablet.

Active ingredients

Lysozyme hydrochloride
Pyridoxine hydrochloride

Inactive Ingredients

-Mannitol, Menthol, sodium saccharin, sucralose, magnesium stearate, talc, and hydroxypropylmethylcellulose.

Product Registration Number

E-zyme B6 Troche

MAL19056129X

Manufacturer & product registration holder

AV Manufacturing Sdn. Bhd. (667760-V)
Lot 10621, Jalan Permata 2,
Arab Malaysian Industrial Park
71800 Nilai, Negeri Sembilan, Malaysia.

Date of revision

Dec 2021

Serial Number

NPRA(R/1) 211217/807