

HOVITOL SOLUTION

Chloroxylenol (5% w/v)

What is in this leaflet

1. What Hovitol is used for
2. How Hovitol works
3. Before you use Hovitol
4. How to use Hovitol
5. While you are using it
6. Side effects
7. Storage and Disposal of Hovitol
8. Product Description
9. Manufacturer and Product Registration Holder
10. Date of revision

What Hovitol is used for

Hovitol is used for

- Cleaning wounds, abscess (swollen lumps filled with pus under the skin due to infection) and boils (red, swollen, and painful lumps on the skin caused by infected hair follicles)
- Routine surface disinfectant

How Hovitol works

This product contains chloroxylenol which kills bacteria and prevents growth of bacteria.

Before you use Hovitol

- When you must not use it

Do not use Hovitol if you are allergic to chloroxylenol or any other ingredients of this medicine (listed in Product Description).

- Before you start to use it

Pregnancy and Lactation

Please consult your doctor or pharmacist if you are pregnant, planning for pregnancy or breast-

feeding before using any medicine.

- Taking other medicines

Tell your doctor or pharmacist if you are using any other medicines, including any that you buy without a prescription from a pharmacy, supermarket or health food shop.

How to use Hovitol

For external use only.

Follow all directions given to you by your doctor and pharmacist carefully. They may differ from the information contained in this leaflet. If you do not understand the instructions on the label, ask your doctor or pharmacist for help.

- How much to use

Pack Size (mL)	Indication			
	For cuts, grazes, bites and stings	Household uses		Bathing
		Laundry and diapers	Floor and other hard surfaces	
50	1 capful of Hovitol (5mL) in 100mL of water	6 capfuls of Hovitol (30mL) in 1.2L of water		1 capful of Hovitol (5mL) in bath water
100	1 capful of Hovitol (10mL) in 200mL of water	3 capfuls of Hovitol (30mL) in 1.2L of water		1 capful of Hovitol (10mL) in bath water
120	1 capful of Hovitol (10mL) in 200mL of water	3 capfuls of Hovitol (30mL) in 1.2L of water		1 capful of Hovitol (10mL) in bath water
750	1 capful of Hovitol (12mL) in 250mL of water	2 capfuls of Hovitol (24mL) in 1L of water	5 capfuls of Hovitol (60mL) in 2.4L of water	1 capful of Hovitol (12mL) in bath water
1000	1 capful of Hovitol (23mL) in 500mL of water	1 capful of Hovitol (23mL) in 1L of water	2.5 capfuls of Hovitol (57.5mL) in 2.4L of water	1 capful of Hovitol (23mL) in bath water

- When to use it

Use as directed by your doctor or pharmacist.

- How long to use it

Use Hovitol Solution for the duration as your doctor or pharmacist recommends.

- If you forget to use it

Use the missed dose as soon as you remember. If it is almost time for your next dose, wait until then to use the medicine and skip the missed dose. Do not use a double dose to make up for the missed dose.

- If you use too much (overdose)

Contact your doctor immediately or go to the Emergency Department of your nearest hospital, if you think you or anyone else may have used too much of this medicine. Do this

even if there are no signs of discomfort or poisoning. You may need urgent medical attention.

HOVITOL SOLUTION

Chloroxylenol (5% w/v)

While you are using it

- Things you must do

- Tell all the doctors, dentists and pharmacists treating you that you are using Hovitol.

- Things you must not do

- Do not use any new medicines without consulting your doctor or pharmacist.
- Do not give Hovitol to anyone else, even if they have the same symptoms or condition as you.

- Things to be careful of

- Not to be applied undiluted.
- Avoid contact with eyes. In case of eye contact, flush thoroughly with water.
- If swallowed, rinse mouth thoroughly and drink plenty of water or milk.

Side effects

Like all medicines, Hovitol Solution can cause side effects, although not everybody gets them.

When using this product, you may experience skin sensitivity.

Visit your doctor or pharmacist immediately if you experience any side effects after using this medicine.

You may report any side effects or adverse drug reactions directly to the National Centre for Adverse Drug Reaction Monitoring visiting the website npra.gov.my [Consumers →

Reporting Side Effects to Medicines (ConSERF) or vaccines (AEFI)].

Storage and Disposal of Hovitol

- Storage

Keep out of reach and sight of children.

Store below 30°C.

- Disposal

Medicines should not be disposed of via wastewater or household waste. Ask your pharmacist how to dispose of medicines no longer required. These measures will help to protect the environment.

Product Description

- What it looks like

Clear, dark brown solution with a distinctive smell.

- Ingredients

- Active ingredient

- Chloroxylenol

- Inactive ingredients

- Caramel Liquid, Oleic Acid, Fragrance, Potassium Hydroxide, Isopropyl Alcohol, Terpineol, Castor Oil, Purified Water

- MAL number(s)

MAL09061604X

Manufacturer and Product Registration Holder

Hovid Bhd.
121, Jalan Tunku Abdul Rahman
(Jalan Kuala Kangsar),
30010 Ipoh,
Perak, Malaysia

Date of revision

03/09/2024

Serial Number

NPRA(R4/1)020924/00116

HOVITOL SOLUTION

Chloroxylenol (5% w/v)

Apakah yang ada pada risalah ini

1. Apakah kegunaan Hovitol
2. Bagaimana Hovitol berfungsi
3. Sebelum menggunakan Hovitol
4. Cara menggunakan Hovitol
5. Semasa menggunakan Hovitol
6. Kesan-kesan sampingan
7. Cara penyimpanan dan pelupusan Hovitol
8. Maklumat Lanjut
9. Pengilang dan Pemegang Pendaftaran Produk
10. Tarikh kemas kini RiMUP

Apakah kegunaan Hovitol

Hovitol digunakan untuk/sebagai

- Membersihkan luka, abses (bengkak yang diisi dengan nanah di bawah kulit disebabkan jangkitan kuman) dan bisul (bengkak yang merah dan sakit disebabkan jangkitan folikel rambut)
- Pembasmi kuman permukaan secara rutin

Bagaimana Hovitol berfungsi

Produk ini mengandungi chloroxylenol yang membunuh bakteria dan mencegah pertumbuhan bakteria.

Sebelum menggunakan Hovitol

- Bila tidak boleh menggunakan

Jangan menggunakan Hovitol jika anda mempunyai alahan kepada chloroxylenol atau sebarang bahan lain yang terkandung dalam ubat ini (disenaraikan dalam Maklumat lanjut).

- Sebelum menggunakan Hovitol

Mengandung atau menyusukan anak

Dapatkan nasihat doktor atau ahli farmasi anda jika anda mengandung,

merancang untuk mengandung atau sedang menyusukan anak sebelum menggunakan sebarang ubat.

- Jika mengambil ubat-ubat lain

Beritahu doktor atau ahli farmasi anda jika anda sedang menggunakan sebarang ubat lain, termasuk ubat yang dibeli tanpa preskripsi dari farmasi, pasar raya, atau kedai makan kesihatan.

Cara menggunakan Hovitol

Untuk kegunaan luaran sahaja.

Ikut arahan doktor atau ahli farmasi anda dengan teliti. Ia mungkin berbeza dari maklumat di dalam risalah ini. Jika anda tidak memahami arahan pada label ubat anda, sila rujuk kepada doktor atau ahli farmasi.

- Berapa banyak harus digunakan

- Bila perlu digunakan

Ikut arahan doktor atau ahli farmasi anda.

- Berapa lama perlu digunakan

Gunakan ubat ini mengikut tempoh masa yang ditetapkan oleh doktor atau ahli farmasi anda.

- Jika anda terlupa menggunakannya

Gunakan dos yang tertinggal sebaik sahaja anda teringat. Sekiranya sudah hampir masa untuk dos seterusnya, abaikan dos yang tertinggal dan kemudian terus menggunakan ubat mengikut jadual seperti biasa. Jangan ambil dos berganda untuk menggantikan dos yang tertinggal.

Saiz pek (mL)	Kegunaan			
	Untuk luka, lecet, gigitan dan sengatan serangga	Untuk kegunaan dalam rumah		Untuk mandi
		Untuk mencuci kain dan lampin	Untuk mencuci lantai dan permukaan keras lain	
50	1 penutup Hovitol (5mL) dalam 100mL air	6 penutup Hovitol (30mL) dalam 1.2L air		1 penutup Hovitol (5mL) dalam air mandi
100	1 penutup Hovitol (10mL) dalam 200mL air	3 penutup Hovitol (30mL) dalam 1.2L air		1 penutup Hovitol (10mL) dalam air mandi
120	1 penutup Hovitol (10mL) dalam 200mL air	3 penutup Hovitol (30mL) dalam 1.2L air		1 penutup Hovitol (10mL) dalam air mandi
750	1 penutup Hovitol (12mL) dalam 250mL air	2 penutup Hovitol (24mL) dalam 1L air	5 penutup Hovitol (60mL) dalam 2.4L air	1 penutup Hovitol (12mL) dalam air mandi
1000	1 penutup Hovitol (23mL) dalam 500mL air	1 penutup Hovitol (23mL) dalam 1L air	2.5 penutup Hovitol (57.5mL) dalam 2.4L air	1 penutup Hovitol (23mL) dalam air mandi

HOVITOL SOLUTION

Chloroxylenol (5% w/v)

- Jika menggunakannya secara berlebihan (terlebih dos)

Hubungi doktor anda dengan segera atau pergi ke Jabatan Kecemasan hospital terdekat jika dos berlebihan telah digunakan. Ini perlu dilakukan walaupun tiada sebarang kesan keracunan atau rasa tidak selesa. Anda mungkin memerlukan perhatian perubatan segera.

Semasa menggunakan Hovitol

- Perkara yang perlu dilakukan

- Maklumkan kepada semua doktor, doktor gigi dan ahli farmasi yang sedang merawat anda bahawa anda sedang menggunakan Hovitol.

- Perkara yang tidak boleh dilakukan

- Jangan mula menggunakan sebarang ubat baharu tanpa berbincang dengan doktor atau ahli farmasi anda.
- Jangan memberi Hovitol kepada sesiapa sahaja, sama ada mereka mempunyai simptom atau keadaan yang sama dengan anda.

- Perkara yang perlu diberi perhatian

- Jangan menggunakannya tanpa dicairkan.
- Elakkan daripada terkena pada mata. Jika terkena, bilas mata dengan air.
- Jika tertelan, bilas mulut

dengan air dan minum air atau susu yang banyak.

Kesan-kesan sampingan

Seperti ubat-ubatan lain, Hovitol Solution boleh menyebabkan kesan sampingan, walaupun bukan semua orang akan mengalaminya.

Apabila menggunakan produk ini, anda mungkin mengalami kulit sensitif.

Jumpa doktor atau ahli farmasi anda dengan segera jika anda mengalami sebarang kesan sampingan selepas menggunakan ubat ini.

Anda boleh melaporkan sebarang kesan sampingan atau kesan advers ubat kepada Pusat Pemantauan Kesan Advers Ubat Kebangsaan melalui laman web npra.gov.my [Consumers → Reporting Side Effects to Medicines (ConSERF) or Vaccines (AEFI)].

Cara penyimpanan dan pelupusan Hovitol

- Penyimpanan

Jauhi semua ubat daripada kanak-kanak.

Simpan di bawah suhu 30°C.

- Pelupusan

Ubat-ubatan tidak harus dilupuskan melalui air buangan atau sisa isi rumah. Sila rujuk kepada ahli farmasi anda mengenai cara yang betul untuk melupuskan ubat yang tidak diperlukan lagi. Langkah-

langkah ini dapat membantu melindungi alam sekitar.

Maklumat lanjut

- Rupa dan warna produk

Larutan jernih berwarna perang gelap.

- Bahan-bahan kandungan

- Bahan aktif

- Chloroxylenol

- Bahan tidak aktif

- Caramel Liquid, Oleic Acid, Fragrance, Potassium Hydroxide, Isopropyl Alcohol, Terpeneol, Castor Oil, Purified Water

- Nombor MAL

MAL09061604X

Pengilang dan Pemegang Pendaftaran Produk

Hovid Bhd.
121, Jalan Tunku Abdul Rahman
(Jalan Kuala Kangsar),
30010 Ipoh,
Perak, Malaysia

Tarikh kemaskini RiMUP

10/09/2024

Nombor Siri

NPRA(R4/1)020924/00116