

PARMOL 120 SYRUP

Paracetamol (120mg / 5mL)

What is in this leaflet

1. What Parmol 120 Syrup is used for
2. How Parmol 120 Syrup works
3. Before you use Parmol 120 Syrup
4. How to use Parmol 120 Syrup
5. While you are using it
6. Side effects
7. Storage and Disposal of Parmol 120 Syrup
8. Product description
9. Manufacturer and Product Registration Holder
10. Date of revision

What Parmol 120 Syrup is used for

Parmol 120 Syrup is used to relieve fever and mild pain, such as:

- Headache
- Muscle pain
- Toothache

How Parmol 120 Syrup works

This product contains paracetamol that works by stopping the pain messages from getting through to the brain. It also acts in the brain to reduce fever.

Before you use Parmol 120 Syrup

- When you must not use it

Do not give Parmol 120 Syrup if your children are allergic to paracetamol or any other ingredients of this medicine (listed in Product Description).

- Before you start to use it

Tell your doctor if your children have kidney or liver impairment.

- Taking other medicines

Tell your doctor or pharmacist if your children are taking any other medicines, including medicine that you buy without a prescription from

a pharmacy, supermarket or health food shop.

How to use Parmol 120 Syrup

For oral administration only.

Follow all directions given to you by your doctor and pharmacist carefully. They may differ from the information contained in this leaflet. If you do not understand the instructions on the label, ask your doctor or pharmacist for help.

- How much to use

Children 1 to 6 years old: 1 to 2 teaspoon (5 - 10 mL) to be taken 3 to 4 times daily.

Children 7 to 12 years old: 2 to 4 teaspoon (10 - 20 mL) to be taken 3 to 4 times daily.

- When to use it

Use 3 - 4 times daily or as directed by your doctor or pharmacist.

- How long to use it

Use Parmol 120 Syrup for the duration as your doctor recommends.

- If you forget to use it

Take the missed dose as soon as you remember. If it is almost time for your next dose, wait until then to take the medicine and skip the missed dose. Do not take a double dose to make up for the missed dose.

- If you use too much (overdose)

Contact your doctor immediately or go to the Emergency Department of your nearest hospital, if you think your children or anyone else may have used too much of this medicine. Do this even if there are no signs of discomfort or poisoning. Your

children may need urgent medical attention.

Taking too much paracetamol may cause nausea, vomiting, abdominal pain, increased tendency to bleed, liver or kidney failure, too much acid in the body, and loss of consciousness.

While you are using it

- Things you must do

- Contact your doctor if symptoms do not improve or if fever lasts longer than 3 days or recurs.
- Tell all the doctors, dentists and pharmacists treating your children that your children are taking Parmol 120 Syrup.

- Things you must not do

- This preparation contains paracetamol. Do not take with other paracetamol containing medicines at the same time.
- Do not take any new medicines without consulting your doctor.
- Do not give Parmol 120 Syrup to anyone else, even if they have the same symptoms or condition as your children.

- Things to be careful of

Long term use of this medication should be avoided unless directed by doctor.

Side effects

Allergy alert: Paracetamol may cause severe skin reactions. Symptoms may include skin reddening, blisters or rash. These could be signs of a serious condition. If these reactions occur, stop use and seek medical assistance right away.

PARMOL 120 SYRUP

Paracetamol (120mg / 5mL)

Other reported adverse effects includes: blood disorders.

You may report any side effects or adverse drug reactions directly to the National Centre for Adverse Drug Reaction monitoring visiting the website npra.gov.my [Consumers → Reporting Side Effects to Medicines (ConSERF) or vaccines (AEFI)]

Storage and Disposal of Parmol 120 Syrup

- Storage

Keep out of reach and sight of children.

Store below 30°C.

Protect from light and freezing.

- Disposal

Medicines should not be disposed of via wastewater or household waste. Ask your pharmacist how to dispose of medicines no longer required. These measures will help to protect the environment.

Product Description

- What it looks like

Orange, viscous liquid with strawberry flavour.

- Ingredients

- Active ingredient(s)

- Paracetamol

- Inactive ingredients

- Propylene Glycol, Sodium Saccharin, Ethyl Maltol, Sodium Benzoate, Sodium Metabisulphite, Disodium Calcium Edetate, Strawberry Flavour, Sunset Yellow 15985, Glycerine, Syrup Simplex, Deionised Water

- MAL number(s)

MAL19911138XZ

Manufacturer & Product Registration Holder

HOVID Bhd.
121, Jalan Tunku Abdul Rahman
(Jalan Kuala Kangsar), 30010 Ipoh,
Perak, Malaysia

Date of revision

04/03/2024

Serial Number

NPRA(R4/1)290224/00025