

# BECLOVID-C CREAM

Clotrimazole 1% w/w and Beclomethasone Dipropionate 0.025% w/w

## What is in this leaflet

1. What Beclovid-C Cream is used for
2. How Beclovid-C Cream works
3. Before you use Beclovid-C Cream
4. How to use Beclovid-C Cream
5. While you are using it
6. Side effects
7. Storage and Disposal of Beclovid-C Cream
8. Product Description
9. Manufacturer and Product Registration Holder
10. Date of Revision
11. Serial Number

## What Beclovid-C Cream is used for

Beclovid-C Cream is used to treat fungal infections of the skin, particularly when accompanied by eczematous features.

## How Beclovid-C Cream works

Beclovid-C Cream consists of Clotrimazole and Beclomethasone Dipropionate.

Clotrimazole is an imidazole antifungal agent and is effective against a wide variety of fungi. Clotrimazole acts on the cell membrane of the fungus.

Beclomethasone Dipropionate is a synthetic glucocorticoid and is used on skin for the treatment of various dermatoses. Topical application of Beclomethasone Dipropionate exerts potent and rapid anti-inflammatory, anti-pruritic, anti-allergic, anti-proliferative and vasoconstrictive activity which leads to marked suppression of dermatoses.

## Before you use Beclovid-C Cream

### - When you must not use it

Do not use this product if you are allergic to any ingredients of this product.

Do not use this product if you are having skin tuberculosis, herpes simplex, chicken pox, measles, vaccinia, syphilitic skin lesions.

Do not use in large amounts of Beclovid-C Cream for long periods of time if you are pregnant.

### - Before you start to use it

Talk to your doctor or pharmacist before you start to use this product.

### - Taking other medicines

Tell your doctor if you are taking any other medicines, including any that you buy without a prescription from a pharmacy, supermarket or health food shop.

## How to use Beclovid-C Cream

### - How much to use

The frequency of application is generally 2 to 3 times daily. Follow all directions given to you by your doctor and pharmacist carefully.

### - When to use it

Use as directed by your doctor or pharmacist.

### - How long to use it

Continue taking Beclovid-C Cream for as long as your doctor recommends. After controlling the eczematous symptoms, it is recommended to switch over to a non-steroidal antifungal cream or lotion until the primary fungal infection is eliminated completely.

### - If you forget to use it

Consult your doctor or pharmacist on what you should do if you forget to use it.

### - If you use too much (overdose)

Contact your doctor or pharmacist if you think you or anyone else may have used too much of this medicine.

## While you are using it

### - Things you must do

Use your medicine exactly as your doctor has told you.

Tell all the doctors, dentists and pharmacists treating you that you are taking Beclovid-C Cream.

Tell your doctor immediately if you become pregnant while taking this medication.

### - Things you must not do

Do not stop using the medicine unless advised by your doctor.

Do not use any new medicines without consulting your doctor.

Do not give Beclovid-C Cream to anyone else, even if they have the same symptoms or condition as you.

### - Things to be careful of

If you experience any side effects, consult your doctor or pharmacist for advice.

## Side effects

Like all medicines, Beclovid-C Cream can cause side effects, although not everybody gets them.

The use of steroids topically over large skin areas, with or without occlusive dressing, may result in systemic absorption of the steroid.

Localised atrophy (partial or complete wasting away of a part of the body) and striae (stretch mark) have been reported with topical steroids.

Visit your doctor or pharmacist immediately if you experience any side effects after taking this medicine.

You may report any side effects or adverse drug reactions directly to the National Centre for Adverse Drug Reaction Monitoring by visiting the website [npra.gov.my](http://npra.gov.my) [Consumers → Reporting Side Effects to Medicines (ConSERF) or Vaccines (AEFI)]

## Storage and Disposal of Beclovid-C Cream

### - Storage

Keep out of the reach and sight of children.

Store below 30°C. Protect from light.

### - Disposal

Medicines should not be disposed of via wastewater or household waste.

# BECLOVID-C CREAM

Clotrimazole 1% w/w and Beclomethasone Dipropionate 0.025% w/w

---

Ask your pharmacist how to dispose of the medicines which are no longer required.

These measures will help to protect the environment.

## Product Description

### - What it looks like

White opaque cream filled in 15gm aluminium tube.

### - Ingredients

-Active ingredient:

- Clotrimazole
- Beclomethasone Dipropionate

-Inactive ingredients:

- Propylene Glycol
- Liquid Paraffin
- White Soft Paraffin
- Sodium Dihydrogen Phosphate
- Methyl Hydroxybenzoate
- Propyl Hydroxybenzoate
- Cetomacrogol Emulsifying Wax
- Purified Water

### - MAL numbers

MALXXXXXXXXX

## Manufacturer

Hovid Berhad,  
121, Jalan Tunku Abdul Rahman  
(Jalan Kuala Kangsar),  
30010 Ipoh, Perak, Malaysia.

## Product Registration Holder

Hovid Berhad,  
121, Jalan Tunku Abdul Rahman  
(Jalan Kuala Kangsar),  
30010 Ipoh, Perak, Malaysia.

## Date of revision

05/05/2022

## Serial Number

NPRA (R2) 21/181