

SOLCOSERYL® JELLY

1g contains: 4.15 mg of protein-free haemodialysate from calves' blood, chemically and biologically standardized

SOLCOSERYL® OINTMENT

1g contains: 2.07mg of protein-free haemodialysate from calves' blood, chemically and biologically standardized

What is in this leaflet

1. What it is used for
2. How it works
3. Before you use it
4. How to use it
5. While you are using it
6. Side effects
7. Storage and Disposal of it
8. Product Description
9. Manufacturer and Product Registration holder
10. Date of revision

What it is used for

Solcoseryl® Jelly:

The jelly promotes wound healing. It is particularly used for treating venous stasis ulcers, decubital ulcers, acute and chronic skin inflammation (dermatitis), secondary and tertiary burns.

Solcoseryl® Ointment:

It promotes the healing of dry wounds and particularly suitable for minor burns and abrasions. It is used in combination with the Jelly for deep, poorly healing wounds to protect the newly formed skin. This reduces the healing time and results in cosmetics improvement in the scarring.

How it works

Solcoseryl® Jelly and Ointment promote the re-functionalization of hypoxia and/or lack substrate of reversibly damaged tissue and speed up as well as improve the quality of the healing of lesions.

Before you use it

- When you must not use it

Do not use Solcoseryl® Jelly and Ointment if you are hypersensitive or allergic to parahydroxybenzoates (E210, E216, E218) which are present as preservatives.

- Before you start to use it

Tell your doctor before you start to use Solcoseryl® Jelly/ Ointment if:

- You have other allergies.
- Suffering from other illnesses

- Taking other medicines

Tell your doctor if you are taking any other medicines, including medicines you buy without a prescription from a pharmacy, supermarket or health food shop.

How to use it

- How much to use

Solcoseryl® Jelly is applied thinly 2- 3 times a day.

Solcoseryl® Ointment is applied 1-2 times a day and covered with a dressing.

- When to use it

Use as prescribed by the physicians.

- How long to use it

Solcoseryl® Jelly is applied until fresh skin tissue has formed. Solcoseryl® Ointment is applied until the wound is completely healed.

- If you forget to use it

To be advised.

Please contact your physicians.

- If you use too much (overdose)

Toxic effects from overdose of Solcoseryl® Jelly or Ointment have not been reported.

While you are using it

- Things you must do

Before application of Solcoseryl® Jelly, recent, weeping abrasions should be dried with a piece of gauze. It is advisable to cover the newly formed skin at the edge of poorly healing ulcers or wounds using Solcoseryl® Ointment. Solcoseryl® Ointment is applied and covered with a dressing. Do not massage in.

- Things you must not do

No special precautions are necessary on the use in accordance with the instruction.

Do not use the product after the date indicated by 'Exp' on the container.

- Things to be careful of

If the effect of the medicine is too strong or weak, speak to your physician or pharmacist

Side effects

After application of Solcoseryl® Jelly, an unpleasant stinging may occur for a short time. This does not mean the product should be discontinued.

In very rare cases, hypersensitivity reactions may occur. If unusual skin reactions occur, discontinue the product and inform your physician or pharmacist.

You may report any side effects or drug reactions directly to the National Centre for Adverse Drug Reaction Monitoring by calling Tel: 03-78835550, or visiting the website npra.moh.gov.my (Public → Reporting Medicinal Problems / Side Effects / AEFI / Vaccine Safety).

Storage and Disposal of it

- Storage

Solcoseryl® Jelly/ Ointment should be stored at temperature below 30°C, out of the reach of children.

- Disposal

Medicines should not be disposed of via wastewater or household waste. Ask your pharmacist how to dispose of medicines no longer required. These measures will help to protect the environment.

Product description

- What it looks like

Solcoseryl® Jelly

Solcoseryl Jelly is colourless, homogenous, clear gel of high consistency

Solcoseryl® Ointment

Solcoseryl Ointment is white to slightly yellowish, homogeneous, fatty mass, and is easily spreadable.

- Ingredients

Solcoseryl® Jelly

- Active Ingredients

Solcoseryl® (protein-free haemodialysate of blood from veal calves, chemically and biologically standardized), Dried, Protein-Free, Biologica (4.15mg/g)

- Inactive Ingredients

Methyl parahydroxybenzoate (1.73mg/g) (E 218)

Propyl parahydroxybenzoate (0.27mg/g) (E216)

Solcoseryl® Ointment

- Active Ingredients

Solcoseryl® (protein-free haemodialysate of blood from veal calves, chemically and biologically standardized), Dried, Protein-Free, Biologica (2.07mg/g)

- Inactive Ingredients

Methyl parahydroxybenzoate (1.6mg/g) (E 218)

Propyl parahydroxybenzoate (0.20mg/g) (E216)

- MAL number:

Solcoseryl® Jelly

MAL19912930XC

Solcoseryl® Ointment

MAL19912929XC

Manufacturer

Legacy Pharmaceuticals Switzerland GmbH, Ruhrbergstrasse 21, 4127 Birsfelden, Switzerland.

Product Registration Holder:

A.Menarini Singapore Pte. Ltd.
B-18-2, Level 18, The Ascent
Paradigm,
No.1, Jalan SS7/26A, Kelana Jaya,
47301 Petaling Jaya, Selangor Darul
Ehsan, Malaysia

Date of revision

September 2017

Serial Number

BPFK(R4/1)230517/00109