

BREACOL EXPECTORANT FOR CHILDREN

Guaifenesin (50mg/5ml)

What is in this leaflet

1. What Breacol Expectorant for Children is used for
2. How Breacol Expectorant for Children works
3. Before you use Breacol Expectorant for Children
4. How to use Breacol Expectorant for Children
5. While you are using it
6. Side effects
7. Storage and Disposal of Breacol Expectorant for Children
8. Product Description
9. Manufacturer and Product Registration Holder
10. Date of RiMUP revision

What Breacol Expectorant for Children is used for

Breacol Expectorant is used as an expectorant for symptomatic relief of coughs due to colds and upper respiratory tract infection

How Breacol Expectorant for Children works

Breacol Expectorant for Children contains Guaifenesin which has expectorant action which facilitates the removal of mucus.

Before you use Breacol Expectorant for Children

- When you must not use it
Known hypersensitivity to Guaifenesin or any other ingredients in the formulation

- Before you start to use it
Talk to your doctor or pharmacist before taking this medicine. Usage during pregnancy and lactation should be considered based on risk benefit. Talk to your doctor or pharmacist if you are pregnant or breast-feeding.

- Taking other medicines
Please consult your doctor or pharmacist if you are taking other medicines.

How to use Breacol Expectorant for Children

- How much to use
DOSAGE:

Age: 2 to 6 years old: Take 1- 2 teaspoons (5-10ml) every 4 hours as required.

Age: 6-12 years old: Take 2-4 teaspoons (10ml-20ml) every 4 hours as required.

Do not use in children less than 2 years of age. Please consult your doctor before use.

Please use with caution and consult doctor's/ pharmacist's advice in children 2 to 6 years of age.

- When to use it
Take Breacol Expectorant for Children every 4 hours as required.

- How long to use it
If you are coughing for more than a week, please consult your doctor.

- If you forget to use it
If you forget to take Breacol Expectorant for Children, please take it at the next dose.

- If you use too much (overdose)
Excessive use may cause nausea and vomiting. Guaifenesin may also have a mild elimination of uric acid effect and large dosages may cause stones in kidney, bladder and urinary tract. If you take more than you should, tell your doctor or pharmacist.

While you are using Breacol Expectorant for Children

- Things you must do
Keep medicine out of reach for children.

- Things you must not do
Do not take more than the recommended dose.

- Things to be careful of
If you are about to have carcinoid syndrome tests, tell your doctor that you are taking this medicine. It may interfere with the results of these tests. If symptoms persist, consult the doctor.

Side effects

Rarely, Breacol Expectorant for Children syrup may cause gastrointestinal discomfort and drowsiness.

You may report any side effects or adverse drug reactions directly to the National Centre for Adverse Drug Reaction Monitoring by visiting the website npra.gov.my [Consumers → Reporting Side Effects to Medicines (ConSERF) or Vaccines (AEFI)].

Storage and Disposal of Breacol Expectorant for Children

- Storage

- Do not use Breacol Expectorant for Children after the expiry date which is stated on the pack after 'Exp'.
- Do not store Breacol Expectorant above 30°C.

- Disposal

Please discard the bottle once medication is finished or expired

Product Description

- What it looks like

A clear, red coloured liquid, free from foreign matter and crystals. A minty and mild cherry taste and odour.

- Ingredients

- Active ingredient: Guaifenesin
- Inactive ingredients: sodium benzoate, potassium sorbate, cherry flavour, peppermint oil, citric acid anhydrous, saccharin sodium, sucrose, sodium citrate, FD&C Red No.40, purified water.

- MAL number:

MAL13115225X

Manufacturer

PT Menarini Indria Laboratories
Jl. Akasia II Blok A-9 No.5,
Delta Silicon I Industrial Park Lippo
Cikarang, Bekasi 17550,
Jawa Barat, Indonesia

Product Registration Holder

A. Menarini Singapore Pte. Ltd.
B-18-2, Level 18, The Ascent Paradigm,
No 1, Jalan SS 7/26A, Kelana Jaya,
47301 Petaling Jaya,
Selangor Darul Ehsan, Malaysia

Date of revision

25 Jul 2025

Serial Number

BPFK(R4/1)230517/00111