

Immediate Label For Plastic Bottle of 60 ml:This Design Also Applicable For Plastic Bottles of 100 ml**Direction for Mixing :**

Shake to loosen powder.
Add approximately 30ml
freshly boiled and cooled
water and shake gently.
Add more water until 60ml
mark is reached and shake
well.

Keep refrigerated (2-8°C)
after reconstitution. To be
used within 7 days of mixing.
FOR ORAL USE ONLY.

Complete the prescribed
course.

Not to be used in patients
with known hypersensitivity
to penicillin.

Manufacturer / Product**Registration Holder:****DYNAPHARM (M) SDN. BHD.**

198001011897 (65683-V)

2497, Mk 1, Lrg Perusahaan Baru 5,
Kawasan Perusahaan Perai 3,
13600 Perai, Pulau Pinang, MALAYSIA.



Dyna Cloxacillin DS 125

Each 5ml of the reconstituted
suspension contains:-
Cloxacillin Sodium 136.67 mg
equivalent to Cloxacillin 125 mg

Preservatives: Sodium Benzoate
0.1%w/v, Methyl Paraben 0.1%w/v,
Propyl Paraben 0.01%w/v.

60ml**MAL19962517AZ****Indication and Dosage:**

Refer To Package Insert.
JAUHI UBAT DARIPADA KANAK-KANAK.
KEEP OUT OF REACH OF CHILDREN.
DO NOT STORE ABOVE 30°C.
PROTECT FROM LIGHT.
KEEP CONTAINER TIGHTLY CLOSED.
SHAKE WELL BEFORE USE.

CONTROLLED MEDICINE

Batch No :
Mfg Date :
Exp Date :



LB1PL D021-10-B26