

Immediate Label For **Plastic Bottle of 60 ml:**

Indications :

Upper and lower respiratory tract infections ; ear and eye infections ; gastro-intestinal infection ; skin and soft tissue infections ; gonorrhoea ; syphilis and whooping cough.

Direction for Mixing :

Shake to loosen powder. Add approximately 30ml freshly boiled and cooled water and shake well. Add more water until 60ml mark is reached and shake.

To be used within 7 days of mixing.

FOR ORAL USE ONLY.

CONTROLLED MEDICINE

LB1PL E001-04-G20

ERYMYCIN Dry Syrup **200**

Each 5 ml of reconstituted suspension contains :

Erythromycin Ethylsuccinate equivalent to Erythromycin 200 mg

Preservative :
Sodium benzoate.....0.1% w/v

Batch No. :

Mfg. Date :

Exp. Date :

60 ml

MAL19972482AZ

Please refer to Package insert for further information.

JAUHI UBAT DARIPADA KANAK- KANAK
KEEP OUT OF REACH OF CHILDREN.
KEEP CONTAINER TIGHTLY CLOSED.
STORE IN DRY PLACE BELOW 30°C
PROTECT FROM LIGHT
SHAKE WELL BEFORE USE

**MANUFACTURER / PRODUCT
REGISTRATION HOLDER :**
DYNAPHARM (M) SDN. BHD.

(65683-V)

2497, Mk 1, Lorong Perusahaan Baru 5,
Kawasan Perusahaan Perai 3,
13600 Perai, Pulau Pinang, MALAYSIA.

