

Immediate Label For Plastic Bottle of 60 ml:

This Design Also Applicable For Plastic Bottle of 100 ml

DIRECTION FOR MIXING:

1. Shake well to loosen powder.
2. Add approximately 30 ml freshly boiled and cooled water and shake.
3. Add more water until the 60 ml mark is reached and shake well.

To be used within 7 days of mixing.

“For oral use”

Complete the prescribed course.
Keep refrigerated after reconstitution.
This product contains Sodium Metabisulphite.

**Manufacturer / Product
Registration Holder:**

DYNAPHARM (M) SDN. BHD.
198001011897 (65683-V)
2497, Mk. 1, Lorong Perusahaan Baru 5,
Kawasan Perusahaan Perai 3,
13600 Perai, Pulau Pinang, MALAYSIA.



Dynalexin Dry Syrup

250MG/5ML

**Each 5ml reconstituted
suspension contains:-
Cephalexin monohydrate
equivalent to Cephalexin 250 mg.**

Preservative : Sodium Benzoate 0.1% w/v
Colouring Agents : Green S and Brilliant Blue
Flavouring Agent : Vanilla

60 ml MAL07031092AZ

Please refer to package insert for indication, dosage, precautions and other information.

SHAKE WELL BEFORE USE

JAUHI UBAT DARIPADA KANAK-KANAK
KEEP OUT OF REACH OF CHILDREN
DO NOT STORE ABOVE 30°C
PROTECT FROM LIGHT
KEEP CONTAINER TIGHTLY CLOSED.

CONTROLLED MEDICINE

Batch No. :
Mfg. Date :
Exp. Date :
LB1PL D014-08-D26



Scan QR for Package Insert



9 557490 704143