DYNA KAOLIN-PECTIN SUSPENSION

Kaolin Light / Pectin (6mg/30ml / 150 mg/30 ml)

What is in this leaflet

- 1. What Dyna Kaolin-Pectin Suspension is used for
- 2. How Dyna Kaolin-Pectin Suspension works
- 3. Before you used Dyna Kaolin-Pectin Suspension
- 4. How to use Dyna Kaolin-Pectin Suspension
- 5. While you are using it
- 6. Side effects
- 7. Storage and disposal of Dyna Kaolin-Pectin Suspension
- 8. Product Description
- 9. Manufacturer and Product Registration Holder
- 10. Date of revision

What Dyna Kaolin-Pectin Suspension is used for

Indicated for the relief of minor diarrhoea.

How Dyna Kaolin-Pectin Suspension works

Dyna Kaolin-Pectin Suspension is an adsorbent. It used in the treatment of inflammation of intestines and severe diarrhoea associated with food poisoning. Kaolin forms a protective coating on intestinal mucosa while Pectin in the formation of the stool. It is an efficient emulsifying and gelling agent and may be used in the treatment of diarrhoea.

Before you use Dyna Kaolin-Pectin Suspension

When you must not use it
 Do not use Dyna Kaolin-Pectin
 Suspension for children under 6 years of age.

Pregnancy and lactation
No reports regarding adverse effects.

Ask your doctor or pharmacists for advice before taking Dyna Kaolin-Pectin Suspension.

- <u>Before you start to use it</u>
 Tell your doctor if you have any of the conditions:
- Intestinal obstruction
- Irritable Bowel Syndrome

- Taking other medicines

Tell your doctor if you are taking Lincomycin, antibiotics and any other medicines, including any that you buy without a prescription from a pharmacy, supermarket or health food shop.

How to use Dyna Kaolin-Pectin Suspension

- *How much to use*Adults: 2 tablespoonfuls
Children 7 to 12 years: 1 tablespoonful
All to be taken 3 to 4 times daily

The directions given may differ from the information contained in this leaflet. If you do not understand the instructions on the label, ask your doctor or pharmacist for help.

- When to use it Use as directed by your doctor or pharmacist.

- How long to use it

Continue taking Dyna Kaolin-Pectin Suspension for as long as your doctor recommends.

- <u>If you forget to use it</u>

Take the missed dose as soon as you remember. If it almost time for your next dose, wait until then to take the medicine and skip the missed dose. Do not take a double dose to make up for the missed dose.

- *If you use too much (overdose)*No reports regarding overdose

Contact your doctor immediately or go to the Emergency Department of your nearest hospital, if you think you or anyone else may have taken too much of this medicine. Do this even if there are no signs of discomfort or poisoning. You may need urgent medical attention.

While you are using it

- <u>Things you must do</u>
Take your medicine exactly as your doctor has told you.

Tell the doctor, dentist and pharmacist treating you that you are taking Dyna Kaolin-Pectin Suspension

- Things you must not do

Do not take any new medicines without consulting your doctor or pharmacist.

Do not give Dyna Kaolin-Pectin Suspension to anyone else, even if they have the same symptoms or condition as you.

- Things to be careful of

Appropriate fluid and electrolyte therapy should be given to protect against dehydration. Severe constipation, which may lead to faecal impaction, may rarely occur in children and the elderly patients taking Kaolin and Pectin.

Side effects

Side effects of the Dyna Kaolin-Pectin Suspension which are:

Pectin and other laxative taken in large quantities can cause increase in flatulence and distension. Intestinal obstruction has been reported after their administration. Oesophageal obstruction also occurred when these agents have taken without presence of water.

Visit your doctor or pharmacist immediately if you experience any side effects after taking this medicine. You may report any side effects or adverse drug reactions directly to the National Centre for Adverse Drug Reaction Monitoring by visiting the website npra.gov.my [Consumers → Reporting Side Effects to Medicines (ConSERF) or Vaccines (AEFI)].

Storage and Disposal of Dyna Kaolin-Pectin Suspension

- <u>Storage</u>

Keep out of reach of children Protect from light Store in dry place below 30°C Keep the container tightly closed Shake well before use

- <u>Disposal</u>

Medicines should not be disposed of via wastewater or household waste. Ask your pharmacist how to dispose of medicines no longer required. These measures will help to protect the environment.

DYNA KAOLIN-PECTIN

Kaolin Light / Pectin (6mg/30ml / 150 mg/30 ml)

Product Description

- What it looks like

Pink suspension with cherry flavour.

- Ingredients
- Active ingredients Kaolin Light, Pectin
- Inactive ingredients Sodium Benzoate, Purified Water, Sodium Saccharin, Gum Tragacanth, Methylparaben, Peppermint Oil, Sugar, Rhodigel, Carmoisine, Citric Acid Anhydrous, Propylparaben, Chloroform Spirit, Aerosil 200 and Cherry Flavour.

- <u>MAL number</u> MAL19910640X

Manufacturer & Product registration holder

Dynapharm (M) Sdn. Bhd. 2497, Mk 1, Lorong Perusahaan Baru 5, Kawasan Perusahaan Perai 3, 13600 Perai, Pulau Pinang, Malaysia.

Date of revision

08/09/2023

Serial Number:

NPRA(R4/1)180518/00159