



Aminoplasmal® 15% Solution for Infusion
 Amino acids

Controlled Medicine

Aminoplasmal® 15%

AS-15

500 ml

The solution for infusion contains:

	per 1 ml	per 500 ml
Isoleucine	5.850 mg	2.925 g
Leucine	11.400 mg	5.700 g
Lysine monohydrate (equivalent to lysine)	8.930 mg (7.950 mg)	4.465 g (3.975 g)
Methionine	5.700 mg	2.850 g
Phenylalanine	5.700 mg	2.850 g
Threonine	5.400 mg	2.700 g
Tryptophan	2.100 mg	1.050 g
Valine	7.200 mg	3.600 g

Arginine	16.050 mg	8.025 g
Histidine	5.250 mg	2.625 g
Alanine	22.350 mg	11.175 g
Glycine	19.200 mg	9.600 g
Aspartic acid	7.950 mg	3.975 g
Glutamic acid	16.200 mg	8.100 g
Proline	7.350 mg	3.675 g
Serine	3.000 mg	1.500 g
Tyrosine	0.500 mg	0.250 g
Acetyl-cysteine (equivalent to cysteine)	0.500 mg (0.370 mg)	0.250 g (0.185 g)
Electrolytes: Sodium		5.3 mmol/l

Amino acid content	150 g/l
Nitrogen content	24.0 g/l
Energy	2505 kJ/l (600 kcal/l)
Theoretical osmolality	1290 mOsm/l
Acidity (titration to pH 7.4) approx. 31 mmol NaOH/l	
pH	5.7 - 6.3
Sodium hydroxide	
Citric acid monohydrate (for pH adjustment)	
Water for injections	
Intravenous use. For central venous infusion only.	
Read the directions for use before use.	

Keep out of the sight and reach of children.
 Jauhkan dari kanak-kanak.
 For single use only. Discard container and unused contents after use.
 Use only if solution is clear and colourless up to faintly straw-coloured and the bottle and its closure are undamaged.
 Do not store above 30 °C. Do not freeze.
 MAL 19973638AZ

481/12616052/0416

B | BRAUN

Product registration holder:
 B. Braun Medical Industries Sdn. Bhd.
 11900 Bayan Lepas, Penang, Malaysia
 Manufactured by: B. Braun Melsungen AG
 Carl-Braun-Straße 1
 34212 Melsungen, Germany

Manuf. date:
 LOT
 EXP:

200

100

Aminoplasmal® 15%

