


[싱가포르]

로시덴겔 10g 케이스

Size : 104 × 30 × 20 (mm)

수정사항

1. 왼쪽날개 로고 추가
2. USP 삭제
3. Reg. No. : SIN 5100P → SIN 05100P
4. Lot 점 삭제
5. 심볼 이미지 교체



[싱가포르]

로시덴겔 30g 케이스

Size : 143 × 40 × 25 (mm)

- 수정사항
1. Reg 점 추가
2. Reg. No. : SIN 5100P → SIN 05100P
3. Lot 점 삭제

	Anti-inflammatory, Analgesic Agent ROSIDEN Gel	30g Anti-inflammatory, Analgesic Agent ROSIDEN Gel Piroxicam For Topical Use Only SHIN POONG PHARM. CO., LTD. 7, Wonsi-ro, Danwon-gu, Ansan-si, Gyeonggi-do, Republic of Korea	Anti-inflammatory, Analgesic Agent ROSIDEN Gel	
		Reg. No. : SIN 05100P MAL 19930424AZ Controlled medicine/Ubat Terkawal Product Registration Holder: The Zyfas Medical Co; No. 7, Jalan Molek 3/10, Taman Molek, 81100 Johor Bahru. Lot No. : Mfg. Date : Exp. Date : ※ Keep out of reach of children Jauhkan dari kanak-kanak		
	Anti-inflammatory, Analgesic Agent ROSIDEN Gel	30g Anti-inflammatory, Analgesic Agent ROSIDEN Gel Piroxicam For Topical Use Only SHIN POONG PHARM. CO., LTD. 7, Wonsi-ro, Danwon-gu, Ansan-si, Gyeonggi-do, Republic of Korea		
		■ COMPOSITION : Each gram contains 5mg of Piroxicam. ■ INDICATIONS : See insert. ■ DOSAGE AND ADMINISTRATION Apply the Rosiden gel 3 to 4 times daily to the affected area. ■ STORAGE : Store in a tight container below 30℃.		

[싱가포르]

로시덴겔 60g 케이스


Size : 170 × 40 × 30 (mm)

- 수정사항
1. 날개 변경

2. Reg 점 추가

3. Reg. No. : SIN 5100P → SIN 05100P

4. Lot 점 삭제

	Anti-inflammatory, Analgesic Agent ROSIDENGel	60g Anti-inflammatory, Analgesic Agent ROSIDENGel Piroxicam For Topical Use Only SHIN POONG PHARM. CO., LTD. 7, Wonsi-ro, Danwon-gu, Ansan-si, Gyeonggi-do, Republic of Korea 	Anti-inflammatory, Analgesic Agent ROSIDENGel		
		 Reg. No. : SIN 05100P MAL 19930424AZ Controlled medicine/Ubat Terkawal Product Registration Holder: The Zyfas Medical Co; No. 7, Jalan Molek 3/10, Taman Molek, 81100 Johor Bahru. ※ Keep out of reach of children Jauhkan dari kanak-kanak Lot No. : Mfg. Date : Exp. Date :			
		60g Anti-inflammatory, Analgesic Agent ROSIDENGel Piroxicam For Topical Use Only SHIN POONG PHARM. CO., LTD. 7, Wonsi-ro, Danwon-gu, Ansan-si, Gyeonggi-do, Republic of Korea 			
		 ■ COMPOSITION : Each gram contains 5mg of Piroxicam. ■ INDICATIONS : See insert. ■ DOSAGE AND ADMINISTRATION Apply the Rosiden gel 3 to 4 times daily to the affected area. ■ STORAGE : Store in a tight container below 30℃.			

[싱가포르]
로시덴겔 100g 케이스
Size : 198 × 50 × 33 (mm)

- 수정사항
- 1. Reg 점 추가
 - 2. Reg. No. : SIN 5100P → SIN 05100P
 - 3. Lot 점 삭제

100g

Anti-inflammatory, Analgesic Agent

ROSIDENGel

Piroxicam

For Topical Use Only

SHIN POONG PHARM. CO., LTD.
7, Wonsi-ro, Danwon-gu, Ansan-si, Gyeonggi-do, Republic of Korea

Reg. No. : SIN 05100P
MAL 19930424AZ

Lot No. :
Mfg. Date :
Exp. Date :

Controlled medicine/Ubat Terkawal

Product Registration Holder :
The Zymas Medical Co;
No. 7, Jalan Molek 3/10, Taman Molek 81100, Johor Bahru.

※ Keep out of reach of children
Jauhkan dari kanak-kanak

Anti-inflammatory, Analgesic Agent
ROSIDENGel

100g

Anti-inflammatory, Analgesic Agent

ROSIDENGel

Piroxicam

For Topical Use Only

SHIN POONG PHARM. CO., LTD.
7, Wonsi-ro, Danwon-gu, Ansan-si, Gyeonggi-do, Republic of Korea

Anti-inflammatory, Analgesic Agent
ROSIDENGel

■ **COMPOSITION** : Each gram contains 5mg of Piroxicam.

■ **INDICATIONS** : See insert.

■ **DOSAGE AND ADMINISTRATION**
Apply the Rosiden gel 3 to 4 times daily to the affected area.

■ **STORAGE**
Store in a tight container below 30℃.