

[싱가포르]

로시덴겔 10g 튜브

Size : 94 × 50 (mm)

19/07/22 수정사항

1. Lot No., Mfg. Date, Exp. Date 추가

10g	Anti-inflammatory, Analgesic Agent	Lot No. :
	ROSIDEN^{Gel} Piroxicam For Topical Use Only	Mfg. Date : Exp. Date : Reg. No. : SIN 05100P MAL 19930424AZ
	■ COMPOSITION : Each gram contains 5mg of Piroxicam.	Controlled medicine/Ubat Terkawal
	■ INDICATIONS : See insert.	Product Registration Holder : The Zylfas Medical Co; No. 7, Jalan Molek 3/10, Taman Molek, 81100 Johor Bahru.
	■ DOSAGE AND ADMINISTRATION : Apply the Rosiden gel 3 to 4 times daily to the affected area.	
	■ STORAGE : Store in a tight container below 30°C.	
10g	Anti-inflammatory, Analgesic Agent	
	ROSIDEN^{Gel} Piroxicam For Topical Use Only	
	 SHIN POONG PHARM. CO., LTD. 7, Minam-gu, Ansan-si, Gyeonggi-do, Republic of Korea	※ Keep out of reach of children Jauhkan dari kanak-kanak

[싱가포르]

로시덴겔 30g 튜브

Size : 117 × 70 (mm)

23/11/03 수정사항

1. Lot No., Mfg. Date, Exp. Date 추가

30g

Anti-inflammatory, Analgesic Agent
ROSIDEN Gel
Piroxicam For Topical Use Only



 **SHIN POONG PHARM. CO., LTD.**
7, Wonsi-ro, Danwon-gu, Ansan-si, Gyeonggi-do, Republic of Korea

Anti-inflammatory, Analgesic Agent
30g ROSIDEN Gel
Piroxicam For Topical Use Only

- **COMPOSITION**
Each gram contains 5mg of Piroxicam.
- **INDICATIONS** : See insert.
- **DOSAGE AND ADMINISTRATION**
Apply the Rosiden gel 3 to 4 times daily to the affected area.
- **STORAGE**
Store in a tight container below 30℃.

※ Keep out of reach of children
Jauhkan dari kanak-kanak

Lot No. :
Mfg. Date :
Exp. Date :

Reg. No. : SIN 05100P
MAL 19930424AZ

Controlled medicine/Ubat Terkawal
Product Registration Holder :
The Zyfas Medical Co;
No. 7, Jalan Molek 3/10, Taman Molek, 81100 Johor
Bahru.

[싱가포르]

로시덴겔 60g 튜브

Size : 145 × 90 (mm)

23/11/03 수정사항

1. Lot No., Mfg. Date, Exp. Date 추가

60g



SHIN POONG PHARM. CO., LTD.
7, Wonsi-ro, Danwon-gu, Ansan-si, Gyeonggi-do, Republic of Korea

※ Keep out of reach of children
Jauhkan dari kanak-kanak

60g

Anti-inflammatory, Analgesic Agent
ROSIDEN Gel
Piroxicam For Topical Use Only

- **COMPOSITION** : Each gram contains 5mg of Piroxicam.
- **INDICATIONS** : See insert.
- **DOSAGE AND ADMINISTRATION**
Apply the Rosiden gel 3 to 4 times daily to the affected area.
- **STORAGE**
Store in a tight container below 30°C.

Lot No. :

Mfg. Date :

Exp. Date :

Reg. No. : SIN 05100P
MAL 19930424AZ

Controlled medicine/Ubat Terkawal

Product Registration Holder :
The Zyfas Medical Co;
No. 7, Jalan Molek 3/10, Taman Molek, 81100 Johor
Bahru.

[싱가포르]

로시덴겔 100g 튜브

Size : 160 × 110 (mm)

23/11/03 수정사항

1. Lot No., Mfg. Date, Exp. Date 추가

100g Anti-inflammatory, Analgesic Agent

ROSIDEN Gel

Piroxicam For Topical Use Only

■ COMPOSITION

Each gram contains 5mg of Piroxicam.

■ INDICATIONS : See insert.

■ DOSAGE AND ADMINISTRATION

Apply the Rosiden gel 3 to 4 times daily to the affected area.

■ STORAGE

Store in a tight container below 30℃.

Lot No. :

Mfg. Date :

Exp. Date :

Reg. No. : SIN 05100P

MAL 19930424AZ

Controlled medicine/Ubat
Terkawal

Product Registration Holder :

The Zyfas Medical Co;

No. 7, Jalan Molek 3/10,

Taman Molek, 81100 Johor Bahru.

100g Anti-inflammatory, Analgesic Agent

ROSIDEN Gel

Piroxicam For Topical Use Only



SHIN POONG PHARM. CO., LTD.

7, Wonsi-ro, Danwon-gu, Ansan-si, Gyeonggi-do, Republic of Korea

※ Keep out of reach of children
Jauhkan dari kanak-kanak