

# E-SOL GEL

Erythromycin 4%, Tretinoin 0.025%

---

## What is in this leaflet

1. What E-SOL GEL is used for
2. How E-SOL GEL works
3. Before you use E-SOL GEL
4. How to use E-SOL GEL
5. While you are using it
6. Side effects
7. Storage and disposal of E-SOL GEL
8. Product description
9. Manufacturer and Product Registration Holder
10. Date of revision

## What E-SOL GEL is used for

Treatment of acne.

## How E-SOL GEL works

E-sol is a gel contains Erythromycin and Tretinoin as active ingredients. Erythromycin is an antibiotic which kills the germs found in acne and reduces the inflammation of your skin. Tretinoin is an agent which modifies abnormal skin cell renewal.

## Before you use E-SOL GEL

### - When you must not apply it

- If you are allergic to any components in E-SOL GEL
- If you have a type of skin cancer known as epithelioma or have family history of it.
- if your skin is sunburnt
- if you are using any other medication on your skin which may lead to skin irritation e.g. an exfoliator
- if you are suffering from acute eczema, rosacea (a skin disease which affects the face and is characterized by redness, pimples and peeling) or acute inflammatory conditions of the skin, especially around the mouth.
- if you are pregnant
- if you are planning a pregnancy

### -Before you start to apply it

- For external use only. Excessive use should be avoided.
- Exposure to excessive sunlight, including sunlamps, should be avoided while using the preparation, or a suitably effective sunscreen should be employed.
- Cosmetics may be used, but the areas to be treated should be cleansed thoroughly before the medication is applied.
- Do not use E-sol Gel if you are pregnant or thinking of becoming pregnant. Your doctor can give you more information.

### - Apply other medicines

E-Sol gel should not be used concomitantly with other skin medications particularly those containing keratolytic agents, as this may exacerbate any skin irritation that is present.

## How to use E-SOL GEL

### -How much to apply

Apply a thin film to the affected skin area once daily in the evening.

### -When to use it

Use as directed by your doctor or pharmacist.

### -How long to use it

E-SOL GEL should be applied as your doctor advised you to do so. The duration of use depends on the condition of the skin and should not exceed 12 weeks.

### - If you forget to use it

If you forget to apply the E-sol gel, apply it as soon as possible and then continue the rest of the treatment as usual.

### - If you apply too much (overdose)

Marked redness, peeling or discomfort may occur.

## While you are using E-SOL GEL

### -Things you must do

Always use this exactly as described on the label or as your doctor or pharmacist has told you. Promptly discontinue application of TE-SOL GEL if found sensitivity or irritation after using it. Avoid exposure to UV light including the sun and ultraviolet sunlamps.

### - Things you must not do

Do not contact it with your eyes or keep it at the place that can be reached by children. Do not ingest this medication. In case of accidental ingestion, gastric lavage should be done immediately.

### - Things to be careful of

Driving and using machine  
There are no effects on the ability to drive and use machines when this medication is used.

## Side effects

E-SOL GEL may cause severe allergy and serious skin reactions. Stop using E-SOL GEL and seek medical assistance immediately if you experience any of the following symptoms: skin reddening, blisters, rash, fever, sore throat or eye irritation.

You may report any side effects or adverse drug reactions directly to the National Centre for Adverse Drug Reaction Monitoring by visiting the website [npra.gov.my](http://npra.gov.my) [Consumers→ Reporting Side Effects to Medicines (ConSERF) or Vaccines (AEFI)]

## Storage and Disposal of E-SOL GEL

### - Storage

# E-SOL GEL

Erythromycin 4%, Tretinoin 0.025%

---

Store in a light-resistant tight container below 30°C. Protect from light and moisture.

- Disposal

Talk to your doctor or pharmacist about the proper disposal.

**Product description**

- What it looks like

A homogenous opaque gel

- Ingredients

- Active Ingredient

Erythromycin

Tretinoin

- Inactive Ingredients

Poloxamer 407

Polyethylene Glycol 400 Propylene

Glycol

Mentha Oil

Purified Water

- MAL number

MAL20027001AZ

**Manufacturer:**

**DAEHWAPHARMACEUTICAL**

495, Hanu-ro, Hoengseong-eup,

Hoengseong-gun, Gangwon-do,

Republic of Korea.

**Product Registration Holder:**

**THE ZYFAS MEDICAL CO.,**

No.15, Jalan Mega 1/5, Taman

Perindustrian Nusa Cemerlang,

79200 Iskandar Puteri, Johor,

Malaysia

**Date of revision**

01/04/2024

**Serial Number**

NPRA(R2/1)221116/984