

M-BREX

Methyl Salicylate (5000 mg/100 ml) / Menthol (5200 mg/100 ml) / Camphor (5200 mg/100 ml)

What is in the leaflet

1. What M-BREX is used for
2. How M-BREX works
3. Before you use M-BREX
4. How to use M-BREX
5. While you are using M-BREX
6. Side Effects
7. Storage and Disposal of M-BREX
8. Product Description
9. Manufacturer
10. Product Registration Holder
11. Date of Revision

What M-BREX is used for

M-BREX is used for Stiffness, Muscular ache, Joint pain, Limb languor, Bruise, Sprain, Loin pain and Chilblain.

How M-BREX works

M-BREX contains methyl salicylate, menthol and camphor as active ingredients. Methyl salicylate is a topical analgesic (pain reliever) and menthol and camphor which has cooling effect on skin which distract you from feeling the aches/pains deeper in your muscles and joints.

Before you use M-BREX

-When you must not use it

Do not take use this medicine if:

- if you are allergic (hypersensitive) to Methyl Salicylate, Menthol, Camphor or any other ingredients of this medicine (listed in section Product Description)

-Before you start to use it

- If you have pregnancy and lactation, please consult your doctor or pharmacist if you are pregnant, planning for pregnancy or breast-feeding before using any medicine.

-Using with other medicines

Some medicines can affect the way other medicines work. Please tell your doctor or pharmacist if you are taking any other or medicines, including medicines obtained without a prescription.

Caution is advised if you are taking warfarin. (Excessive application may increase the chance of bleeding.)

How to use M-BREX

For external application only.

-How much to use

- Apply the proper amount of M-BREX on the affected areas of the skin.

-How much to use

- Apply to the affected area 2 – 3 times daily or directed by your doctor or pharmacist.

-How long to use it

- Use M-BREX for the duration that the doctor or pharmacist recommends.

-If you forget to use it

- Apply M-BREX for the duration that the doctor or pharmacist recommends.

-If you use too much (overdose)

Contact your doctor immediately or go to the Emergency Department of your nearest hospital, if you think you or anyone else may have orally taken too much of this medicine. Do this even if there are no signs of discomfort or poisoning. You may need urgent medical attention.

While you are using it

-Things you must do

Use this medicine exactly as the doctor or pharmacist has told you. Tell all the doctors, dentists or pharmacists treating you that you are using M-BREX. Tell your doctor immediately if you become pregnant while using M-BREX. Wash hands thoroughly after use in order to prevent any chance of irritation to the eye and sensitive areas.

-Things you must not do

- This product is for external use only. Keep away from eyes and sensitive areas. If the liquid happens to get into the eyes, please rinse well.
- Do not apply to skin abrasions or irritated skin.
- Do not take any new medicines without consulting your doctor or pharmacist
- Do not give M-BREX to anyone else, even if they have the same symptoms or condition as you.

-Things to be careful of

The skin may at first appear red when used by some people with sensitive skin, but this will soon fade.

It is dangerous to place any camphor containing product into the nostril of children. A small amount applied this way may cause immediate collapse.

Can cause convulsion. Caution must be exercised when older children are treated.

Side Effects

Like all medicines, M-BREX can have side effects, although not everybody gets them.

Some common side effects are Rash, redness, swelling and itching which may occur.

You may report any side effects or adverse drug reaction directly to the National Centre for Adverse Drug Reaction Monitoring by visiting the website <https://www.npra.gov.my/> [Consumers→Reporting Side Effects to Medicines (ConSERF) or Vaccines (AEFI)]

Storage and Disposal of M-BREX

-Storage

- Store below 30 °C.
- Keep out of reach of children.

-Disposal:

Medicines should not be disposed of via wastewater or household waste. Ask your pharmacist how to dispose of medicines no longer required. These measures will help to protect the environment.

Product Description

-What it looks like

Clear solution in the white plastic bottle-cap with sponge rubber applicator.

-Ingredients

- * Active ingredient – Methyl Salicylate, Menthol and Camphor.
- * Inactive ingredient – Vanillylamide and ethyl alcohol (95 %)

M-BREX

Consumer Medication Information Leaflet (RiMUP)

Methyl Salicylate (5000 mg/100 ml) / Menthol (5200 mg/100 ml) / Camphor (5200 mg/100 ml)

MAL number

Manufacturer

MacroPhar Co.,Ltd
89 Soi Pattanakarn 20 Yaek 4,
Pattanakarn Road., Suan Luang,
Bangkok 10250, Thailand.

Product Registration Holder

Stadpharm Sdn. Bhd.
E-9-01, Oasis Square, Ara Damansara,
No.2, Jalan PJU 1A/7A, 47301 Petaling
Jaya, Selangor Dural Ehsan, Malaysia.

Date of Revision

18/09/2024

Serial number

NPRA (R2) 24/108